

MAXPOWER®

Top Chinese Hardware Tools Company



WEIDA®

Official Account



LIYU®

Official Account



MAXPOWER®

Official Account



MAXPOWER® | LIYU® | WEIDA® | WD&WL® | 迈凯思® | 迈泊® | 力轻® | 威达®

2025

MAXPOWER®

TOOLS SPECIALIST



2025

Tools and Solutions Partner

TEL: 400-811-7600

www.cw-maxpower.com
www.maxpower-tool.com

Add : No.8 Huizhou Road, Wendeng Economic Development Zone, Weihai City, Shandong Province

Tel : 0086-631-3587857 3587779
Fax : 0086-631-3587661

 Made in China

Weihai Liyu Industrial Co., Ltd. is a comprehensive company that integrates production, sales, investment, and trade. Its business spans multiple sectors, including tool and machinery manufacturing, hardware tools, financial investment, medical care, environmental protection equipment, and international trade. Among these, the largest segment is the production and sales of hand tools and power tools, with five factories in China and one in South Korea, covering a total area of 750,000 square meters.

Liyu Industrial is a national high-tech enterprise and the controlling shareholder of Wendeng Weili Tools Group Co., Ltd., a leading enterprise in the domestic hardware tools industry. The company specializes in designing, developing, manufacturing, and selling various tools. It is recognized as a "Single Champion Demonstration Enterprise" in China's manufacturing industry, a National Technology Innovation Demonstration Enterprise, a National Green Factory, and a National Intellectual Property Advantage Enterprise. The company boasts national-level R&D platforms, including a National Enterprise Technology Center, a National Industrial Design Center, a Postdoctoral Workstation, and a National Testing Center. It has participated in the drafting and revision of over 100 international, national, and industry standards. Its strong R&D capabilities enable the company to create a new product or patented product almost every working day.

Introduction

Liyu Industrial owns multiple brands: **MAXPOWER®**, **LIYU®**, **WEIDA®**, **WD&WL®**, 迈凯思®, 威达®, 力钰®, 迈泊®.

With its exceptional manufacturing and R&D capabilities, as well as high-quality products, Liyu Industrial provides professional services to industries such as aerospace, rail transportation, oil and petrochemicals, energy and metallurgy, machinery manufacturing, automotive maintenance, electrical engineering, and construction and decoration, meeting customized demands.

Liyu Industrial operates in over 50 countries and regions worldwide, leveraging the advantages of its overseas factories to conduct business across more than 100 countries. By collaborating closely with distributors, retailers, and stores around the globe, the company ensures that first-hand market demand is promptly captured and transformed into reality.

This enables the company to provide tailored, convenient services for global customers, better meeting their needs.



01	Tool Set and Tool Storage	P01-57
02	Socket & Accessories	P58-72
03	Pneumatic Tools	P73-78
04	Power Tools	P79-81
05	Electrical Tools / Insulation Type Tools	P82-94
06	Wrench	P95-116
07	Clamping Tools	P117-133
08	Plumbing Tools	P134-142
09	Cutting Tools	P143-151
10	Screwdriver Series / Measurement Tools / Striking Tools	P152-164
11	Automotive Products / Puller Tools / Hydraulic Tools	P165-173
12	Garden Tools / Welding Tools / Building & Decorating Tools	P174-177
13	Non-Sparking Brass Tools	P178-181



Group headquarters


Development Zone Factory



Weihai Lingang New District Factory



Nanhai New District Environmental Protection Equipment Factory



Maxpower Fan Factory




Maxpower Korean Factory



Shanghai Branch








BRAND ORIGINATED FROM ACCUMULATION

Focus on one thing for fifty years

— *only for the best tools*



Innovation

We work with nation-level enterprise technology centers, high-tech enterprises, CNAS national accredited laboratories, academician workstations, provincial engineering technology research centers, constantly strengthen our product development and results transformation. We cooperate with universities, research institutes and other enterprises to create sustainable technology innovation for our company.

This has created a strong external innovation platform for the company's continuous technological innovation.

In terms of internal management and operation, we have formulated a strong enterprise strategy of "building a smart manufacturing culture and building a 100-year-old evergreen enterprise". We have established two teams of production and engineering technology to coordinate all resources to achieve dual-engine dual-wheel drive enterprise innovation and build a smart manufacturing factory.



Tools and Solutions Partner

Innovation is inseparable from creative ideas. We rely on 3 ways to get ideas:

- The first is that we independently design original products to lead the market;
- The second is the customer's new requirements for the product;
- The third is that we take the initiative to go to the end customers, collect ideas and solve problems for customers.

Our vision is to grow with end customers, achieve long-term operations, create one-stop tool solutions for customers, and create new value-added highlights for customers in accordance with lean thinking.

The tool customization program will apply to every detail. Concise, high-efficiency, safety, and convenience are our general design principles, and we strive to make the tool as you like.



Personalized private customization
Manual, efficient, intelligent combination

Customer-centric, innovative
Adhere to quality and realize the century-old enterprise



Long-term operation



Innovation
In every detail



Social responsibility
In every process



Carry out personalized customization, flexible production, and enhance the spirit of craftsmanship of users. MAXPOWER adheres to the service concept of high efficiency, high quality, innovation and value-added, and shares win-win with you.



Innovation
Corporate soul

Intelligent

Efficient


Profession



Heavy truck set



Welding workbench



Woodworking workbench



Fitter workbench

Aviation Industry

Operating platform

One lock for multiple uses
safe and convenient

Multi-floor tools storage
easy to access

High quality ball slides
with extended 100%
pull-off reach

Double brakes on wheels
for stability and safety

Automatic management of
lending and return

Management of staff positions
and competencies

Tool life and maintenance functions

Tool traceability system

Automatic inventory and recording



Customized Solutions

All-IN-ONE repair and maintenance tools set

Power industry / New energy vehicles

The upper cover is one time mold
easy cleaning and strong durability

Mesh panels on both sides
Multi use design

High quality steel ball slide
easy to access

High quality cold rolled sheet and
angle iron processing to make the
vehicle solid and durable

Wheel with lock function is
safe and reliable



insulated maintenance set




★ Customize for any hand tools inside to fulfils customer's requirements

Modular design for customize classic tool configuration

Targeted new energy vehicle (hybrid/electric) maintenance covers a wide range

Fulfill demands for new energy vehicle maintenance

Full range of VDE sets, each product tested for high voltage resistance of the power industry



Culture & Vision



公正性声明



- Undertake the testing of hardware tools and issue test reports.
- The testing covers various aspects, including material properties, hardness, torque, fatigue, and durability.



International CNAS accredited laboratory 6S Management System



▲ Torsion testing machine[10000N.m]
(First in the industry)



▲ Metal specimen cutting machine



▲ Electronic spring pulling and pressing tester



▲ Scissor life testers



▲ Micro Vickers hardness tester



▲ Hydraulic universal testing machine



▲ Universal tool microscope



▲ Multi-element automatic analyzer




▲ Metallographic microscope



▲ Infrared carbon and sulfur analyzer



▲ Rupture strength tester



▲ Torque Tester



▲ Rockwell hardness tester



▲ High pressure resistance tester



▲ Optical Image Measuring Instrument



▲ Torque experiment life machine



▲ Electroplating salt spray tester



▲ Direct reading spectral analyzer



▲ Gas Chromatography Mass Spectrometer

Tool Set and Tool Storage

RFID Delection Tool Box	2-5
Tool Bog & Tool Vehicle	6-35
Tool Bag	36-38
Tool Set	39-57



Intelligent Tools Cabinet

M08322



Intelligent Tools Cabinet

The system automatically generates material in/out records and corresponding reports, and allows data export via USB drive.

Scheduled Inventory and Automatic Stocktaking

The system provides two inventory methods: automatic stocktaking on startup or scheduled daily inventory.

Data Collection and Scientific Analysis

The cabinet is equipped with a built-in weighing module, which can determine the material's in/out status based on its weight.

Ergonomic Design

The operation screen is large.
Each cabinet has four universal wheels for easy mobility.

Multiple Login Methods

The cabinet is equipped with binocular infrared facial recognition and IC card recognition modules, allowing users to log in via face, IC card, or account password.

Customizable Combination Mode

The number of auxiliary cabinets and the combination of main and auxiliary cabinets can be customized based on requirements.

Material Anomaly Record

An anomaly record is generated when the actual quantity does not match the recorded quantity.

Emergency Unlocking Mechanism

When the cabinet cannot be unlocked through the management system, the maintenance door key provided with the cabinet can be used to open the device compartment.

Large Storage Capacity

Main cabinet: 6 compartments per cabinet; auxiliary cabinet: 8 compartments per cabinet; each storage space measures 425x360x500mm.

The Intelligent Storage Cabinet for Aviation Materials uses an integrated smart management platform that extends modern logistics concepts into aviation material management, enabling unattended, contactless handling and recording of special materials, thus creating an efficient, intelligent, and modern material management mode.

It includes both the hardware cabinet and system management software. The hardware is equipped with a binocular facial recognition module, IC card recognition module, weighing module, etc. The software system integrates online management, real-time monitoring, and smart storage, enabling management of both materials and users. All operations performed in this system are recorded and can be queried at any time. Records can also be copied via USB drive for easy stocktaking. The system's device configuration is customizable according to user needs.



RFID Detection 7-Drawer Rolling Tool Cabinet


The workbench adopts a unique injection molding process, with handles made using double soft plastic injection molding, making it more ergonomic.

It uses 125mm large-diameter PU wheels, increasing the contact area and making it easy to overcome small obstacles. The wheel hub uses ball bearings to ensure durability, high load capacity, and smooth operation.

It uses a 10.1-inch industrial touchscreen, which is foldable with built-in damping and adjustable from 0-110 degrees, suitable for maintenance personnel of different heights.

The tool cart is equipped with protective strips made of new composite materials around the entire perimeter, effectively preventing safety hazards from collisions during use.



M08197



Size	930mmx525mmx980mm
Weight	200kg
Drawer	7Layers
Maximum Load per Layer	80kg
Full-Machine Shielding	≤5cm
Total Power Consumption	≈45W
Battery Capacity	40Ampere-hours
Power Supply	5A, 220V
Operating System	Android/Windows
Inventory Time	≤5Seconds
CPU Processor	RK3288
Clock Speed	1.8GHz
Display Interface	HDMI
Screen Size	10.1"
Resolution	1920x1200
Ethernet	10/100 Adaptive
WIFI	Supported
4G	Optional

RFID Intelligent Tools Vehicle

M08316



Login Method



Touchscreen Interface


This intelligent tool cart is based on Radio Frequency Identification (RFID) technology. Through customized hardware and software, it manages tools with RFID tags inside the cart, recording user information, usage time, etc. It is suitable for multiple industries, including aerospace and railways, achieving digital and intelligent management of tools.

Product Features:


- (1) Intelligent Management: Automatically records tool usage and user information.
- (2) Data Collection and Scientific Analysis: Records tool usage data and sets regular maintenance reminders for specific tools.
- (3) One-Click Inventory: Enables daily and monthly inspections.
- (4) Personnel Verification and Security Assurance: Implements face recognition/account passwords to match users with tool usage. Fingerprint and IC card recognition can also be optionally configured.
- (5) Real-Time Monitoring and Accountability: When the tool is in an abnormal state, the tool cart alerts, quickly pinpointing the responsible personnel.
- (6) Multi-Power Supply: Can be powered by both lithium batteries and external 220V AC power, unrestricted by location.

Compared to other smart tool carts on the market, this model features a multi-power supply, capable of using both lithium batteries and external 220V AC power simultaneously. The tool cabinet hardware uses a modular unit design, making future upgrades and maintenance easier.

Each drawer is equipped with a UHF RFID read-write antenna, enabling faster and more stable reading of tagged tools. The drawers are also shielded to prevent signal interference between layers, reducing misreads and improving tool management accuracy.



8 Tray Tool Chests



- ① 904x410x105mm
- ② 545x410x50.5mm
- ③④ 545x410x78mm
- ⑤ 545x410x160mm
- ⑥ 545x410x242mm
- ⑦⑧ 299x408x78mm

Item No.	Size	PCS	NW(kg)
M08206	1035x458x897mm	1	104.00
• 1.2mm cold-rolled steel plate for cabinet body, drawer and partition door; • Equipped with a central control lock and two keys; • 8-drawer design, 45mm wide heavy steel ball track; • Drawer handles are matt R-shaped aluminum trim strips and plastic rubber plugs; • The casters are made of PP, two of the movable wheels have side brakes; • 30mm thick MDF work surface, low noise, easy to use with tools; • The single drawer bears 35KG, the bottom large drawer bears 45KG, and the overall rated load is 240KG.			


5 Tray Tool Chests







- ① 570x400x72mm
- ②-⑤ 570x400x150mm


Item No.	Size	PCS	NW(kg)
M08203	800x470x820mm	1	54.00

- Multi-purpose lock, double wheel brakes
- The thickness of the cold rolled plate of the box is more than 0.8mm-1.0mm
- The handrail is die-casted with an aluminum alloy mold
- Heavy duty stacked ball slides, extended stretch distance allows drawers to be pulled 100% out
- The drawer carries more than 50kg, the static load of the wheel is 350kg.





6 Tray Tool Chests




- ①-④ 577x404x60mm
- ⑤-⑥ 577x404x166mm

Item No.	Size	PCS	NW(kg)
M08204	六抽屉	1	45.00







4 Tray Tool Chests



- ①-④ 577x404x60mm

货号 Item No.	规格 Size	PCS	NW(kg)
M08202	四抽屉	1	40.00

- Multi-purpose lock, double wheel brakes
- The thickness of the cold rolled plate of the box is 0.8mm~1.0mm
- The handrail is die-casted with an aluminum alloy mold
- Heavy duty stacked ball slides
- The drawer carries more than 40kg, the static load of the wheel is 360kg.



Example

The product can be freely combined and matched to suit different application scenarios, and it also offers customization options based on specific requirements.



Recommended Combination Products

M09094

368PCS
(M08204车+M09094A+M09094B+M09094C+M09094D+M09094E+M09094F)

M09095

249PCS
(M08204车+M09095A+M09094B+M09095C+M09095D+M09095E)

M09096

242PCS
(M08202车+M09096A+M09096B+M09096C+M09094F)

M09097

231PCS
(M08202车+M09097A+M09097B+M09097C+M09097D)

M09098

210PCS
(M08202车+M09098A+M09098B+M09097C+M09097D)

► Suitable for Matching M08204/M08202 Drawer Dimensions:575x390mm

71pcs Automotive Tool Set with Tool Trolley << M09094A

- 20pcs 1/2" Dr. 6pt Metric Sockets 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 14pcs 1/2" Dr. 6pt Deep Sockets 10,11,12,13,14,15,16,17,18,19,20,21,22,24mm
- 20pcs 1/2" Dr.12pt Metric Sockets 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 4pcs 1/2" Dr.12pt Deep Sockets 10,12,13,14mm
- 4pcs 1/2" Dr. 6pt Impact Sockets 17,19,21,23mm
- 1pc 1/2" Dr.Quick Release Ratchet Handle
- 1pc 1/2" Dr. L-handle 10"
- 1pc 1/2" Dr. Universal Joint
- 1pc 1/2" Dr. Adapter 1/2"Fx3/8"M
- 1pc 1/2" Dr. 3-way Adapter 1/2"Fx3/8"M
- 2pcs 1/2" Dr.Extension Bar 5",10"
- 1pc 1/2" Dr. Bit Adapter



20pcs Automotive Tool Set with Tool Trolley << M09094B


- 4pcs Snap Ring Pliers
 - Bent Nose External Snap Ring Plier 7"
 - Straight Nose External Snap Ring Plier 7"
 - Bent Nose Internal Snap Ring Plier 7"
 - Straight Nose Internal Snap Ring Plier 7"
- 1pc Long Nose Locking Plier 6"
- 1pc Diagonal Cutting Plier 6"
- 1pc Combination Plier 8"
- 1pc Slip Joint Plier 8"
- 1pc Curved Locking Plier 10"
- 6pcs Screwdrivers
 - Phillips PH2X150 ,PH0x75,PH1x75,PH2x38,PH2x100
 - Slotted 6x150mm,3x75mm,5x100mm,6x100mm,6x38mm
- 1pc Measuring Tape 5M











► Suitable for Matching M08204/M08202 Drawer Dimensions:575x390mm

192pcs Automotive Tool Set with Tool Trolley << M09094C

- 2pcs 3/8" Dr. Spark Plug Socket 16,21mm
- 1pc 3/8" Dr. 12pt Spark Plug Socket 14mm
- 1pc 3/8" Dr. 3-Way Adapter 3/8"Fx1/2"M
- 1pc 1/4" Dr. Quick Release Ratchet Handle
- 1pc 1/4" Dr.Universal Joint
- 2pcs 1/4" Dr.Extension Bar 2",4"
- 1pc 1/4" Dr.Sliding T-bar
- 1pc 1/4" Dr. Spinner Handle
- 1pc 1/4" Dr. Adapter 1/4"Fx3/8"M
- 1pc 1/4" Dr. Series Flexible Joint 6"
- 1pc M16 Oil Pan Drain Plug Socket with Hole
- 1pc H17 Oil Pan Socket
- 1pc T52 Engine Cylinder Head Bolt Socket
- 20pcs 8mm Shank 70L Bit Hex H-4,5,6,7,8,10,12
Spline M5,M6,M8,M10,M12 Torx T20,T25,T27,T30,T40,T45,T50,T55
- 18pcs 8mm Shank 30L Bit HEX H-4,5,6,7,8,10,12
Spline M5,M6,M8,M10,M12 Tamper Proof Torx T20,T25,T30,T40,T45,T50
- 1pc 3/8"Dr.Bit Adapter 5/16"
- 12pcs 3/8"Dr. 6pt.Metric Socket 8,9,10,11,12,13,14,15,16,17,18,19mm
- 10pcs 3/8"Dr.6pt.Metric Deep Socket 8,9,10,11,12,13,14,15,17,19mm
- 8pcs 3/8"Dr.Torx Socket E8,E10,E11,E12,E14,E16,E18,E20
- 21pcs 3/8"Dr. Bit Socket Tamper Proof torx T10,T15,T20,T25,T27,T30,T40,T45,T50
Hex H-3,4,5,6,7,8,10 Phillips PH1,PH2,PH3 Slotted SL5.5,SL6.5
- 13pcs 1/4"Dr.6pt.Metric Socket 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 10pcs 1/4"Dr.6pt. Deep Metric Socket 4,5,6,7,8,9,10,11,12,13mm
- 22pcs 1/4"Dr. Bit Socket Hex H-3,4,5,6,7,8mm
Phillips PH1,PH2,PH3 Pozidriv PZ1,PZ2,PZ3 Slotted SL4,SL5.5,SL6.5 Torx T8,T10,T15,T20,T25,T30,T40
- 1pc 3/8"Dr. Quick Release Ratchet Handle
- 3pcs 3/8"Dr. Extension Bar 3",6",10"
- 1pc 3/8"Dr. Sliding T-bar
- 1pc 3/8"Dr. Universal Joint
- 2pcs 3/8"Dr. Adapter 3/8"Fx1/4"M,3/8"Fx1/2"M



► Suitable for Matching M08204/M08202 Drawer Dimensions:575x390mm



28pcs Automotive Tool Set with Tool Trolley M09094D

- 11pcs Double Box End Wrench 10x12,12x14,13x15,13x16,14x17,16x18,17x19,19x21,19x22,22x24,24x27mm
- 2pcs Screwdriver Slotted 8x150,8x200mm
- 2pcs Scredriver Phillips PH3x150mm,PH3x200mm
- 12pcs L Wrench 6,7,8,9,10,11,12,13,14,15,16,17mm
- 1pc Adjustable Wrench 10"



38pcs Automotive Tool Set with Tool Trolley M09094E










- 1pc Flexible Magnetic Pickup Tool 400mmx1kg
- 1pc Pry Bar
- 1pc Interior Trim Removal Tool
- 9pcs Extra Long Ball Point Hex Key Set 1.5,2,2.5,3,4,5,6,8,10
- 9pcs Long Arm Tamper Proof Torx Key Set T10,T15,T20,T25,T27,T30,T40,T45,T50
- 5pcs Octagonal Steel Punch Set
- 5pcs Fine-Thread Broken Bolt Extractor
- 1pc Automotive Test Light 6V/12V/24V
- 1pc Dust Blower Gun 100mm
- 1pc Utility Knife 9x80mm
- 1pc Ball Peen Hammer 1.5LB
- 1pc Dead Blow Hammer 2.5LB
- Feeler Gauge 0.05-1.00mm
- 1pc Three Jaw Oil Filter Wrench 54-116mm



36pcs Automotive Tool Set with Tool Trolley M09094F

- 23pcs Combination Wrench 6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,27,30,32mm
- 13pcs Double Open End Wrench 6x7,8x10,10x12,12x14,13x15,13x16,14x17,16x18,17x19,18x21,22x24,24x27,30x32mm

► Suitable for Matching M08204/M08202 Drawer Dimensions:575x390mm



123pcs Automotive Tool Set with Tool Trolley M09095A

- 1pc 1/2" Dr. L-handle 250mm
- 2pcs 1/4" Dr.Extension Bar 2",4"
- 2pcs 3/8" Dr.Extension Bar 3",6"
- 2pcs 1/2" Dr.Extension Bar 5",10"
- 3pcs Universal Joint 1/4" ,3/8" ,1/2"
- 1pc 1/4" Dr. Flexible Extension Bar 6"
- 2pcs 3/8" Dr. Adapter 3/8"Fx1/4"M,3/8"Fx1/2"M
- 1pc 1/2" Dr. Adapter 1/2"(F)x3/8"(M)
- 20pcs 1/2" Dr. 6pt.Metric Sockets 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 13pcs 3/8" Dr. 6pt.Deep Metirc Sockets 10,11,12,13,14,15,16,17,18,19,20,21,22mm
- 12pcs 3/8" Dr. 6pt. Metric Sockets 8,9,10,11,12,13,14,15,16,17,18,19mm
- 13pcs 1/4" Dr. 6pt.Metric Sockets 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 3pcs Quick Release Ratchet Handle 1/4",3/8" ,1/2"
- 2pcs 3/8" Dr. Spark Plug Sockets 16mm,21mm
- 1pc 3/8" Dr. 12pt Thin-Walled Spark Plug Socket 14mm
- 28pcs 8mm Shank 30L Bits Slotted SL5.5,SL6.5,SL8,SL10,SL12
- Phillips PH1,PH2,PH3
- Tamper Proof Torx TT20,TT25,TT30,TT40,TT45,TT50,TT55,TT60
- Spline M5,M6,M8,M10,M12
- Hex H-4,5,6,7,8,10,12mm
- 23pcs 8mm Shank 70L Bits Hex H-4,5,6,7,8,10,12,14mm
- Deep Spline M5,M6,M8,M10,M12,M14,M16
- Deep Torx T20,T25,T27,T30,T40,T45,T50,T55
- 2pcs Bit Adapter 1/2",3/8"



► Suitable for Matching M08204/M08202 Drawer Dimensions: 575x390mm

26pcs Automotive Tool Set with Tool Trolley

M09095D



- 19pcs Combination Wrench
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20,
21, 22, 23, 24, 25, 27mm
- 1pc Middle Teeth Flat File 8"
- 1pc Middle Teeth Half Round 8"
- 1pc Middle Teeth Round 8"
- 1pc Middle Teeth Triangular 8"
- Diamond Flat-Head File 3x140mm
- Diamond Pointed Half-Round File 3x140mm
- Diamond Pointed Round File 3x140mm

12pcs Automotive Tool Set with Tool Trolley

M09095E



- Curved-Face Finishing Body Hammer 305g
- Flat-Face Finishing Body Hammer 305g
- Pick Finishing Body Hammer 260g
- Block-Type Body Dolly
- Curved-Type Body Dolly
- Flat-Type Body Dolly
- Spoon-Type Body Dolly
- Wooden Handle Scraper
- 1pc Locking Welding Clamp 9"
- 1pc Long Nose Locking Pliers 9"
- 1pc Locking Sheet Metal Clamp 8"
- Interior Trim Removal Tool

► Suitable for Matching M08204/M08202 Drawer Dimensions: 575x390mm

26pcs Automotive Tool Set with Tool Trolley

M09096A



- 1pc 1/2"Dr. L-handle 10"
- 2pcs 1/4"Dr. Extension Bar 2", 4"
- 2pcs 3/8"Dr. Extension Bar 3", 6"
- 2pcs 1/2"Dr. Extension Bar 5", 10"
- 3pcs Universal Joint 1/4", 3/8", 1/2"
- 1pc Flexible Extension Bar 6"
- 2pcs 3/8"Dr. Adapter
3/8"Fx1/4"M, 3/8"Fx1/2"M
- 1pc 1/2"Dr. Adapter 1/2"Fx3/8"M
- 20pcs 1/2"Dr. 6pt. Metric Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 13pcs 3/8"Dr. 6pt. Deep Metric Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
- 12pcs 3/8"Dr. 6pt. Metric Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 13pcs 1/4"Dr. 6pt. Metric Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 3pcs Quick Release Ratchet Handle 1/4", 3/8", 1/2"
- 2pcs 3/8"Dr. Spark Plug Sockets 16, 21mm
- 1pc 3/8"Dr. 12pt. Thin-Walled Spark Plug Socket 14mm
- 28pcs 8mm Shank 30L Bits
Slotted SL5.5, SL6.5, SL8, SL10, SL12
Philips PH1, PH2, PH3
Tamper Proof Torx TT20, TT25, TT30, TT40, TT45, TT50, TT55, TT60
Spline M5, M6, M8, M10, M12
Hex H-4, 5, 6, 7, 8, 10, 12mm
- 23pcs 8mm Shank 70L Bits Hex H-4, 5, 6, 7, 8, 10, 12, 14mm
Spline M5, M6, M8, M10, M12, M14, M16
Torx T20, T25, T27, T30, T40, T45, T50, T55
- 2pcs Bit Adapter 1/2", 3/8"

► Suitable for Matching M08204/M08202 Drawer Dimensions:575x390mm

19pcs Automotive Tool Set with Tool Trolley

M09096B



- 1pc Combination Pliers 8"
- 1pc Slip Joint Pliers 8"
- 1pc Curved Jaw Locking Pliers 10"
- 10pcs Screwdrivers Slotted 6x150,3x75, 5x100, 6x100, 6x38mm
- Phillips PH2x150mm,PH0x75, PH1x75, PH2x38, PH2x100
- 4 Snap Ring Pliers:
 - Bent Nose External Snap Ring Pliers 7"
 - Straight Nose External Snap Ring Pliers 7"
 - Bent Nose Internal Snap Ring Pliers 7"
 - Straight Nose Internal Snap Ring Pliers 7"
- 1pc Long Nose Pliers 6"
- 1pc Diagonal Cutting Pliers 6"

41pcs Automotive Tool Set with Tool Trolley

M09096C



- 1pc Flexible Magnetic Pickup Tool 400mmx1kg
- 1pc Pry Bar
- 9pcs Ball Point Hex Key Set 1.5,2,2.5,3,4,5,6,8,10
- 9pcs Long Arm Tamper Proof Torx Key Set T10,T15,T20,T25,T27,T30,T40,T45,T50
- 5pcs Octagonal Steel Punch Set
- Fine-Thread Broken Bolt Extractor
- 1pc T52 Engine Cylinder Head Bolt Socket
- 1pc M16 Oil Pan Drain Plug Socket with Hole
- 1pc H17 Oil Pan Socketv
- 1pc Automotive Test Light 6V/12V/24V
- Dust Blower Gun 100mm
- 1pc Utility Knife 9x80mm
- 1pc Ball Peen Hammer 1.5LB
- 1pc Dead Blow Hammer 2.5LB
- 1pc Feeler Gauge 0.05-1.00mm
- 1pc Three Jaw Oil Filter Wrench 54-116mm
- 1pc Adjustable Wrench 10"

► Suitable for Matching M08204/M08202 Drawer Dimensions:575x390mm

121pcs Automotive Tool Set with Tool Trolley

M09097A



- 13pcs 1/4"Dr.6pt.Metric Sockets 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 2pcs 1/4"Dr. Extension Bar 2",4"
- 3pcs Quick Release Ratchet Handle 1/4",3/8",1/2"
- 3pcs Universal Joint 1/4",3/8",1/2"
- 4pcs Adapter
 - 1/4"Dr. 1/4"(F)x3/8"(M)
 - 3/8"Dr. 3/8"Fx1/4"M,3/8"Fx1/2"M
 - 1/2"Dr. 1/2"Fx3/8"M
- 19pcs 1/4"Dr.Bit Socket
 - Torx T8,T10,T15,T20,T25,T30,T40
 - Hex H3,4,5,6,7,8mm
 - Philips PH1,PH2,PH3
 - Solted SL4,SL5.5,SL6.5
- 4pcs 1/4"Dr.Metric Deep Socket 8,9,10,12mm
- 3pcs 1/4"Dr.E-Torx Socket E4,E6,E8
- 14pcs 1/4"Dr.6pt.Metric Socket 6,7,8,9,10,11,12,13,14,15,16,17,18,19mm
- 2pcs 3/8"Dr.Extensions Bar 3",6"
- 6pcs 3/8"Dr.E-Torx Sockets E10,E11,E12,E14,E16,E18
- 16pcs 3/8"Dr. Bit Sockets
 - Hex H3,H4,H5,H6,H7,H8,H10mm
 - Torx T15,T20,T25,T27,T30,T40,T45,T50,T55
- 1pc 3/8"Dr. Spark Plug Socket 16mm
- 1pc 3/8"Dr. 12-Point Thin-Walled Spark Plug Socket
- 4pcs 3/8"Dr. Metric Deep Socket 6 13,14,15,17mm
- 16pcs 1/2"Dr.12pt.Metric Socket10,11,12,13,14,15,16,17,18,19,21,22,24,27,30,32mm
- 2pcs 1/2"Dr.Extensions Bar 5",10"
- 4pcs 1/2"Dr.E-Torx Socket E18,E20,E22,E24
- 1pc1/2"Dr.Spark 50LBits Torx T55
- 2pcs 1/2" Dr. Hex Impact Thin-Walled Long Socket 17,19mm
- 1pc1/2"Dr. Flex Handle 15"

► Suitable for Matching M08204/M08202 Drawer Dimensions:575x390mm

41pcs Automotive Tool Set with Tool Trolley << M09097B



- 19pcs Combination Wrench
8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,27mm
- 5pcs Double Box End Wrench 8x10,12x13,14x15,16x18,17x19mm
- 2pcs Bowl-Type Oil Filter Wrench 36mm,87mm
- 2pcs Oil Tube Wrench 9x11mm,10x12mm
- 4pcs 1/2"Dr.Shank 100L Bits Torx T50, T55, T60
Hex 7mm
- 1pc 1/2"Dr.Shank 50L Bits Hex 7mm
- 9pcs Extra Long Ball Point Hex Key Set 1.5,2,2.5,3,4,5,6,8,10

38pcs Automotive Tool Set with Tool Trolley << M09097C



- 8pcs Torx Screwdrivers T8x75,T10x100,T15x100,T20x100,T25x100,
T27x100,T30x100,T40x100mm
- 8pcs Screwdrivers Slotted 3x75,5x75,6x150,5x300mm
Philips PH0x75,PH1x75,PH2x150,PH2x300
- 1pc Through-Handle Slotted Screwdriver 6x150mm
- 1pc Through-Handle Phillips Screwdriver PH2x150mm
- 9pcs Long Arm Tamper Proof Torx Key Set T10,15,20,25,27,30,40,45,50
- 1pc Color Handle Multi-Purpose Scissors 8"
- Octagonal Steel Punch Set
- Feeler Gauge 0.05-1.00mm
- Flexible Magnetic Pickup Tool 400mmx1kg
- Pry Bar
- 1pc Straight Jaws Groove Joint Pliers
- 1pc Long Nose Pliers 6"


► Suitable for Matching M08204/M08202 Drawer Dimensions:575x390mm

38pcs Automotive Tool Set with Tool Trolley << M09097D



- 1pc Dust Blower Gun 250mm
- 1pc Gombination Pliers 7"
- 1pc Diagonal Cutting Pliers 6"
- 1pc Slip Joint Pliers 8"
- 1pc Curved Jaw Locking Pliers 10"
- 1pc Snap Ring Pliers 7"
- 1pc Snap Ring Pliers 7"
- 1pc Tape Measure 5mx19mm
- 1pc Ball Peen Hammer With Fiber Handle 1.5LB
- 1pc Dead Blow Hammer 2.5LB
- 1pc Utility Knife9x80mm
- 1pc Interior Trim Removal Tool

40pcs Automotive Tool Set with Tool Trolley << M09098B



- 19pcs Combination Wrench 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,
20, 21, 22, 23, 24, 25, 27mm
- 3pcs Full polised Torx wrench E6xE8, E10xE12, E14xE18
- 7pcs Ratcheting Combination Wrench 8, 10, 12, 14, 16, 18, 21mm
- 2pcs Cap-Type Oil Filter Wrench 76mm,14Flutes, 84mm,14Flutes
- 9pcs Extra Long Ball Point Hex Set 1.5,2,2.5,3,4,5,6,8,10



► Suitable for Matching M08204/M08202 Drawer Dimensions:575x390mm

102pcs Automotive Tool Set with Tool Trolley << M09098A

- 9pcs 1/4"Dr. Sockets
6,7,8,9,10,11,12,13,14mm
- 2pcs 1/4"Dr.Extension Bar 2",4"
- 3pcs Quick Release Ratchet Handle 1/4"&3/8"&1/2"
- 3pcs Universal Joint 1/4"&3/8"&1/2"
- 14pcs 1/4"Dr.Bit Sockets
Torx T10,T15,T20,T25,T30
Hex 3,4,5,6,7,8mm
Philips PH1,PH2,PH3
- 3pcs 1/4"Dr.Torx Sockets E6,E8,E10
- 9pcs 3/8"Dr.6pt Metric Sockets
8,10,11,12,13,14,15,17,19mm
- 2pcs 3/8"Dr.Extension Bar 3",6"
- 5pcs 3/8"Dr.Torx Sockets E6,E8,E10,E12,E14
- 16pcs 3/8"Dr.Bit Sockets
Torx T10,T15,T20,T25,T27,T30,T40,T45,T50
Hex 3,4,5,6,7,8,10mm
- 2pcs 3/8"Dr.Adapter
3/8"(F)x1/4"(M), 3/8"(F)x1/2"(M)
- 1pc 3/8"Dr.Spark Plug Sockets 16mm
- 3/8"Dr. 12pt Thin-Walled Spark Plug Socket14mm
- 15pcs 1/2"Dr.12pt.Metric Sockets
12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 26, 27, 30, 32mm
- 2pcs 1/2"Dr.Extension Bar 5", 10"
- 1pc 1/2"Dr.Adapter 1/2"(F)x3/8"(M)
- 6pcs 1/2"Dr.Torx Sockets
E14, E16, E18, E20, E22, E24
- 1pc 1/2"Dr.Spank 50LBits Torx T55
- 2pcs 1/2" Dr. Hex Impact Thin-Walled Long Socket 17, 19mm
- 4pcs 1/2"Dr.Spank 100LBits
Torx T30, T40, T45, T55

69pcs Automotive Tool Set with Tool Trolley << M07582A

- 10pcs 1/4"Dr. 6pt Metric Sockets 4,5,6,7,8,9,10,11,12,13mm
- 11pcs 3/8"Dr. 6pt Metric Sockets 9,10,11,12,13,14,15,16,17,18,19mm
- 19pcs 1/2"Dr. 6pt Metric Sockets 8,9,10,11,12,13,14,15,16,17,18,19,20,21,
22,24,27,30,32mm
- 8pcs 1/2"Dr. 12pt Metric Sockets 8,12,14,17,19,21,22,24mm
- 8pcs 3/8"Dr. Torx Sockets E8,E10,E11,E12,E14,E16,E18,E20
- 10pcs 1/2"Dr. Impact Sockets 13,14,15,16,17,18,19,21,22,24mm
- 3pcs Quick Release Ratchet Handle 1/4",3/8",1/2"

49pcs Automotive Tool Set with Tool Trolley << M07582B

- 4pcs 1/4"Dr. Deep Metric Sockets 8,9,10,11mm
- 4pcs 3/8"Dr. Deep Metric Sockets 13,14,15,17mm
- 6pcs 1/2"Dr. Deep Metric Sockets 17,18,19,20,22,24mm
- 2pcs 3/8"Dr. Spark Plug Sockets 16,21mm
- 17pcs 3/8"Dr.Bit Sockets
Torx T10,T15,T20,T25,T27,T30,T40,T45,T50,T55,T60
Hex H3,H4,H5,H6,H8,H10
- 3pcs Adapter 1/2"Fx3/8"M,3/8"Fx1/2"M,3/8"Fx1/4"M
- 3pcs Universal Joint 1/4",3/8",1/2"
- 1pc 1/4"Dr.Extensions Bars 2"
- 2pcs 3/8"Dr.Extensions Bars 3",6"
- 2pcs 1/2"Dr.Extensions Bars 5",10"
- 1pc 1/4"Dr.Spinner Handle
- 1pc 1/4"Dr.Bita Adapter
- 1pc Oxygen Sensor Socket Wrench
- 1pc 1/4"Dr.Flexible Extension Bar
- 1pc1/2"Dr.Sliding T-bar

► Suitable for Matching M08204/M08202 Drawer Dimensions: 575x390mm

24pcs Automotive Tool Set with Tool Trolley M07582C



- 10pcs Combination Wrenchs 8,9,10,11,12,13,14,17,18,19mm
- 9pcs Double Box End Wrench 8x10,10x12,12x14,13x15,14x17,16x18,18x21,19x22,22x24mm
- 3pcs Oil Tube Wrench Set 8x10, 9x11, 10x12 mm
- 1pc Preset Torque Wrench 40-200 N.M
- 1pc Adjustable Wrench 12"

44pcs Automotive Tool Set with Tool Trolley M07582D




- 10pcs Double Open End Wrench 8x10,10x12,12x14,13x15,14x17,16x18,17x19,18x21,19x22,22x24mm
- 4pcs Screwdrivers Philips PH3x150,PH2x100 Slotted SL6.0x100,8.0x150
- 1pc Magnetic Telescopic Flashlight
- 1pc Cold Chisel 8"
- 1pc Ball Pedn Hammer
- 1pc Metric Steel Ruler
- 1pc Oil Filter Wrench 54-116 mm
- 1pc Oil Filter Wrench Drive
- 24pcs 1/4"Dr.Bit Adapter
 - Philips PH0,1,2,3 Slotted SL3,4,5,6 Pozidriv PZ1,PZ2
 - Hex H3,4,5,6 Torx T-15,20,25,30 Suqare S0,S1,S2,S3

24pcs Automotive Tool Set with Tool Trolley M07582E



- 1pc Combination Pliers 8"
- 1pc Long Nose Pliers 6"
- 1pc Diagonal Cutting Pliers 6"
- 1pc Slip Joint Pliers 8"
- 1pc Groove Joint Pliers 10"
- 1pc Curved Jaw Locking Pliers 10"
- 9pcs Hex Key Wrench 1.5,2,2.5,3,4,5,6,8,10mm
- 9pcs ArmTorx Key Set T10,T15,T20,T25,T27,T30,T40,T45,T50
- 4pcs Snap Ring Pliers
 - Bent Nose External Snap Ring Pliers 7"
 - Straight Nose External Snap Ring Pliers 7"
 - Bent Nose Internal Snap Ring Pliers 7"
 - Straight Nose Internal Snap Ring Pliers 7"

7 Tray Tool Chests



- ①-⑤ 526x391x74.5mm
- ⑥-⑦ 526x391x153.5mm

Item No.	Size	PCS	Net Weight (kg)
M08207	765x465x812mm	1	60.00/62.00

• Made of superior cold-rolled Fine paint surface, nick resistance
△ No warranty as consumables



Example

The product can be freely combined and matched to suit different application scenarios, and it also offers customization options based on specific requirements.

Recommended Combination Products

- M95075 99PCS
(M08207车+M95076+M95077+M95078+M95079+M95080)
- M95057 88PCS
(M08207车+M95058+M95059+M95060+M95061+M95062)
- M95066 88PCS
(M08207车+M95067+M95068+M95069+M95070+M95071)

► Suitable for Matching M08207 Drawer Dimensions:565x400mm



23 pcs Complete Repair Tool Set

M95076

- 7pcs Insulated Screwdriver
Slotted 3x100 4x100, 5.5x125, 6.5x150mm
PH0x75, PH1x100, PH2x100
- 7pcs Bi-color handle Torx screwdriver T8x75, T10x75, T15x100, T20x100, T25x100, T27x100, T30x150
- 9pcs Long Arm Ball Point Hex Key Set (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10)



30 pcs Complete Repair Tool Set

M95077

- Accurate Screwdriver Set
Slotted 1.4, 2, 2.4, 3 PH0,PH1
- 1pc Telescopic mirror
- 1pc Telescopic picker
- 1pc Solder sucker
- 1pc Soldering Iron 30W
- 1pc Voltage Tester 6-12-24V
- 18pcs. 1/4"Dr.Socket Wrench Set
- 1pc LED portable worklight



12 pcs Complete Repair Tool Set

M95078

- 1pc Combination Pliers 8"
- 1pc Electrician Scissors 5"
- 1pc Riveting Hammer With Wooden Handle
- 1pc Oil injector
- 1pc Brush
- 1pc Drill(φ10mm)
- 2pcs Snapping Pliers 7"
- 1pc Insulated Wire Stripping Pliers 6"
- 1pc Long Nose Pliers 6"
- 1pc Diagonal Cutting Pliers 6"
- 1pc Cable Cutter 6"



18 pcs Complete Repair Tool Set

M95079

- 17pcs Combination Spanner 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
- 1pc Adjustable Wrench 8"

► Suitable for Matching M08207 Drawer Dimensions:565x400mm



15 pcs Complete Repair Tool Set

M95080

- 8pcs Double Open-end Spanner 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm
- 7pcs Flexible socket wrench 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm



17pcs Complete Repair Tool Set

M95058

- 7pcs Insulated Screwdriver
Slotted 3x100,4x100,5.5x125,6.5x150mm
PH0x75, PH1x100, PH2x100
- 9pcs Bi-color Handle Torx Screwdriver
T6x75,T7x75,T8x75,T10x75,T15x100,
T20x100,T25x100,T27x100,T30x150
- 9pcs Long Arm Ball Point Hex Key Set (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10)



20pcs Complete Repair Tool Set

M95059

- 15pcs Long Combination Wrench
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
- 4pcs Bi-color Handle Cane Type Hex Key 2, 3, 4, 6mm
- 1pc Extra Long Arm Ball Point Hex Key 12mm



9pcs Complete Repair Tool Set

M95061

- 1pc Snapping Pliers 7"
- 1pc Snapping Pliers 7"
- 1pc Diagonal Cutting Pliers 6"
- 1pc Long Nose Pliers 6"
- 1pc Combination Pliers 7"
- 1pc Curved Jaw Locking Pliers 10"
- 1pc Middle Teeth Flat File 8"
- 1pc Middle Teeth Circle File 8"
- 1pc Box Joint Pliers 10"

► Suitable for Matching M08207 Drawer Dimensions:565x400mm

29pcs Complete Repair Tool Set

M95060



- 1pc Strap Wrench
- 28pcs 1/2"Dr.Socket Wrench Set :
(•21pcs Metric Sockets 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,26,27,30,32mm
- 2pcs Spark Plug Sockets 16, 21mm •5pcs Accessories
- 1/2" Driver Quick Release Ratchet Handle •1/2" Drive Extension Bars 5", 10"
- Universal Joint 3/8"Fx1/2"M 3-Way Adapter)

12pcs Complete Repair Tool Set


M95062



- 1pc Feeler Gauge 0.05-1.0mm
- 1pc Pump Oiler
- 1pc Telescopic Mirror
- 1pc Telescopic picker
- 1pc Inelastic Anti-Shock Hammer 2LB
- 1pc Riveting Hammer With Wooden Handle0.3kg
- 6pcs Octagonal Steel Punch Set
2x9.5x150mm 3x9.5x150mm
4x9.5x150mm 5x9.5x150mm
6x12x150mm 8x12x150mm

8pcs Complete Repair Tool Set

M95067



- 8pcs Bi-color T handle socket wrench
6, 7, 8, 10, 11, 12, 13, 14mm

16pcs Complete Repair Tool Set

M95071



- 12pcs Combination Spanner
6,7,8,9,10,11,12,13,14,15,16,17mm
- 1pc Curved Jaw Locking Plier 10"
- 1pc Locking C-clamp 11"
- 1pc Adjustable Wrench12"
- 1pc Measuring Tape 5M

► Suitable for Matching M08207 Drawer Dimensions:565x400mm

28pcs Complete Repair Tool Set

M95068



- 4pcs Insulated Screwdriver Slotted 3x100, 4x100, 5.5x125, 6.5x150mm
- 3pcs Insulated Screwdriver Phillips PH0x75, PH1x100, PH2x100
- 2pcs Bi-color handle screwdriver Slotted 6x38, 8x200mm
- 2pcs Bi-color handle screwdriver Phillips PH2x38, PH3x150mm
- 7pcs Bi-color handle Torx screwdriver
T8x75, T10x75, T15x100, T20x100, T25x100,T27x100, T30x150 mm
- 1pc Long Arm Ball Point Hex Key 12mm
- 9pcs Long Arm Ball Point Hex Key Set (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm)

19pcs Complete Repair Tool Set

M95069



- 1pc Pin Punch 3x9.5x120mm
- 1pc Center Punch 4x9.5x120mm
- 1pc Octagonal Steel Cold Chisel 18x14x175mm
- 1pc Cape Chisel 5x9.5x130mm
- 1pc Flat Chisel With Plastic Handle 25x19x300mm
- 1pc Inelastic Anti-Shock Hammer 2LB
- 1pc Riveting Hammer With Wooden Handle 0.3kg
- 1pc Pick & Finishing Hammer
- 1pc Straight Finishing Hammer
- 6 pcs Alignment Punch Set
- 1pc Heal Dolly
- 1pc Utility Dolly
- 1pc Double End Dolly
- 1pc Curved Dolly

8pcs Complete Repair Tool Set

M95070



- 1pc Box Joint Plier 10"
- 1pc Aviation Snip 10"
- 1pc Diagonal Cutting Plier 6"
- 1pc Electrician Scissor 5"
- 1pc Combination Plier 7"
- 1pc Fencing Plier 10"
- 1pc Wrecking Bar 19x400mm
- 1pc Gooseneck Wrecking Bar 19x400mm

► Suitable for Matching M08207 Drawer Dimensions: 565x400mm



Customize for any hand tools inside to fulfils customer's requirements



Modular design for customize classic tool configuration

Targeted new energy vehicle (hybrid/electric) maintenance covers a wide range

Fulfill demands for new energy vehicle maintenance

Full range of VDE sets, each product tested for high voltage resistance of the power industry

20pcs VDE Insulated Maintenance Tool Set M95211

- 6pcs Insulated Screwdriver Slotted 1.2×6.5×150, 1.0×5.5×125, 0.8×4.0×100, 0.6×3.5×100, 0.5×3.0×100, 0.4×2.5×75mm
- 4pcs Insulated Screwdriver Phillips PH0×60, PH1×80, PH2×100, PH3×150mm
- 4pcs Insulated Pozidriv Screwdriver PZ3×150, PZ2×100, PZ1×80, PZ0×60mm
- 5pcs Insulated Torx Screwdriver T10×70, T15×80, T20×100, T25×125, T30×130mm
- 1pc Insulated interchangeable screwdriver 1/4"×100mm

24pcs VDE Insulated Maintenance Tool Set M95212

- 4pcs Insulated Slotted Precision Screwdriver 1.5×50, 1.8×50, 2.0×50, 3.0×50mm
- 3pcs Insulated Phillips Precision Screwdriver PH00×50, PH0×50, PH1×50mm
- 5pcs Insulated Torx Precision Screwdriver T6×50, T8×50, T10×50, T15×50, T20×50mm
- 3pcs Insulated Cable Knife-Flat Blade, Sickle Blade, Round Blade
- 1pc Voltage Tester
- 1pc Insulated Scissor 160mm
- 7pcs Injection molded insulated hex key 3, 4, 5, 6, 8, 10, 12mm

► Suitable for Matching M08207 Drawer Dimensions: 565x400mm

30pcs VDE Insulated Maintenance Tool Set M95213

- 20pcs Insulated Opening Wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
- 10pcs dip-type insulated box ratcheting wrench 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

41pcs VDE Insulated Maintenance Tool Set M95214

- 12pcs 3/8" Insulated Dr. 6pt Socked
- 15pcs 1/2" Insulated Dr. 6pt Socked
- 5pcs Insulated 1/2" Drive Bits socked
- 2pcs 3/8" Insulated Extension Bar 125, 250mm
- 2pcs 1/2" Insulated Extension Bar 125, 250mm
- 2pcs Insulated T handle Wrench 3/8"×200 1/2"×200mm
- 2pcs Insulated ratchet 3/8"×200 1/2"×250mm
- 1pc Injection 3/8" Molded Insulated Torque Wrench

20pcs VDE Insulated Maintenance Tool Set M95215

- 20pcs Insulated Ring Wrench 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm

► Suitable for Matching M08207 Drawer Dimensions: 565x400mm




20pcs VDE Insulated Maintenance Tool Set M95216

- 4pcs 1/2"Dr Insulated Bits Socket 4×120,5×120,6×120,8×120mm
- 12pcs 1/2"Dr Insulated 6pt Socket 10,11,12,13,14,16,17,18,19,21,24,27mm
- 2pcs 1/2" Dr Insulated Extension Bar 125,250mm
- 1pc Insulated T handle Wrench 200mm
- 1pc Insulated Ratchet 250mm



9pcs VDE Insulated Maintenance Tool Set M95217

- 1pc Insulated Adjustable Wrench 200mm
- 1pc Insulated Combination Plier 180mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Insulated Diagonal Plier 160mm
- 5pcs Insulated Nut Driver 10×125,11×125,12×125,13×125,14×125mm



12pcs VDE Insulated Maintenance Tool Set M95218

- Insulated Nut Driver 4.0×125,5.0×125,5.5×125,6.0×125,7.0×125,8.0×125,9.0×125,10×125,11×125,12×125,13×125,14×125mm

► Suitable for Matching M08207 Drawer Dimensions: 565x400mm



20pcs VDE Insulated Maintenance Tool Set M09928A

- 13pcs Insulated Opening Wrench 8,10,12,13,14,15,16,17,18,19,21,22,24mm
- 1pc Insulated Adjustable Wrench 200mm
- 3pcs Insulated Screwdriver Slotted 3×100mm 4×100mm 5.5×125mm
- 3pcs Insulated Screwdriver Phillips PH0×75mm PH1×100mm PH2×100mm



17pcs VDE Insulated Maintenance Tool Set M09928B


- 13pcs Insulated Ring Wrench 8,10,12,13,14,15,16,17,18,19,21,22,24mm
- 1pc Insulated Long Nose Plier 200mm
- 1pc Insulated Diagonal Plier 150mm
- 1pc Insulated Combination Plier 200mm
- 1pc Insulated Cable Knife



31pcs VDE Insulated Maintenance Tool Set M09928C

- 11pcs 1/2"Dr. Insulated Socked 9,10,11,12,13,14,16,17,21,22,24mm
- 7pcs 3/8"Dr. Insulated Socked 8,10,12,14,16,17,18mm
- 2pcs Insulated Ratchet 1/2"×250mm 3/8"×200mm
- 4pcs Insulated Extension Bar 1/2"×125mm 1/2"×250mm 3/8"×125mm 3/8"×250mm
- 1pc Insulated T handle Wrench 200mm
- 5pcs 1/2"Dr. Insulated Bits Socked 4,5,6,8,10mm

Tri Level Tool Vehicle




Item No.	Size	PCS	NW/GW(kg)
M08124	27" (685x465x685mm)	1	29.9/31.5

- Made of superior cold-rolled
- Fine paint surface, nick resistance

⚠ No warranty as consumables



Tri Level Tool Vehicle



Item No.	Size	PCS	NW/GW(kg)
M08125	719x365x663mm	1	12.00/13.3

- Made of superior cold-rolled
- Fine paint surface, nick resistance

⚠ This product is a consumable item, excluded from Maxpower's lifetime warranty.



Trolley Safety Box

Maximum Load Capacity:35kg

Item No.	Size	PCS	NW/GW(kg)
M08269	21" (609x428x263mm)	1	10.60/11.10

- Dustproof, waterproof IP67, sturdy and durable.
- Suitable for temperature -30°C to 80°C.
- Automatic air valve, shock resistant lock.
- Reinforced telescopic handle, with 2 casters.



Aluminum Alloy Trolley Toolbox

Item No.	Size	PCS	NW(kg)
M08274	500x350x200mm	1	5.20

- Made with 3mm thick ABS panel
- The box has 8 metal reinforced corners
- Equipped with two handles and an internal trolley handle



Example

The product can be freely combined and matched to suit different application scenarios, and it also offers customization options based on specific requirements.

Home maintenance 68PCS

M07748



- 4PCS Ratcheting Combination Wrench 13, 14, 17, 19mm
- 1PC Screwdriver Phillips PH2x100mm
- 1PC Screwdriver Slotted 6x100mm
- 5PCS Twist Drills
- Foldable Aluminum Alloy Utility Knife.
- Accurate Screwdriver Set
- 1/4"Dr.65mm long air impact double head bits PH2xPH2
- Double-sided high-grade Luban steel tape measure 5M
- Digital Neon-electroscope 3.5x140mm
- Cordless Impact Wrench 880 N.m
- Impact Wrench charger
- 1pc Adaptor 60mm
- 1pc Claw Hammer 16oz
- 12PCS Bits
- Philips PH0, PH1,PH2,PH3
- Slotted SL3,SL4,SL5,SL6
- Trox T15,T20,T25,T30
- 1PCS Ratchet Handle 12.5mm
- 1PC Flexible Extension Bar 290mm
- 9PCS R Angle Socke 10,11,12,13,14,16,17,18,19mm
- 1PC VDE Insulated Long Nose Pliers 160mm
- 1PC VDE Insulated Wire Stripping Pliers 160mm
- 1PC VDE Insulated Diagonal Pliers 200mm
- 1PC VDE Insulated Combination Pliers 200mm
- 1PC Automatic Box Joint Pliers 300mm
- 1PC Electrician Scissors 5"
- 9PCS Long Arm Hex Key Set 1.5,2,2.5,3,4,5,6,8,10
- 1PC VDE Insulated Adjustable Wrench 250mm

Tipping Type Tool Box



Item No.	Size	PCS	PW/GW(kg)
M08176	17"(420x200x224mm)	1	4.00/4.60

- Made of superior cold-rolled
- Fine paint surface, nick resistance
- ⚠ No warranty as consumables

Tool Box



Item No.	Size	PCS	PW/GW(kg)
M08161	360x160x180mm	12	0.917/12.60
M08162	400x200x200mm	9	1.222/12.00
M08163	450x230x200mm	6	1.583/10.50

- Made of PP material and cold-rolled plates, durable
- ⚠ No warranty as consumables

Tool Box



Item No.	Size	PCS	PW/GW(kg)
M08173	17"(430x180x190mm)	1	3.00/3.50

- Made of superior cold-rolled
- Fine paint surface, nick resistance
- ⚠ No warranty as consumables

Tool Box



Item No.	Size	PCS	PW/GW(kg)
M08167	360x185x180mm	8	1.875/15.80
M08168	400x200x190mm	6	2.167/14.40
M08169	450x240x200mm	6	2.833/18.00

- Made of PP material, durable
- ⚠ No warranty as consumables

Tool Bag



Item No.	Size	PCS	PW/GW(kg)
M08189	230x70x245mm	20	0.56/11.8

- Made of high quality 420D water proof Oxford fabric.
- ⚠ No warranty as consumables

Double-pocket Waterproof Backpack



Item No.	Size	PCS	PW/GW(kg)
M08182	300x150x230mm	40	0.50/21.4

- Made of high quality 600x600D water proof Oxford fabric.
- ⚠ No warranty as consumables

Night Watch Bag - Railway Special

Item No.	Size	PCS	PW/GW(kg)
M08193	470x110x330mm	10	1.02/11.00

- Made of high quality 900x900D water proof Oxford fabric.
- ⚠ No warranty as consumables

Single-pocket Waterproof Backpack



Item No.	Size	PCS	PW/GW(kg)
M08181	350x100x300mm	40	0.52/22.5

- Made of high quality 600x600D water proof Oxford fabric.
- ⚠ No warranty as consumables

Tool Bag



Item No.	Size	PCS	PW/GW(kg)
M08185	340x180x280mm	24	0.74/19.00

- Made of high quality 600x600D water proof Oxford fabric, durable and waterproof
- ⚠ No warranty as consumables



6 Pockets Combined Tool Pocket



Item No.	Size	PCS	PW/GW(kg)
M08212	6 Pockets	40	0.38/16.80

- Made of high quality 1680D water proof Oxford fabric. The extra thick .embroidering can resist abrasion.
- Supporting main pocket + several tool pockets, easy to carry and fetch the tools
- High density cushion, avoid of piercing of tools

⚠ No warranty as consumables

8 Pockets Combined Tool Pocket

Item No.	Size	PCS	PW/GW(kg)
M08214	8 Pockets	40	0.54/23.00

- Made of high quality 1680D water proof Oxford fabric. The extra thick .embroidering can resist abrasion.
- Supporting main pocket + several tool pockets, easy to carry and fetch the tools
- High density cushion, avoid of piercing of tools

⚠ No warranty as consumables

Working Belt



货号 Item No.	规格 Size	PCS	PW/GW(kg)
M08218	110cm	40	0.14/6.20

- Made of high quality 900D water proof PVC Oxford fabric..
- The extra thick embroidering can resist abrasion..
- High density cushion can resist abrasion

⚠ No warranty as consumables

7 Pockets Combined Tool Pocket



Item No.	Size	PCS	PW/GW(kg)
M08213	7Pockets	40	0.27/7.20

- Made of high quality 600x600D water proof Oxford fabric. The extra thick .embroidering can resist abrasion.
- Supporting main pocket + several tool pockets, easy to carry and fetch the tools
- High density cushion, avoid of piercing of tools

⚠ No warranty as consumables



Electrician's Tool Pouch

Item No.	Size	PCS	PW/GW(kg)
M08215	7Pockets	40	0.208/8.98

- Made of high quality 600x600D water proof Oxford fabric.

⚠ No warranty as consumables

199PCS.1/4"&3/8"& 1/2" Dr. Socket Wrench Set



NEW

TKC71-199

Item No.	Size	set	PW/GW(kg)
M07358	199PCS	2	9.43/19.86

- 24件12.5mm系列旋具头
一字SL8,SL10,SL12
十字PH3,PH4
米字PZ3,PZ4
六角H7,H8,H10,H12,H14
花型T40,T45,T50,T55,T60,T70
中孔花型TH40,TH45,TH50,TH55,TH60,TH70

- 13pcs 1/4"Dr.6pt.Metric Sockets
4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 7pcs 1/4"Dr.Metric Deep Sockets 4,5,6,7,8,9,10mm
- 5pcs 1/4"Dr.Trox Sockets E4,E5,E6,E7,E8
- 10pcs 3/8"Dr.6pt.Metric Sockets 10,11,12,13,14,15,16,17,18,19mm
- 6pcs 3/8"Dr.Metric Deep Sockets 10,11,12,13,14,15mm
- 6pcs 3/8"Dr.Trox Sockets E10,E11,E12,E14,E16,E18
- 17pcs 1/2"Dr.6pt.Metric Sockets
10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,30,32mm
- 5pcs 1/2"Dr.Metric Deep Sockets 16,17,18,19,22mm
- 2pcs 1/2"Dr.Trox Sockets E20,E24
- 30pcs 1/4"Dr.Bit Sockets
Slotted 4,5,5,7mm
Phillips PH1,PH2,PH3
Pozidriv PZ1,PZ2,PZ3
Hex 2,3,4,5,6mm
Trox T-8,9,10,15,20,25,27,30
Tamper Proof Trox TH8,TH9,TH10,TH15,TH20,TH25,TH27,TH30

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

- 7PCS Hex Key Set 1.5,2,2.5,3,4,5,6
- 3pcs 3/8"Dr.Spark Plug Sockets 18mm
1/2"Dr.Spark Plug Sockets 16,21mm
- 48pcs 1/4" Dr. Bits
Slotted SL2.5,SL3,SL3.5,SL4,SL4.5,SL5,SL5.5,SL6,SL6.5,SL7
Phillips PH0,PH1x2,PH2x2,PH3x2
Pozidriv PZ0,PZ1x2,PZ2x2,PZ3x2
Hex H3,H4,H5,H6
Trox T10x2,T15x2,T20x2,T25x2,T27x2,T30x2
Tamper Proof Torx TH10,TH15,TH20,TH25,TH27,TH30
Bi-hex: M5,M6
- 24pcs 1/2" Dr. Bits
Slotted SL8,SL10,SL12
Phillips PH3,PH4
Pozidriv PZ3,PZ4
Hex H7,H8,H10,H12,H14
Trox T40,T45,T50,T55,T60,T70
Tamper Proof Trox TH40,TH45,TH50,TH55,TH60,TH70

- 17pcs Accessories
- 1/4"Dr. Spinner Handle
- 1/4",3/8",1/2"Dr. Quick Release Ratchet Wrench
- 1/4",3/8",1/2"Dr. Universal Joint
- 1/4"Dr. Sliding T-bar
- 1/2" Dr. 3-Way Adapter
- 1/4"Dr. Extensions Bars 2",4"
- 3/8"Dr. Extensions Bars 6"
- 1/2"Dr. Extensions Bars 5", 10"
- 1/4",3/8",1/2"Dr. Bit Adapter

123+2PCS Mechanic's Tool Set for Auto Repairs



Item No.	Size	Product No.		
M09014	125PCS	TKC63-125	2	20.00

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

- 11pcs 1/4"Dr.6pt Metric Sockets
4,5,6,7,8,9,10,11,12,13,14mm
- 11pcs 3/8"Dr.6pt Metric Sockets
9,10,11,12,13,14,15,16,17,18,19mm
- 7pcs 1/2"Dr.6pt Metric Sockets
20,21,22,24,27,30,32mm
- 8pcs3/8"Dr.Torx Sockets
E8,E10,E11,E12,E14,E16,E18,E20
- 4pcs 1/4"Dr.6pt Deep Metric Sockets
8,9,10,12mm
- 4pcs 3/8"Dr.6pt Deep Metric Sockets
13,14,15,17mm
- 19pcs 1/4" Shank 25L Bits
Philips PH0,PH1,PH2,PH3
Slotted 3,4,5,6mm
Hex 4,5,6mm
T15,T20,T25,T30
PZ0,PZ1,PZ2,PZ3
- 17pcs 3/8"Dr.Bit Sockets
Slotted SL5.5,SL6.5mm
PH1,PH2
PZ1,PZ2
Hex H3,H4,H5,H6mm
T20,T30,T40,T45,T50,T55,T60
- 2pcs Screwdrivers
Philips PH2x100mm
Slotted 6x100mm
- 3pcs Quick Release Ratchet Handle
1/4",3/8",1/2"
- 3pcs Universal Joint
1/4",3/8",1/2"
- 2pcs 3/8"Dr.Spark Plug Sockets
16,21mm
- 1pc 1/4"Dr. Extension Bar 2"
- 2pcs 3/8"Dr.Extension Bar 3",6"
- 2pcs 1/2"Dr.Extension Bar 5",10"
- 1pc 1/4"Dr.Spinner Handle
- 1pc 1/4"Dr.Bit Adapter
- 2pcs Adapter 3/8"Fx1/4"M, 3/8"Fx1/2"M
- 9pcs Long Arm Hex Key Set
1.5,2,2.5,3,4,5,6,8,10mm
- 12pcs Combination Wrenches
8,9,10,11,12,13,14,15,16,17,18,19mm
- 1pc Automobilt Test Pencile And Conducting Wire
- 1pc Dual-use Filter Wrench
- 1pc Cylinder Cover Dismounting Socket Torx Key
- 1pc Adptor 1/4"Hex x 1/4"S



120PCS 1/4"&3/8"&1/2"Dr. Socket Wrench Set

CrV



Item No.	Size	Product No.		
M07014	6.3/10/12.5mm x 120PCS	TKC12-120	2	20.5

- 20pcs 1/4"Dr.Sockets
4,5,6,7,8,9,10,11,12,13mm
5/32",3/16",7/32",1/4",9/32",5/16",11/32",3/8",7/16",1/2"
- 18 pcs 3/8" Dr.Sockets
9,10,11,12,13,14,15,16,17,18,19mm
3/8",7/16",1/2",9/16",5/8",11/16",3/4",
- 13pcs 1/2" Dr.Sockets
20,21,22,24,27,30,32mm
15/16",1",1-1/16",1-1/4",13/16",7/8"
- 4pcs 1/4"Dr.Deep Sockets 8,9,10,11mm
- 4pcs 3/8"Dr.Deep Sockets 13,14,15,17mm
- 2pcs 3/8"Dr.Spark Plug Sockets 16,21mm
- 8pcs 3/8"Dr.Torx Sockets
E8,10,11,12,14,16,18,20
- 4pcs 1/2"Dr.Impact sockets 17,19,21,24mm
- 7pcs 1/4"Dr.Torx Bits
T-10,15,20,25,27,30,40
17pcs 3/8"Dr.Bit Sockets
Torx T-20,30,40,45,50,55,60
Hex3,4,5,6mm
Philips PH1,PH2
Slotted 5.5,6.5mm
Pozidriv PZ1,PZ2
- 23pcs Accessories
1/4",3/8",1/2"Dr.Quick Release Ratchet Handle
1/4",3/8",1/2"Dr.Universal Joint
1/4"Dr.Extension Bar 2"
3/8"Dr.Extension Bar 3",6"
1/2"Dr.Extension Bars5",10"
1/4"Dr.Spinner Handle
1/4"Dr.Bit Adapter
- Combination Wrench
8,9,10,11,12,13,14,17,18,19mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

94PCS 1/4"& 1/2" Dr. Socket Wrench Set


CrV



Item No.	Size	Product No.		
M09013	6.3/12.5mm x 94PCS	TKC10-94	4	26.9

- 13pcs 1/4"Dr.6pt.Metric Sockets
4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 8pcs 1/4"Dr.Metric Deep Sockets
6,7,8,9,10,11,12,13mm
- 18pcs 1/2"Dr.6pt.Metric Sockets
10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm
- 4pcs 1/2"Dr.Metric Deep Sockets
14,15,17,19mm
- 2pcs 1/2"Dr.Spark Plug Sockets
16,21mm
- 17pcs 1/4"Dr.Bit Sockets
Philips PH1,PH2
Slotted 4,5,5,7mm
Pozidriv PZ1,PZ2
Hex3,4,5,6mm
Torx T8,T10,T15,T20,T25,T30
- 15pcs 8mm Shank 30LBits
Philips PH3,PH4
Slotted 8,10,12mm
Pozidriv PZ3,PZ4
Torx T40,T45,T50,T55
Hex 8,10,12,14mm
- 3pcs Hex Keys
1.5,2,2.5mm
- 14pcs Accessories
1/4",1/2"Dr.Quick Release Ratchet Handle
1/4"Dr.Sliding T-bar
1/4",1/2"Dr.Universal Joint
1/4"Dr.Extension Bars 2",4"
1/2"Dr.Extension Bars 5",10"
3/8"F x 1/2"M 3-Way Adapter
1/4"Dr.Flexible Extension Bar6"
1/4"Dr.Spinner Handle
1/2"Dr.Bit Adapter
Adptor1/4"Hex x 1/4"S

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



90PCS 1/4" & 1/2" Dr. Socket Wrench Set




Item No.	Size	Product No.		
M07571	6.3/12.5mm x 90PCS	TK-123	1	14.00

- 12pcs 1/4" Dr.Metric Sockets
4,4.5,5,5.5,6,7,8,9,10,11,12,13mm
- 13pcs 1/2" Dr.Metric Sockets
14,15,16,17,18,19,20,21,22,24,27,30,32mm
- 2pcs 1/2" Dr.Spark Plug Sockets 16,21mm
- 4pcs Screwdrivers
Philips PH1x75mm, PH2x100mm
Slotted 5x75mm, 6x100mm
- 24pcs 1/4" Shank 25L Bits
Philips PH0, PH1, PH2, PH3
Slotted SL3, SL4, SL5, SL6
Pozidriv PZD, PZ1, PZ2, PZ3
Hex H3, H4, H5, H6
Torx T15, T20, T25, T30
Square S0, S1, S2, S3
- 35pcs Accessories
1/4", 1/2" Dr.Quick Release Ratchet Handle
1/4", 1/2" Dr.Universal Joint
1/4" Dr.Extension Bar 3"
1/2" Dr.Extension Bar 10"
1/4" Dr.Spinner Handle
1/4" Dr. Magnetic spinner handle
Combination Plier 7"
Long Nose Plier 6"
Diagonal Cutting Plier 6"
- 9pcs Hex Key Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- Combination Wrenches 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

58+2PCS 3/8" Dr. General Maintenance Set



Item No.	Size	Product No.		
M07560	10mmx60PCS	TKC12-60	2	14.20

- 16pcs 3/8" Dr. Socket
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21mm
- 1pc 3/8" Dr.ratchet Handle
- 1pc 3/8" Universal Joint
- 9pcs Hex Key Wrench
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 1pc Adjustable Wrench 200mm
- 1pc Combination Plier 200mm
- 1pc Long Nose Plier 160mm
- 4pcs Snap Ring Plier set
- 1pc Measuring Tape 3M
- 1pc Metric Feeler Gauge
(32pcs 0.02mm-1mm)
- 1pc Magnetic Pick-up Tool
- 1pc Steel Ruler 150mm
- 1pc Ball Peen Hammer 1LB
- 1pc Utility Knife
- 1pc Aluminum Steel Flashlight
- 7pcs Screwdrivers
PH0x75mm, PH1x100mm, PH2x38mm, PH2x150mm
Slotted 3x75mm, 5x100mm, 6x38mm
- 10pcs Combination Wrench
8, 10, 11, 12, 13, 14, 15, 16, 18, 19mm
- 1pc Ratchet Combination Wrench 17mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

73PCS. 1/4", 3/8" Dr. Socket Wrench Set



Item No.	Size	Product No.		
M07073	73PCS	TKC26-73	6	14.50

- 20pcs 1/4" Dr. 12point socket
4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 20pcs 3/8" 12point socket
9, 10, 11, 12, 13, 14, 15, 17, 18, 19mm
1/4", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
- 1pc 3/8" Dr. ratchet
- 1pc adaptor 3/8"(F)x1/4"(M)
- 1pc 1/4" Dr. spinner handle
- 1pc 1/4" Dr. Bits Adaptor
- 2pcs Extension Bar
1/4" 75mm, 3/8" 75mm
- 26pcs Bit:
Philips PH0, 1, 2, 3mm
Slotted SL 3, 4, 4.5, 5mm
pozidriv PZ 0, 1, 2, 3mm
Hex H 3, 4, 5, 6, 7, 8mm
Torx T 8, 10, 15, 20, 25, 27, 30, 40mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.


60PCS 1/4" & 1/2" Dr. Socket Set For Automobile



Item No.	Size	Product No.		
M09516	60PCS	TKC10-60	4	25.50

- 12pcs Mirror Finish Combination Wrenches
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 13pcs 1/4" Dr. 6P Sockets
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 2pcs 1/4" Dr. Extension Bar
50mm, 100mm
- 1pc 1/4" Dr. Universal Joint
- 1pc 1/4" Dr. Sliding T Bar
- 1pc 1/4" Dr. Spinner Handle
- 1pc 1/4" Dr. Flexible Extension Bar 150mm
- 1pc 1/4" Dr. Ratchet Handle With Quick Release
- 18pcs 1/2" Dr. 6P Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- 1pc 1/2" Dr. Ratchet Handle With Quick Release
- 2pcs 1/2" Dr. Extension Bar
5", 10"
- 1pc 1/2" Dr. Universal Joint
- 1pc 1/2" Dr. 3-Way Adapter
- 2pcs 1/2" Dr. Spark Plug Socket
16, 21mm
- 3pcs Hex Key
1.5, 2, 2.5mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



61PCS 3/8"Dr.Socket Wrench Set

NEW

CrV



Item No.	Size	Set	GW(kg)
M07130	10mmx61PCS	4	21.80kg

- 18pcs 3/8" Dr.6point Socket
6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,24mm
- 2pcs Spark Plug Socket 16,21mm
- 11pcs 3/8" Dr. Deep Socket
8,10,11,12,13,14,15,16,17,18,19mm
- 24pcs 3/8" Dr. Bit Socket
Torx T10,15,20,25,30,40,45,50,55
Hex H3,4,5,6,7,8,10
Phillips PH1x2, PH2x2,PHx3
Slotted SL5,5,6,5,8
2pcs 3/8" Dr. Extension Bar 3",10"
- 1pc 3/8" Dr. Quick Release Ratchet Handle
- 1pc 3/8" Dr. Universal Joint
- 3/8" Fx 1/2" M 3-Way Adapter

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

23PCS 1/2" Dr. Socket

NEW

CrV



Item No.	Size	Set	GW(kg)
M07013	12.5mmx23PCS	4	23.00

- 16pcs 1/2"Dr.6pt Metric Sockets
10,11,12,13,14,15,16,17,18,19,22,24,27,30,32,34mm
- 3pcs 1/2"Dr.Deep Socket 13,17,19mm
- 1pc 1/2"Dr.Quick Ratchet Handle
- 1pc 1/2"Dr. Extension Bar 10"
- 1pc 1/2" Dr.3-Way Adapter 3/8"F x 1/2" M

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

52PCS 1/4"Dr.Socket Wrench Set

NEW



Item No.	Size	Set	GW(kg)
M07170	6.3mmx52PCS	1/8	14.04

- 14pcs 1/4" Dr.6point Sockets
3.5,4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
- 4pcs 1/4" Dr. Deep Sockets 8,10,12,13mm
- 18pcs 1/4" Dr. Bit Sockets
Torx T10,15,20,25,30,40 Hex H3,4,5,6,8
Phillips PH1x2,PH2x2 Slotted SL4,5,5,6,5
- 2pcs 1/4" Dr. Extension Bar 2",4"
- 1pc 1/4" Dr. Quick Release Ratchet Handle
- 1pc 1/4" Dr. Spinner Handle
- 1pc 1/4" Dr. Sliding T-bar
- 1pc 1/4" Dr. Universal Joint
- 1pc 1/4" Dr. Bit Adapter
- 9pcs 1/4" Dr. Shank 25L Bit
Slotted SL4,5,6 Phillips PH1,PH3 Hex H3,4,5,6

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

38PCS 3/8"Dr. Socket Tool Set

CrV



Item No.	Size	Product No.	Set	GW(kg)
M07140	10mm x 38PCS	TKT2-38	12	23.00

- 15pcs 3/8" Dr. 6pt. Metric Sockets
6,7,8,9,10,11,12,13,14,15,16,17,18,19,22mm
- 3pcs Hex Kcys 1.5,2,2.5mm
- 5pcs 1/4" shank 25L Bits Philips PH0,PH1, PH2
Slotted SL3,SL4,SL5
Hex H3,H4,H5
Torx T10,T15,T20
Square S1,S2,S3
- 5pcs Accessories
- 3/8" Dr. Stubby Ratchet Handle, Quick Release
- 1/4" Dr. Spinner Handle
- 1/4" Dr. Bit adapter
- Long Nose Pliers 5"
- Stubby Adjustable Wrench 6"

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

33PCS 1/4" Dr. Socket Wrench Set

CrV



Item No.	Size	Product No.	Set	GW(kg)
M 07002	6.3mm x 33PCS	TKC26-33	12	16.20

- 12pcs 6pt.Metric Sockets
4,4.5,5,5.5,6,7,8,9,10,11,12,13mm
- 3pcs Hex Keys
1.5,2,2.5mm
- 12pcs Bit Sockets
Slotted 3,4,5,6,7
Phillips PH1,PH22
Hex H3,H4,H5,H6,H8
- 6pcs Accessories Quick Release Ratchet Handle
- Sliding T-bar Universal Joint
- Extension Bars 2",4"
- Spinner Handle

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.




32PCS 1/2" Dr. Socket Wrench Set




Item No.	Size	Product No.	Set	GW(kg)
M07023	12.5mm x 32PCS	TKT7-32D	4	25.50

- 22pcs 6pt.Metric Sockets
8,9,10,11,12,13,14,15,16,17,18,19,20,
21,22,23,24,26,27,28,30,32mm
- 4pcs 12pt.Metric Sockets
11,12,14,17 mm
- 6pcs Accessories Quick Release Ratchet Handle
Extension Bars 5", 10"
L-handle
3/8" Fx1/2" M 3-Way Adapter
- Tommy Bar 10"

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



32PCS 1/2" Dr. Socket Wrench Set



Product upgrade, the old version will be sold until stock runs out.

Item No.	Size	Product No.	set	GW(kg)
M07024	12.5mm x 32PCS	TKC27-32E	4	18.30

- 19pcs 6pt Metric Sockets 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,24,27,30,32mm
- 6pcs 12pt Metric Sockets 10,12,13,14,17,19mm
- 2pcs Spark Plug Sockets 16,21mm
- 5pcs Accessories Quick Release Ratchet Handle
- Extension Bars 5".10"
- 3/8"F x 1/2"M 3-Way Adapter
- Universal Joint

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.






28PCS 1/2"Dr. Socket Wrench Set



Item No.	Size	Product No.	set	GW(kg)
M07011	12.5mm x 28PCS	TKT5-28	4	18.60

- 21pcs Metric Sockets 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,26,27,30,32mm
- 2pcs Spark Plug Sockets 16,21mm
- 5pcs Accessories Quick Release Ratchet Handle
- Extension Bars 5", 10"
- Universal Joint
- 3/8" Fx1/2" M 3-Way Adapter

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



26PCS 3/4" & 1"Dr. Socket Wrench Set



Item No.	Size	Product No.	set	GW(kg)
M07406	20/25mm x 26PCS	TKC12-26	1	17.80

- 17pcs 3/4"Dr. 12pt Sockets 21,22,23,24,26,28,29,30,31,32,34,36,38,41,46,50mm
- 3pcs 1"Dr.12pt Sockets 55,60,65mm (2-1/4",2-3/8",2-5/8")
- 3/4" Dr. Ratchet
- 3/4" Dr.Extension Bar 8"
- 3/4" Dr.Universal Joint
- 3/4" Dr.Dual Function Sliding T Bar
- 3/4" F x 1" M 3-Way Adapter
- Force Adding Bar

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

24PCS 1/2" Dr. Socket



Item No.	Size	Product No.	set	GW(kg)
M07012	12.5mm x 24PCS	TKT18-24	4	23.00

- 18pcs 1/2"Dr. Metric Sockets 10,11, 12,13,14,15,16,17,18, 19, 20, 21,22, 23,24, 27,30, 32mm
- 2 pcs 1/2"Dr. Extension Bars 5",10"
- 1 pc 1/2"Dr. sliding T bar
- 1 pc 1/2"Dr. Flex Handle 15"
- 1 pc 1/2"Dr. Universal Joint
- 1 pc 1/2"Dr. Ratchet Handle

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.





21PCS 1/2" Dr. Socket Wrench Set



Item No.	Size	Product No.	set	GW(kg)
M07006	12.5mm x 21PCS	TKT4-21	4	13.00

- 18pcs Metric Sockets 8,9,10,11,12,13,14,15,16,17,18,19,21,22,24,27,30,32mm
- 1pc 1/2" Dr. Extension Bar 5"
- 1pc L-handle
- 1pc 1/2" Dr. Quick Release Ratchet Handle

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



21PCS 3/4" Dr. Socket Wrench Set

CrV



Item No.	Size	Product No.		
M07421	20mm x 21PCS	TKT8-21	1	14.10

- 15pcs 3/4"Dr. Sockets
19,21,22,24,27,30,32,33,34,35,36,38,41,46,50mm
- 2pcs 3/4"Dr. 450mm Sliding T-bar
(with sliding head)
- 2pcs 3/4"Dr. Extension Bar 8", 16"
- 1pc 3/4"Dr. Ratchet Wrench 475mm
- 1pc 3/4"Dr. Flexible Handle 475mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

12PCS 1/2" Dr. Impact Socket Wrench Set

NEW



Item No.	Size	Product No.		
M07050	12.5mmx10PCS	TKT3-10	12	21.50




- 8pcs 1/2"Dr.6pt Metric Socket
8,10,12,14,17,18,19,21,24mm
- 2pcs Accessories
L-Handle
3-Way Adapter 3/8" F x 1/2" M

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

Item No.	Size		
M07028	12PCS	12	1.22/15.64

- 12pcs 1/2"Dr.Impact Socket
10,11,12,13,14,15,16,17,18,19,20,21mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



15pcs Insulated Maintenance Set



货号 Item No.	规格 Size		
M07315	15PCS	3	3.17/10.50

- 1pc Insulated Combination Plier 200mm
- 1pc Insulated Long Nose Plier 200mm
- 1pc Insulated Diagonal Plier 160mm
- 1pc Insulated Wire Stripping Plier 160mm
- 1pc Insulated Cable Knife 50x180mm
- 4pcs Insulated Screwdriver Phillips
PH0x75,PH1x100,PH2x100,PH3x150
- 5pcs Insulated Screwdriver Slotted
SL2.5x80,SL3x100,SL4x100,SL5.5x125,SL6.5x150mm
- 1pc Voltage Tester

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

19pcs Insulated Maintenance Set



货号 Item No.	规格 Size		
M07318	19PCS	3	3.75/15.60

- 1pc Insulated Combination Plier 160mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Insulated Diagonal Plier 160mm
- 1pc Insulated Wire Stripping Plier 160mm
- 1pc Insulated Adjustable Wrench 200mm
- 1pc Insulated Cable Knife 50x180mm
- 1pc Electrical Tape 0.8x18x11mm
- 3pcs Insulated Opening Wrench 10,14,17mm
- 3pcs Insulated Ring Wrench 10,14,19mm
- 2pcs Insulated Screwdriver Phillips
PH0x3x75,PH1x5x100
- 3pcs Insulated Screwdriver Slotted
3x100,5.5x125,4x100
- 1pc Voltage Tester

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



18pcs Insulated Maintenance Set

NEW



A款

Item No.	Size	set	[PW/GW(kg)]
M07350	18PCS	3	3.62/11.86

- 1pc Insulated Combination Plier 200mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Insulated Diagonal Plier 160mm
- 1pc Insulated Snips 160mm
- 1pc Voltage Tester
- 1pc Insulated Adjustable Wrench 200mm
- 1pc Electrical Tape 0.18mmx18mmx11M
- 1pc Insulated Cable Knife 50x180mm
- 3pcs Insulated Screwdriver Phillips PH0x75,PH1x100,PH2x100
- 3pcs Insulated Screwdriver Slotted SL3x100,4x100,5.5x125
- 4pcs Insulated Opening Wrench 10,14,17,19mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



B款

Item No.	Size	set	[PW/GW(kg)]
M07317	18PCS	3	3.67/12.50

- 1pc Insulated Combination Plier 200mm
- 1pc Insulated Long Nose Plier 200mm
- 1pc Insulated Diagonal Plier 160mm
- 1pc Insulated Wire Stripping Plier 160mm
- 1pc Insulated Adjustable Wrench 250mm
- 1pc Insulated Cable Knife 50x180mm
- 5pcs Insulated Opening Wrench 10,12,14,17,19mm
- 3pcs Insulated Screwdriver Phillips PH0x75,PH1x100,PH2x100
- 3pcs Insulated Screwdriver Slotted SL3x100,4x100,5.5x125
- 1pc Voltage Tester

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

25pcs Insulated Maintenance Set

NEW



Item No.	Size	set	[PW/GW(kg)]
M07351	25PCS	3	4.62/14.86

- 1pc Insulated Combination Plier 200mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Insulated Diagonal Plier 160mm
- 1pc Voltage Tester
- 3pcs Insulated Screwdriver Phillips PH0x75,PH1x100,PH2x100
- 3pcs Insulated Screwdriver Slotted SL3x100,SL4x100,SL5.5x125
- 15pcs Insulated Opening Wrench 8,9,10,11,12,13,14,15,16,17,18,19,21,22,24mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.







25pcs Insulated Maintenance Set



Item No.	Size	set	[PW/GW(kg)]
M07325	25PCS	3	5.37/17.10

- 1pc Insulated Combination Plier 175mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Insulated Diagonal Plier 160mm
- 1pc Insulated Adjustable Wrench 200mm
- 1pc 1/2" Dr. Insulated Ratchet
- 14pcs 1/2" Dr. Insulated Socket 10,11,12,13,14,16,17,18,19,22,24,27,30,32mm
- 2pcs Insulated Screwdriver Phillips PH1x100,PH2x100
- 2pcs Insulated Screwdriver Slotted SL4x100,SL5.5x125mm
- 2pcs 1/2"Dr. Insulated Extension Bar 125,250mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



26pcs Insulated Maintenance Set



NEW



Item No.	Size	Set	PW/GW(kg)
M07347	26PCS	3	5.18/16.54

- 1pc Insulated Combination Plier 200mm
- 1pc Insulated Long Nose Plier 200mm
- 1pc Insulated Diagonal Plier 160mm
- 1pc Voltage Tester
- 1pc Insulated Adjustable Wrench 200mm
- 1pc Electrical Tape 0.18mmx18mmx11M
- 1pc Insulated Cable Knife 50x180mm
- 1pc 1/2" Dr.Insulated Ratchet
- 2pcs 1/2"Dr.Insulated Extension Bar 125,250mm
- 2pcs Insulated Screwdriver Phillips PH1x100,PH2x100
- 2pcs Insulated Screwdriver Slotted SL4x100,SL5.5x125mm
- 12pcs 1/2" Dr. Insulated Socket 10,11,12,13,14,16,17,18,19,21,22,24mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

32pcs Insulated Maintenance Set



NEW



Item No.	Size	Set	PW/GW(kg)
M07353	32PCS	3	5.39/17.17

- 1pc Insulated Combination Pliers 200mm
- 1pc Insulated Long Nose Pliers 200mm
- 1pc Insulated Diagonal Pliers 160mm
- 1pc Electrical Tape 0.18mmx18mmx11M
- 1pc Insulated Cable Knife 50x180mm
- 1pc Insulated Snips 160mm
- 1pc 1/2" Dr.Insulated Ratchet
- 2pcs 1/2"Dr.Insulated Extension Bar 125,250mm
- 2pcs Insulated Screwdriver Phillips PH1x100,PH2x100
- 2pcs Insulated Screwdriver Slotted SL4x100,SL5.5x125mm
- 7 pcs Insulated Opening Wrench 8,10,12,13,14,17,19mm
- 12pcs 1/2" Dr. Insulated Socket 10,11,12,13,14,16,17,18,19,21,22,24mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

34pcs Insulated Maintenance Set



NEW



Item No.	Size	Set	PW/GW(kg)
M07354	34PCS	3	4.46/14.38

- 1pc Insulated Combination Plier 160mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Insulated Diagonal Plier 160mm
- 1pc Electrical Tape 0.18mmx18mmx11M
- 1pc Voltage Tester
- 1pc Insulated Cable Knife 50x180mm
- 1pc Insulated Snips 160mm
- 1pc 1/2" Dr.Insulated Ratchet
- 1pc Insulated T-Handle
- 2pcs 1/2"Dr.Insulated Extension Bar 125,250mm
- 2pcs Insulated Screwdriver Phillips PH0x75,PH2x100
- 2pcs Insulated Screwdriver Slotted SL3x100,SL5.5x125mm
- 7 pcs Insulated Opening Wrench 8,10,12,13,14,17,19mm
- 12pcs 1/2" Dr. Insulated Socket 8,10,11,12,13,14,16,17,18,19,21,22mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

37pcs Insulated Maintenance Set








NEW







Item No.	Size	Set	PW/GW(kg)
M07355	37PCS	3	5.66/17.90

- 1pc 1/2" Dr.Insulated Ratchet
- 1pc 1/2"Dr.Insulated Extension Bar 250mm
- 5pcs Insulated Hex Key 3,4,5,6,8,10mm
- 6pcs Insulated Bit Socket Hex 4,5,6,8,10mm
- 10pcs Insulated Opening Wrench 7,8,10,12,13,14,16,17,18,19mm
- 14pcs 1/2" Dr. Insulated Socket 10,11,12,13,14,15,16,17,18,19,20,21,22,24mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.





39pcs Insulated Maintenance Set

NEW



Item No.	Size	set	PW/GW(kg)
M07356	39PCS	3	4.48/14.44

- 1pc Insulated Combination Plier 200mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Insulated Diagonal Plier 160mm
- 1pc Voltage Tester
- 1pc 3/8" Dr. Insulated Ratchet
- 1pc 3/8" Dr. Insulated T-Handle
- 1pc 3/8" Dr. Insulated Extension Bar 125mm
- 3pcs Insulated Screwdriver Phillips PH0x75, PH1x100, PH2x100
- 3pcs Insulated Screwdriver Slotted SL3x100, SL4.0x100, SL5.5x125mm
- 4pcs Insulated Bit Socket Hex 4, 5, 6, 8mm
- 7pcs Insulated Opening Wrench 7, 8, 10, 12, 13, 14, 17mm
- 7pcs Insulated Arm Torx Key T10, 15, 20, 25, 27, 30, 40
- 8pcs 3/8" Dr. Insulated Socket 8, 10, 11, 12, 13, 14, 17, 19mm

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

5pcs Insulated Maintenance Set

NEW



Item No.	Size	set	PW/GW(kg)
M07362	5PCS	20	0.49/10.80

- 2pcs Insulated Screwdriver Slotted SL3x100, SL5.5x125mm
- 2pcs Insulated Screwdriver Phillips PH1x100, PH2x100
- 1pc Voltage Tester

6pcs Insulated Maintenance Set

NEW



Item No.	Size	set	PW/GW(kg)
M07364	6PCS	16	0.88/15.08

- 2pcs Insulated Screwdriver Slotted SL3x100, SL5.5x125mm
- 1pc Insulated Screwdriver Phillips PH2x100
- 1pc Insulated Adjustable Wrench 200mm
- 1pc Insulated Combination Plier 160mm
- 1pc Voltage Tester

7pcs Insulated Maintenance Set

NEW



Item No.	Size	set	PW/GW(kg)
M07361	7PCS	12	0.75/10.00

- 4pcs Insulated Screwdriver Slotted SL3x100, SL4x100, SL5.5x125, 6.5x150mm
- 3pcs Insulated Screwdriver Phillips PH0x75, PH1x100, PH2x100

8pcs Insulated Maintenance Set

NEW



Item No.	Size	set	PW/GW(kg)
M07367	8PCS	12	0.97/12.64

- 2pcs Insulated Screwdriver Slotted SL3x100, SL4x100mm
- 2pcs Insulated Screwdriver Phillips PH1x100, PH2x100
- 1pc Insulated Diagonal Plier 160mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Electrical Tape 0.18mmx18mmx11M
- 1pc Voltage Tester



Item No.	Size	set	PW/GW(kg)
M07363	8PCS	12	1.25/16.00

- 2pcs Insulated Screwdriver Slotted SL3x100, SL5.5x125mm
- 2pcs Insulated Screwdriver Phillips PH1x100, PH2x100
- 1pc Insulated Diagonal Plier 160mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Insulated Combination Plier 160mm
- 1pc Insulated Cable Knife 50x180mm

11pcs Insulated Maintenance Set

NEW



Item No.	Size	set	PW/GW(kg)
M07366	11PCS	8	1.99/16.92

- 1pc Insulated Screwdriver Slotted SL5.5x125mm
- 3pcs Insulated Screwdriver Phillips PH0x75, PH1x100, PH2x100
- 1pc Insulated Diagonal Plier 160mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Insulated Combination Plier 200mm
- 1pc Insulated Cable Knife 50x180mm
- 1pc Insulated Cable Cutter 150mm
- 1pc Insulated Adjustable Wrench
- 1pc Voltage Tester

10pcs Insulated Maintenance Set

NEW








Item No.	Size	set	PW/GW(kg)
M07365	10PCS	8	1.68/14.44


- 1pc Insulated Screwdriver Slotted SL5.5x125mm
- 3pcs Insulated Screwdriver Phillips PH0x75, PH1x100, PH2x100
- 1pc Insulated Diagonal Plier 160mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Insulated Combination Plier 200mm
- 1pc Insulated Cable Knife 50x180mm
- 1pc Insulated Cable Cutter 150mm
- 1pc Voltage Tester



Item No.	Size	set	PW/GW(kg)
M07360	10PCS	8	1.41/12.28

- 3pcs Insulated Screwdriver Slotted SL3x100, SL4x100, SL5.5x125mm
- 3pcs Insulated Screwdriver Phillips PH0x75, PH1x100, PH2x100
- 1pc Insulated Diagonal Plier 175mm
- 1pc Insulated Long Nose Plier 160mm
- 1pc Insulated Combination Plier 175mm
- 1pc Voltage Tester





40PCS. Electrician's Tool Set



Item No.	Size		
M07306	40PCS	1/4	2.50/11.5

- 1pc Mini Long Nose Plier 4.5"
- 1pc Mini Lineman's Plier 4.5"
- 2pcs Slotted Screwdrivers
SL3x75mm,SL6x100mm
- 2pcs Philips Screwdrivers
PH0x75,PH2x100
- 8pcs Hex Key Set
1.5,2,2.5,3,4,5,5.5,6mm
- 1pc Soldering Iron 30w
- 1pc Solder Absorber
- 1pc Solder wire 17g
- 1pc Wire Stripper 6.5"
- 1pc Elbow Tweezer
- 1pc Tip Tweezer
- 1pc Digital Neon-electroscope
- 1pc Electrical Tape
- 1pc Electrician's Knife
- 1pc Digital Multimeter
- 1pc Solder paste
- 1pc Solder Stand
- 12pcs 1/4"Dr.Sockets
4,4.5,5,5.5,6,7,8,9,10,11,12,13mm
- 1pc Adjustable Wrench6"

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

32PCS. Electrician's Tool Set



Item No.	Size		
M07305	32PCS	1/4	3.625/15.80

- 1pc Digital Multimeter
- 1pc 3-meter Tape Measure
- 1pc Long Nose Pliers 6"
- 1pc Diagonal Cutting Pliers 6"
- 10pcs Hex Key Set
2,2.5,3,4,5,5.5,6,7,8,10mm
- 2pcs Slotted Screwdrivers
SL3x150mm,SL6x100mm
- 2pcs Philips Screwdrivers
PH0x150,PH2x100
- 1pc Digital Neon-electroscope
- 1pc Mini Rechargeable Flashlight
- 1pc Electrician's Knife
- 1pc Wire Stripper 6.5"
- 1pc Solder paste Box
- 1pc Solder wire 17g
- 1pc Soldering Iron 30w
- 1pc Solder Stand
- 1pc Straight Jaw Locking Pliers with TPR Handle 7"-
Industrial Grade
- 1pc Solder Absorber
- 1pc Elbow Tweezer
- 1pc Tip Tweezer
- 1pc Slip Joint Pliers 8"
- 1pc Adjustable Wrench 8"

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

21PCS. Electrician's Tool Set



Item No.	Size		
M07303	21PCS	1/8	2.15/17.80

- 1pc Digital Multimeter
- 1pc 3-metre Tape Measure
- 1pc Long Nose Plier 6"
- 1pc Diagonal Cutting Plier 6"
- 1pc Combination Plier 6"
- 7pcs Hex Key Set
- 2pcs Slotted Screwdrivers
3 x 75mm,6 x 100mm
- 2pcs Philips Screwdrivers
PH0 x 75,PH2 x 100
- 1pc Digital Neon-electroscope
- 1pc Utility Knife
- 1pc Flashlight
- 1pc Electrical Tape
- 1pc Adjuatable Wrench 6"

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.




19PCS. Electrician's Tool Set



Item No.	Size		
M07301	19PCS	1/8	1.563/13.70

- 1pc Adjustable Wrench With Dipped Grip 8"
- 1pc Mini Long Nose Plier 4.5"
- 1pc Mini Lineman's Plier 4.5"
- 2pcs Slotted Screwdrivers
SL3x75mm, SL6x100mm
- 2pcs Philips Screwdrivers
PH0x75, PH2x100
- 1pc Digital Neon-electroscope
- 1pc Mini Slotted Screwdrivers
SL2x75mm
- 1pc Mini Philips Screwdrivers
PH00x75
- 1pc Utility Knife
- 1pc 3-metre Tape Measure
- 1pc Stainless Scissors
- 1pc solder paste
- 1pc Soldering Iron 30w
- 1pc Solder Absorber
- 1pc Solder wire 17g
- 1pc Tip Tweezer 6"
- 1pc Solder Stand

⚠ The set box is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



Socket & Accessories

Socket Set	59-61
Socket	62-64
Ratchet Wrench	65-67
Plastic Shelf Pack	68-69
Rotary Socket	70-72



11PCS 1/2"Dr.Socket Wrench Set

NEW

CrV



- 12.5mm(1/2" Dr.)
- 10pcs Metric Sockets 10,11,12,13,14,15,17,19,22,24mm
 - 1pc 2 IN 1 Multi Function Wrench

Item No.	Size		
M07144	11PCS	1/12	15.88

⚠ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

11PCS 1/4"Dr.Socket Wrench Set

NEW

CrV



- 6.3mm(1/4" Dr.)
- 10pcs Metric Sockets 5,6,7,8,9,10,11,12,13,14mm
 - 1pc Accessory Quick Release Ratchet Handle

Item No.	Size		
M07145	11PCS	1/24	10.12

⚠ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

25PCS 1/4"Dr.Socket Wrench Set

CrV

NEW



- 6.3mm(1/4" Dr.)
- 11pcs Metric Sockets 4,5,6,7,8,9,10,11,12,13,14mm
 - 1pc 1/4" Dr. Ratchet Wrench With Bit Holder Function
 - 13pcs Bits Pozidriv PZ1,PZ2,PZ3
Phillips PH1,PH2,PH3
Slotted SL4,SL4.5,SL5.5,SL6.5
Torx T15,T20,T30

Item No.	Size		
M07146	25PCS	1/24	16.36

⚠ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

21PCS 3/8"&1/2"Dr.Socket Wrench Set

CrV





NEW



- 10mm&12.5mm(3/8"&1/2" Dr.)
- 10pcs 3/8"Dr.Metric Sockets 8,10,11,12,13,14,15,17,19,22mm
 - 10pcs 1/2" Dr. Metric Sockets 10,11,12,13,14,15,16,17,19,22mm
 - 1pc Double Drivers Ratchet Wrench 1/2"&3/8"

Item No.	Size		
M07147	21PCS	1/12	27.40

⚠ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



10PCS Socket Wrench Set

CrV



6.3mm(1/4" Dr.)

●10pcs Metric Sockets 5,6,7,8,9,10,11,12,13,14mm

Item No.	Size	Product No.		
M07159	10PCS	TK-078	10/40	10.50

10mm(3/8" Dr.)

●10pcs Metric Sockets 10,11,12,13,14,15,16,17,19,22mm

Item No.	Size	Product No.		
M07099	10PCS	TK-082	10/30	18.00

12.5mm(1/2" Dr.)

●13pcs Metric Sockets 10,11,12,13,14,15,17,19,22,24mm

Item No.	Size	Product No.		
M07054	10PCS	TK-080	10/20	16.00

△ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

11PCS Socket Wrench Set

CrV



6.3mm(1/4",Dr.)

●10pcs Metric Sockets 5,6,7,8,9,10,11,12,13,14mm
●1pc Accessory Quick Release Ratchet Handle

Item No.	Size	Product No.		
M07160	11PCS	TK-049	1/24	10.7

10mm(3/8",Dr.)

●10pcs Metric Sockets 10,11,12,13,14,15,16,17,19,22mm
●1pc Accessory Quick Release Ratchet Handle

Item No.	Size	Product No.		
M07100	11PCS	TK-050	1/24	20.50

12.5mm(1/2",Dr.)

●10pcs Metric Sockets 10,11,12,13,14,15,17,19,22,24mm
●1pc Accessory Quick Release Ratchet Handle

Item No.	Size	Product No.		
M07051	11PCS	TK-051	1/12	16.50

△ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

14PCS 1/4"Dr. Socket Wrench Set

CrV



6.3mm(1/4" Dr.)

●13pcs Metric Sockets 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm
●1pc Accessory Quick Release Ratchet Handle

Item No.	Size	Product No.		
M07163	14PCS	TK-052	1/24	14.00

△ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

21PCS Socket Wrench Set

CrV



10mm(3/8",Dr.)

●20pcs Sockets 10,11,12,13,14,15,16,17,19,22mm
5/16",3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8"
●1pc Accessory Quick Release Ratchet Handle





Item No.	Size	Product No.		
M07101	21PCS	TK-084	1/12	16.5

12.5mm(1/2",Dr.)

●20pcs Sockets 10,11,12,13,14,15,17,19,22,24mm
3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8",15/16"
●1pc Accessory Quick Release Ratchet Handle

M07061	21PCS	TK-085	1/12	26.00
--------	-------	--------	------	-------

△ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



25PCS 1/4"Dr. Socket Wrench Set

CrV



6.3mm(1/4" Dr.)

●12pcs Metric Sockets 4,4.5,5,5.5,6,7,8,9,10,11,12,13mm
●12pcs 1/4"Shank 25L Bits Philips PH1,PH2 Slotted 3,4,5,6,7mm Hex 3,4,5,6,8mm
●1pc Accessory Quick Release Ratchet Handle

Item No.	Size	Product No.		
M07171	25PCS	TK-054	1/24	17.00

△ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

10PCS 1/4"Dr. Socket Wrench Set

CrV



6.3mm(1/4" Dr.)

●10 pcs Metric Sockets 4,5,6,7,8,9,10,11,12,13mm

Item No.	Size		
M07156	10PCS	4/24	5.70

△ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

7PCS 3/8" Dr. Bit Socket Wrench Set

CrV



10mm(3/8" Dr.)

● 7 pcs Metric Sockets 3,4,5,6,7,8,10 mm

Item No.	Size		
M07115	7PCS	4/24	8.82

△ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

9PCS 3/8" Dr.Socket Wrench Set

CrV



10mm(3/8" Dr.)

● 9pcs Metric Sockets 10,13,14,16,17,18,19,21,22 mm

Item No.	Size		
M07116	9PCS	4/24	14.4

△ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

9PCS 3/8" Dr. Deep Socket Wrench Set

CrV



10mm(3/8" Dr.)

● 9pcs Metric Deep Sockets 10,12,13,14,15,16,17,18,19 mm

Item No.	Size		
M07117	9PCS	4/ 24	27.2

△ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.

10PCS 1/2" Dr. Socket Wrench Set

CrV







12.5mm(1/2",Dr.)

● 10 pcs Metric Sockets 8,10,11,12,13,14,17,19,22,24 mm

Item No.	Size		
M07063	10PCS	4/ 24	20.3


△ The tool holder is not covered by our lifetime warranty. For single product configured in the box, please refer to the single tool warranty terms.



Anti-slip 6pt Socket



CrV



· Drop forged with CrV, heat treatment, VPA/GS approval, strength will be 50% stronger than ANSI standard

1/4"Dr.6pt Socket

Item No.	Size	L (mm)	d (mm)	D (mm)	PCS	[PW/GW(kg)]
M42302	4mm	25	6.7	11.7	63/1260	0.010/15.00
M42303	4.5mm	25	7.5	11.7	63/1260	0.010/15.00
M42304	5mm	25	8	11.7	63/1260	0.010/14.60
M42305	5.5mm	25	8.6	11.7	63/1260	0.010/14.80
M42306	6mm	25	9.4	11.7	63/1260	0.011/15.50
M42307	7mm	25	10.8	11.7	63/1260	0.011/16.00
M42308	8mm	25	10.8	11.7	63/1260	0.012/15.00
M42309	9mm	25	12.2	13.6	48/960	0.016/16.00
M42310	10mm	25	12.7	13.6	48/960	0.014/13.80
M42311	11mm	25	13.5	15.7	35/700	0.018/14.00
M42312	12mm	25	13.5	16.6	30/600	0.020/14.00
M42313	13mm	25	16.0	17.7	30/600	0.024/15.50
M42314	14mm	25	18.0	19.7	24/480	0.032/16.30

3/8"Dr.6pt Socket

Item No.	Size	L (mm)	d (mm)	D (mm)	PCS	[PW/GW(kg)]
M43306	6mm	28	9.40	16.9	30/600	0.020/13.40
M43307	7mm	28	10.8	16.9	30/600	0.021/14.80
M43308	8mm	28	12.0	16.9	30/600	0.022/15.50
M43309	9mm	28	13.4	16.9	30/600	0.024/15.80
M43310	10mm	28	14.5	16.9	30/600	0.025/17.00
M43311	11mm	28	15.8	16.9	30/600	0.025/17.40
M43312	12mm	28	16.3	16.9	30/600	0.025/16.50
M43313	13mm	28	17.7	17.0	30/600	0.027/17.70
M43314	14mm	28	19.7	18	20/400	0.031/14.50
M43315	15mm	28	21.9	19	20/400	0.041/17.90
M43316	16mm	28	21.9	19	20/400	0.035/17.10
M43317	17mm	30	23.7	21	12/240	0.048/13.10
M43318	18mm	30	25.9	22	12/240	0.060/14.90
M43319	19mm	30	25.9	22	12/240	0.052/15.50
M43320	20mm	32	27.7	26	12/240	0.079/19.30
M43321	21mm	32	27.7	26	12/240	0.077/20.30
M43322	22mm	32	29.7	26	9/180	0.082/16.20
M43324	24mm	32	31.9	28	9/180	0.103/19.50


1/2"Dr.6pt Socket

Item No.	Size	L (mm)	d (mm)	D (mm)	PCS	[PW/GW(kg)]
M44308	8mm	38	13.8	21.9	20/400	0.050/21.00
M44309	9mm	38	14.5	21.9	20/400	0.048/21.50
M44310	10mm	38	15.3	21.9	20/400	0.047/20.30
M44311	11mm	38	16.5	21.9	20/400	0.051/21.60
M44312	12mm	38	17.8	21.9	20/400	0.052/21.40
M44313	13mm	38	19	21.9	20/400	0.051/22.90
M44314	14mm	38	20.3	21.9	20/400	0.056/23.80
M44315	15mm	38	21.9	20.5	20/400	0.057/22.80
M44316	16mm	38	21.9	20.5	20/400	0.050/22.00
M44317	17mm	38	23.7	22	20/400	0.064/27.30
M44318	18mm	38	25.9	23	20/320	0.084/26.90
M44319	19mm	38	25.9	23	20/320	0.064/21.60
M44320	20mm	38	27.7	24.5	20/320	0.078/27.70
M44321	21mm	38	27.7	24.5	20/320	0.078/25.00
M44322	22mm	38	29.6	26	16/160	0.092/15.30
M44323	23mm	38	31.7	26	16/160	0.111/15.70
M44324	24mm	38	31.7	26	16/160	0.009/16.00
M44325	25mm	41	33.7	28	16/160	0.130/23.20
M44326	26mm	41	35.6	28	16/160	0.123/26.10
M44327	27mm	43	35.6	30	16/160	0.162/26.70
M44328	28mm	44	37.9	32	12/120	0.179/23.00
M44329	29mm	44	37.9	32	12/120	0.171/21.70
M44330	30mm	44	39.9	32	12/120	0.180/22.50
M44332	32mm	44	41.9	34	9/90	0.205/19.40

Anti-slip 12pt socket



CrV



· Drop forged with CrV, good performance, polished and satin finished with knurled
· VPA/GS approval, strength will be 50% stronger than ANSI standard

1/2"Dr. 12pt Socket

Item No.	Size	L (mm)	d (mm)	D (mm)	PCS	[PW/GW(kg)]
M44609	8mm	38	13.8	21.9	20/400	0.050/20.50
M44610	9mm	38	14.5	21.9	20/400	0.048/20.00
M44611	10mm	38	15.3	21.9	20/400	0.047/20.50
M44612	11mm	38	16.5	21.9	20/400	0.051/21.50
M44613	12mm	38	17.8	21.9	20/400	0.052/21.40
M44614	13mm	38	19.0	21.9	20/400	0.051/22.50
M44615	14mm	38	20.3	21.9	20/400	0.054/22.00
M44616	15mm	38	21.9	20.5	20/400	0.052/22.00
M44617	16mm	38	21.9	20.5	20/400	0.050/21.00
M44618	17mm	38	23.7	22	20/400	0.066/26.30
M44619	18mm	38	25.9	23	20/320	0.084/26.00
M44620	19mm	38	25.9	23	20/320	0.074/25.50
M44621	20mm	38	27.7	24.5	20/320	0.078/26.00
M44622	21mm	38	27.7	24.5	20/320	0.072/24.50
M44623	22mm	38	29.6	26	16/160	0.082/14.40
M44624	23mm	38	31.7	26	16/160	0.101/16.50
M44625	24mm	38	31.7	26	16/160	0.009/15.30
M44626	25mm	41	33.7	28	16/160	0.130/23.00
M44627	26mm	41	35.6	28	16/160	0.123/26.00
M44628	27mm	43	35.6	30	16/160	0.152/24.00
M44629	28mm	44	37.9	32	12/120	0.179/23.00
M44630	29mm	44	37.9	32	12/120	0.155/20.00
M44631	30mm	44	39.9	32	12/120	0.170/21.70
M44633	32mm	44	41.9	34	9/90	0.200/18.60

3/4"Dr. 12pt Socket

Item No.	Size	L (mm)	d (mm)	D (mm)	PCS	[PW/GW(kg)]
M45618	17mm	50	28	36	10/60	0.201/12.70
M45620	19mm	50	30	36	10/60	0.203/13.00
M45622	21mm	50	32	36	10/60	0.200/13.30
M45623	22mm	50	33	36	10/60	0.213/13.20
M45624	23mm	50	34	36	10/60	0.207/13.90
M45625	24mm	50	34	36	10/60	0.208/13.08
M45626	25mm	51.5	38	36	10/60	0.243/16.08
M45627	26mm	52.5	38	36	10/60	0.239/15.66
M45628	27mm	53.5	38	36	10/60	0.230/14.80
M45629	28mm	55	38	36	10/60	0.226/14.24
M45630	29mm	55	42	38	10/60	0.279/18.28
M45631	30mm	55	42	38	10/40	0.235/10.90
M45632	31mm	55	44	38	10/40	0.298/12.56
M45633	32mm	55	44	38	10/40	0.284/12.00
M45634	33mm	55	46	38	10/40	0.310/13.20
M45635	34mm	57	46	38	10/40	0.290/13.10
M45637	36mm	57	50	42	5/30	0.410/13.35
M45639	38mm	57	52	45	5/30	0.440/14.70
M45641	40mm	63	56	45	1/20	0.535/11.80
M45642	41mm	63	56	45	1/20	0.526/12.02
M45643	42mm	63	58	45	1/20	0.575/11.80
M45644	43mm	63	58	48	1/20	0.530/11.80
M45647	46mm	68	62	48	1/20	0.600/12.90
M45649	48mm	68	65	44	1/20	0.287/14.60
M45651	50mm	72	68	44	1/20	0.700/15.30
M45653	52mm	72	71	48	1/20	0.885/19.20
M45656	55mm	75	74	48	1/20	1.015/21.30
M45657	56mm	75	75	48	1/20	0.960/20.70
M45659	58mm	77	80	48	1/20	1.115/23.80
M45661	60mm	77	80	48	1/20	1.020/22.08
M45666	65mm	85	87	60	1/20	1.550/32.30
M45671	70mm	85	92	60	1/20	1.680/35.70


1"Dr.12pt Socket

Item No.	Size	L (mm)	d (mm)	D (mm)	PCS	[PW/GW(kg)]
M46636	36mm	65	52	45	2/20	0.52/11.50
M46638	38mm	65	55	50	2/20	0.57/12.50
M46641	41mm	70	59	50	2/20	0.67/14.90
M46646	46mm	70	65	50	2/20	0.78/16.08
M46650	50mm	75	70	52	1/20	0.90/19.80
M46654	54mm	80	75	52	1/20	1.11/23.80
M46655	55mm	80	77	52	1/20	1.10/23.80
M46658	58mm	82	80	52	1/12	1.41/18.00
M46660	60mm	82	80	52	1/12	1.06/14.30
M46663	63mm	87	87	60	1/12	1.57/20.20
M46665	65mm	87	87	60	1/12	1.50/18.00
M46667	67mm	90	90	65	1/12	1.44/18.00
M46670	70mm	94	94	68	1/12	1.44/25.00
M46671	71mm	94	97	68	1/8	1.44/20.00
M46675	75mm	100	100	68	1/8	2.16/18.80
M46677	77mm	100	105	68	1/8	2.37/20.00
M46680	80mm	103	105	68	1/8	2.30/20.00

6pt Deep Socket












CrV



· Drop forged with CrV, heat treatment
· VPA/GS approval, strength will be 50% stronger than ANSI standard

1/4"Dr. 6pt Deep Socket

Item No.	Size	L (mm)	d (mm)	D (mm)		
M42401	4mm	50	6.7	11.7	56/672	0.021/15.6
M42402	4.5mm	50	7.5	11.7	56/672	0.021/15.6
M42403	5mm	50	8.2	11.7	56/672	0.023/17.0
M42404	5.5mm	50	9.3	11.7	56/672	0.023/17.3
M42405	6mm	50	10.4	11.7	56/672	0.025/18.3
M42406	7mm	50	11.7	11.7	56/672	0.028/20.3
M42407	8mm	50	11.7	11.7	56/672	0.027/19.2
M42408	9mm	50	13.9	13.9	42/504	0.035/19.1
M42409	10mm	50	13.9	13.9	42/504	0.033/17.8
M42410	11mm	50	15.9	15.9	30/360	0.046/18.0
M42411	12mm	50	16.9	16.9	30/360	0.049/19.1
M42412	13mm	50	17.9	17.9	30/360	0.055/21.3
M42413	14mm	50	19.9	19.9	20/240	0.076/19.1




R angle socket



- Material: CRV steel
- Thinner wall design
- Arc inner angle design
- Professional design, easier to lock
- The product can reduce the damage to corners of the screw
- Even for worn screws, it can effectively lock

E-Torx Socket




3/8"Dr.E Socket

Item No.	Size	L (mm)	d (mm)	D (mm)	Pcs	[PW/GW(kg)]
M43704	E6	28	9.6	16.8	30/600	0.020/14.50
M43705	E7	28	10.8	16.8	30/600	0.025/16.40
M43706	E8	28	12.0	16.8	30/600	0.027/17.00
M43708	E10	28	14.5	16.8	30/600	0.028/18.00
M43709	E11	28	15.5	16.8	30/600	0.030/18.94
M43710	E12	28	15.5	16.8	30/600	0.029/18.00
M43712	E14	28	16.0	17.8	20/400	0.031/13.80
M43714	E16	28	17.7	15.5	20/400	0.030/12.30
M43716	E18	28	21.7	19.0	12/240	0.060/14.90
M43718	E20	30	23.7	21.0	12/240	0.070/16.60

1/2"Dr.E Socket

Item No.	Size	L (mm)	d (mm)	D (mm)	Pcs	[PW/GW(kg)]
M44711	E8	38	13.8	21.8	20/400	0.050/21.50
M44713	E10	38	15.3	21.8	20/400	0.054/22.70
M44714	E11	38	16.5	21.8	20/400	0.055/23.60
M44715	E12	38	17.8	21.8	20/400	0.059/25.00
M44717	E14	38	20.3	21.8	20/400	0.066/27.60
M44719	E16	38	20.5	21.8	20/400	0.063/26.60
M44721	E18	38	23.7	22.0	20/320	0.080/26.00
M44723	E20	38	23.7	22.0	20/320	0.075/25.00
M44725	E22	38	25.7	23.0	16/160	0.084/14.00
M44727	E24	38	27.7	24.5	16/160	0.104/17.44

SAE Hex Sockets



四方孔

· Drop forged with CRV, heat treatment, VPA/GS approval, strength will be 50% stronger than ANSI standard

1/4" Dr. 6pt Socket

Item No.	Size	L (mm)	d (mm)	D (mm)	Pcs	[PW/GW(kg)]
M42200	5/32"	25	6.7	11.7	63/1260	0.010/15.00
M42202	3/16"	25	8	11.7	63/1260	0.010/14.00
M42203	7/32"	25	8.6	11.7	63/1260	0.010/14.00
M42204	1/4"	25	9.4	11.7	63/1260	0.011/15.50
M42205	9/32"	25	10.8	11.7	63/1260	0.014/16.50
M42206	5/16"	25	10.8	11.7	63/1260	0.012/16.80
M42207	11/32"	25	12.2	13.6	48/960	0.019/19.50
M42208	3/8"	25	12.7	13.6	48/960	0.015/17.00
M42210	7/16"	25	13.5	15.7	35/700	0.022/17.00
M42212	1/2"	25	16	17.7	30/600	0.024/16.00


3/8" Dr. 6pt Socket

Item No.	Size	L (mm)	d (mm)	D (mm)	Pcs	[PW/GW(kg)]
M43204	1/4"	28	9.4	16.9	30/600	0.020/13.40
M43206	5/16"	28	12	16.9	30/600	0.022/15.50
M43208	3/8"	28	14.5	16.9	30/600	0.025/16.80
M43210	7/16"	28	15.8	16.9	30/600	0.025/17.40
M43212	1/2"	28	17.7	17.0	30/600	0.030/19.80
M43214	9/16"	28	19.7	18.0	20/400	0.031/14.50
M43216	5/8"	28	21.9	19.0	20/400	0.035/17.10
M43217	11/16"	30	23.7	21.0	12/240	0.048/13.10
M43220	3/4"	30	25.9	22.0	12/240	0.052/15.50
M43223	13/16"	32	27.7	26.0	12/240	0.077/20.30
M43224	7/8"	32	29.7	26.0	9/180	0.082/16.20

1/2" Dr. 6pt Socket

Item No.	Size	L (mm)	d (mm)	D (mm)	Pcs	[PW/GW(kg)]
M44206	5/16"	38	13.8	21.9	20/400	0.05/21
M44208	3/8"	38	15.3	21.9	20/400	0.047/20.3
M44209	7/16"	38	16.5	21.9	20/400	0.051/21.6
M44211	1/2"	38	19	21.9	20/400	0.051/22.9
M44212	9/16"	38	20.3	21.9	20/400	0.056/23.2
M44214	5/8"	38	21.9	20.5	20/400	0.050/21.4
M44215	11/16"	38	23.7	22	20/400	0.064/27.3
M44217	3/4"	38	25.9	23	20/320	0.064/21.6
M44219	13/16"	38	27.7	24.5	20/320	0.078/26.4
M44220	7/8"	38	29.6	26	16/160	0.092/15.3
M44222	15/16"	38	31.7	26	16/160	0.106/16.3
M44224	1"	41	35.6	28	16/160	0.123/26.1
M44225	1-1/16"	43	35.6	30	16/160	0.162/26.7
M44227	1-1/8"	44	37.9	32	12/120	0.171/21.7
M44229	1-1/4"	44	41.9	34	9/90	0.205/19.4

Dog Bone Wrench




Item No.	Size	L (mm)	Pcs	[PW/GW(kg)]
M11741	12x13x14x15-16x17x18x19mm	252.5	6/36	0.540/22.50

- Made of CrV, mirror polished with double nickel chrome plated
- With magnet on the handle,easy to be used




Ratchet Wrench



Item No.	Size	L (mm)	Pcs	[PW/GW(kg)]
M48251	6.3mm(1/4")	150	6/72	0.14/11.08
M48252	10mm(3/8")	200	6/48	0.31/15.88
M48253	12.5mm(1/2")	250	4/40	0.57/23.80

- Made of drop forged high quality Cr-V steel
- 72 teeth design

Ratchet Handle




Item No.	Size	L (mm)	Pcs	[PW/GW(kg)]
M48272	6.3mm(1/4")	150	6/72	0.130/14.50
M48273	10mm(3/8")	200	6/48	0.300/15.50
M48274	12.5mm(1/2")	250	4/40	0.530/20.00

- High quality CRV drop forged steel, heat-treated, which guarantee the good hardness of the body
- 72 teeth design, with VPA/GS certificate
- The internal spring made of high quality soft 65Mn material which guarantee the smooth rotation of the handle

Ratchet Wrench



CrV



Item No.	Size	L (mm)	PCS	PWG(kg)
M48266	6.3mm (1/4")	150	6/72	0.13/9.80
M48267	10mm (3/8")	200	6/48	0.30/15.50
M48268	12.5mm (1/2")	250	5/40	0.56/23.60

- High quality CrV drop forged steel, heat-treated, which guarantee the good hardness of the body
- 72 teeth design
- The internal spring made of high quality soft 65Mn material which guarantee the smooth rotation of the handle

Double Drivers Ratchet Wrench

NEW




Item No.	Size	PCS	PWG(kg)
M48219	10mm&12.5mm	6/48	0.59/29.30

- 采用优质CrV钢材整体锻造,连续炉整体淬火,保证了手柄的超高硬度
- 72齿设计
- High quality CrV drop forged steel, heat-treated, which guarantee the good hardness of the body
- 72 teeth design



Extendable Quick Release Ratchet


CrV



Item No.	Size	L (mm)	PCS	PWG(kg)
M48327	12.5mm (1/2") x400mm	270/410	2/20	0.92 /19.80


- Drive head is made of CrV drop forged steel,mirror finish
- Quick release function,Single hand can change direction
- 6 gears,each gear 30MM,length is from 270mm-410mm,extended torque
- 72 teeth design,only need 5 degree rotation

Ratchet Head



Item No.	Size	L (mm)	PCS	PWG(kg)
M48172	20mm x155mm	155	16	1.35/22.30
M48176	25mm x200mm	200	12	1.97/25.00

Adding Force



Item No.	Size	L (mm)	PCS	PWG(kg)
M48184	20mm (3/4")x500mm(20")	500	12	1.74/17.00

Ratchet Wrench



a.

Item No.	Size	L (mm)	PCS	PWG(kg)
M48167	20mm (3/4")	625	8	2.60



b.

Item No.	Size	L (mm)	PCS	PWG(kg)
M48168	25mm (1")	685	4	4.055

Flex Handle

NEW



Item No.	Size	PCS	PWG(kg)
M48470	450mm	4/24	1.08
M48471	600mm	4/16	1.25
M48472	750mm	4/12	1.56

Flex Handle




CrV



Item No.	Size	L (mm)	PCS	PWG(kg)
M47222	6.3mmx150mm(1/4"x6")	150	8/96	0.13/13.00
M47226	10mmx200mm(3/8"x8")	200	8/64	0.27/18.50
M47232	12.5mmx250mm(1/2"x10")	271.5	6/36	0.49/19.00
M47233	12.5mmx375mm(1/2"x15")	386.5	6/24	0.68/17.30
M47234	12.5mmx450mm(1/2"x18")	466.5	6/24	0.97/25.00
M47235	12.5mmx600mm(1/2"x24")	616.5	6/18	1.14/21.00
M47247	20mmx475mm(3/4"x19")	470	2/16	1.80/31.00

- 超过棘轮扳手50%以上扭矩,操作更省力
- △ 本品属于易耗品,不属于终身保用范围
- Torque can exceed ratchet wrench more than50%,easy to use
- △ No warranty as consumables

Speed Bar



Item No.	Size	L (mm)	PCS	PWG(kg)
M47313	12.5mm (1/2")	400	20	0.500/10.60

Flexible Extension Bar



Item No.	Size	L (mm)	PCS	PWG(kg)
M47129	6.3mm (1/4")X150mm(6")	150	300	0.056/19.00

- Can change difference angle

Sliding T-bar

CrV



Item No.	Size	L (mm)	PCS	PWG(kg)
M47113	6.3mm(1/4")	114	240	0.040/11.00
M47114	10mm(3/8")	165	120	0.132/18.30
M47115	12.5mm(1/2")	250	48	0.336/17.10



Item No.	Size	L (mm)	PCS	PWG(kg)
M47116	20mm(3/4")	480	16	1.40/23.30
M47117	25mm(1")	550	10	2.71/29.20

• Strength will be 30% stronger than ratchet wrench

L-handle

CrV



Item No.	Size	L (mm)	A	PCS	PWG(kg)
M47173	12.5mm(1/2")x250mm(10")	248	60	8/48	0.42/20.90
M47174	20mm(3/4")x330mm(13")	330	100	2/20	1.43/30.00
M47175	20mm(3/4")x450mm(18")	450	100	2/10	1.90/20.00

•Torque exceed 50% more than ratchet wrench

Extension Bar

CrV



Item No.	Size	L (mm)	PCS	PWG(kg)
M47132	6.3mm(1/2")系列50mm(2")	50	36/720	0.025/18.00
M47133	6.3mm(1/2")系列75mm(3")	75	27/540	0.034/19.30
M47134	6.3mm(1/2")系列100mm(4")	100	20/400	0.046/19.00
M47135	6.3mm(1/2")系列150mm(6")	150	15/300	0.065/20.50

Item No.	Size	L (mm)	PCS	PWG(kg)
M47140	10mm(3/8")系列75mm(3")	75	12/240	0.069/18.10
M47141	10mm(3/8")系列150mm(6")	150	12/120	0.137/17.70
M47142	10mm(3/8")系列250mm(10")	250	6/60	0.300/19.24

Item No.	Size	L (mm)	PCS	PWG(kg)
M47146	12.5mm(1/2")系列75mm(3")	75	12/120	0.117/15.10
M47147	12.5mm(1/2")系列125mm(5")	125	6/48	0.197/10.00
M47148	12.5mm(1/2")系列250mm(10")	250	6/48	0.385/19.20
M47149	12.5mm(1/2")系列300mm(12")	300	6/36	0.402/15.50



Item No.	Size	PCS	PWG(kg)
M47153	20mm(3/4") x100mm(4")	6/60	0.40/25.40
M47154	20mm(3/4")x200mm(8")	2/30	0.73/23.00
M47155	20mm(3/4")x400mm(16")	2/20	1.35/28.50




Item No.	Size	L (mm)	PCS	PWG(kg)
M47160	25mm(1")x200mm(8")	200	2/20	1.30/27.00
M47161	25mm(1")x400mm(16")	400	2/10	2.38/24.60

•Strong strength,no defoemand rupture
•Used in narrow and deep area

Universal Joint

CrV



Item No.	Size	L (mm)	D	PCS	PWG(kg)
M47059	6.3mm(1/4")	39.5	13.7	64/640	0.027/18.80
M47060	10mm(3/8")	55	18	32/320	0.065/21.50
M47061	12.5mm(1/2")	75	25	12/72	0.150/11.40



Item No.	Size	PCS	PWG(kg)
M48191	20mm(3/4")x135mm(5.5")	30	0.71/23.00

•Can be used in narrow area,easy to use

Bit adapter

CrV



Item No.	Size	F (mm)	mm	PCS	PWG(kg)
M47076	6.3mmx6.3mm	6.3	6.3	20/600	0.01/18.00
M47077	10mmx8mm	10	8	30/600	0.02/13.50
M47078	12.5mmx8mm	12.5	8	20/400	0.06/25.50

•Drop forged with CrV,heat treatment

3-Way Adapter

CrV




Item No.	Size	F (mm)	M (mm)	PCS	PWG(kg)
M47026	10mmFx12.5mmM(3/8"Fx1/2"M)	10	12.5	12/96	0.073/7.50
M47025	20mmFx25mmM(3/4"Fx1"M)	20	25	2/20	0.370/8.00

•Can replace L bar,can replace different size

Adapter

CrV




Item No.	Size	PCS	PWG(kg)
M47040	6.3mmFx10mmM(1/4"Fx3/8"M)	30/600	0.017/10.00
M47043	10mmFx6.3mmM(3/8"Fx1/4"M)	50/1000	0.021/21.00
M47042	10mmFx12.5mmM(3/8"Fx1/2"M)	20/400	0.047/20.36
M47039	12.5mmFx10mmM(1/2"Fx3/8"M)	25/500	0.048/21.50
M47038	12.5mmFx20mmM(1/2"Fx3/4"M)	10/60	0.130/8.50
M47041	20mmFx12.5mmM(3/4"Fx1/2"M)	10/50	0.200/10.80

•Change sizes as you want,easy to use

6.3mm 旋柄
Spinner Handle



Item No.	Size	L (mm)	PCS	PWG(kg)
M47185	150mm(6")	150	120	0.084/11.00



1/4"Dr.Torx Bit Socket Dodecagon

S2

Item No.	Size		
M49005	T08	36/720	0.01/11.70
M49006	T10	36/720	0.01/11.70
M49007	T15	36/720	0.01/11.60
M49008	T20	36/720	0.02/12.80
M49009	T25	36/720	0.01/12.00
M49010	T27	36/720	0.02/12.20
M49011	T30	36/720	0.02/13.30
M49012	T40	36/720	0.02/12.80

•Bite are made of s2,overall quenched,not easy to break and slip • Length:38mm

1/4"Dr.Pozidriv Bit Socket

S2

Item No.	Size		
M49065	PZ1	36/720	0.01/11.90
M49066	PZ2	36/720	0.02/12.10
M49067	PZ3	36/720	0.02/12.30

•Bite are made of s2,overall quenched,not easy to break and slip • Length:38mm

1/4"Dr.Hexagon Bit Socket

S2

Item No.	Size		
M49023	H3	36/720	0.01/11.90
M49024	H4	36/720	0.02/12.10
M49025	H5	36/720	0.02/12.60
M49026	H6	36/720	0.02/13.60
M49027	H7	36/720	0.02/13.70
M49028	H8	36/720	0.02/14.40

•Bite are made of s2,overall quenched,not easy to break and slip • Length:38mm

1/4"Dr.Slotted Bit Socket

S2

Item No.	Size		
M49039	SL4.0	36/720	0.01/11.60
M49040	SL5.5	36/720	0.02/12.20
M49041	SL6.5	36/720	0.02/12.40

•Bite are made of s2,overall quenched,not easy to break and slip • Length:38mm

1/4"Dr.Phillips Bit Socket

S2

Item No.	Size		
M49052	PH1	36/720	0.01/12.30
M49053	PH2	36/720	0.01/12.00
M49054	PH3	36/720	0.01/12.00

•Bite are made of s2,overall quenched,not easy to break and slip • Length:38mm

3/8"Dr.Pozidriv Bit Socket

S2

Item No.	Size		
M49190	PZ1	25/500	0.04/19.00
M49191	PZ2	25/500	0.04/19.40
M49192	PZ3	25/500	0.04/19.80
M49193	PZ4	25/500	0.04/21.10

•Bite are made of s2,overall quenched,not easy to break and slip • Length:50mm

3/8"Dr.Torx Bit Socket

S2

Item No.	Size		
M49120	T10	25/500	0.04/18.90
M49121	T15	25/500	0.04/18.90
M49122	T20	25/500	0.04/19.10
M49123	T25	25/500	0.04/19.20
M49124	T27	25/500	0.04/19.10
M49125	T30	25/500	0.04/19.70
M49126	T40	25/500	0.04/20.30
M49127	T45	25/500	0.04/20.10
M49128	T50	25/500	0.04/21.10
M49129	T55	20/400	0.04/18.30
M49130	T60	20/400	0.05/19.90

•Bite are made of s2,overall quenched,not easy to break and slip • Length:50mm

3/8"Dr.Hexagon Bit Socket

S2

Item No.	Size		
M49141	H3	25/500	0.04/19.30
M49142	H4	25/500	0.04/19.60
M49143	H5	25/500	0.04/19.90
M49144	H6	25/500	0.04/20.70
M49145	H7	25/500	0.04/20.70
M49146	H8	20/400	0.04/17.00
M49147	H10	20/400	0.04/18.90

•Bite are made of s2,overall quenched,not easy to break and slip • Length:50mm

3/8"Dr.Tamper Proof Torx Bit Socket

S2

Item No.	Size		
M49204	TT10	25/500	0.04/19.00
M49205	TT15	25/500	0.04/19.00
M49206	TT20	25/500	0.04/18.90
M49207	TT25	25/500	0.04/19.10
M49208	TT27	25/500	0.04/19.30
M49209	TT30	25/500	0.04/19.30
M49210	TT40	25/500	0.04/19.80
M49211	TT45	25/500	0.04/20.10
M49212	TT50	25/500	0.04/20.60
M49213	TT55	20/400	0.04/17.60
M49214	TT60	20/400	0.04/19.00

•Bite are made of s2,overall quenched,not easy to break and slip • Length:50mm

3/8"Dr.Phillips Bit Socket

S2

Item No.	Size		
M49176	PH1	25/500	0.04/18.80
M49177	PH2	25/500	0.04/18.90
M49178	PH3	25/500	0.04/20.70
M49179	PH4	25/500	0.04/20.40

•Bite are made of s2,overall quenched,not easy to break and slip • Length:50mm

3/8"Dr.Slotted Bit Socket

S2

Item No.	Size		
M49158	SL3.5	25/500	0.03/14.30
M49159	SL4.0	25/500	0.03/18.60
M49160	SL4.5	25/500	0.03/18.60
M49161	SL5.5	25/500	0.04/19.40
M49162	SL6.5	25/500	0.04/19.50
M49163	SL7.0	20/400	0.04/15.90
M49164	SL8.0	20/400	0.04/16.30
M49165	SL10.0	20/400	0.04/17.20

•Bite are made of s2,overall quenched,not easy to break and slip • Length:50mm

1/2"Dr.Spline Bit Socket

S2

Item No.	Size		
M49320	M5	30/300	0.07/20.90
M49321	M6	30/300	0.07/21.00
M49322	M8	30/300	0.07/21.30
M49323	M10	30/300	0.08/24.10
M49324	M12	20/200	0.08/16.40
M49325	M14	20/200	0.08/16.40
M49326	M16	20/200	0.09/19.80


•Bite are made of s2,overall quenched,not easy to break and slip • Length:55mm


1/2"Dr.Slotted Bit Socket

S2

Item No.	Size		
M49306	SL6.5	30/300	0.07/21.70
M49307	SL8.0	30/300	0.06/20.10
M49308	SL10	30/300	0.07/20.90
M49309	SL12	30/300	0.07/21.50

•Bite are made of s2,overall quenched,not easy to break and slip • Length:55mm





1/2"Dr.Torx Bit Socket



S2



Item No.	Size		
M49267	T20	30/300	0.06/20.40
M49268	T25	30/300	0.07/20.90
M49269	T27	30/300	0.07/20.60
M49270	T30	30/300	0.07/20.70
M49271	T40	30/300	0.06/20.10
M49272	T45	30/300	0.06/20.10
M49273	T50	30/300	0.07/20.50
M49274	T55	25/250	0.07/18.10
M49275	T60	25/250	0.07/18.90

•Bite are made of s2,overall quenched,not easy to break and slip • Length:55mm

1/2"Dr. Tamper Proof Torx Bit Socket



S2



Item No.	Size		
M49337	TT10	30/300	0.06/15.40
M49338	TT15	30/300	0.06/15.40
M49339	TT20	30/300	0.06/20.40
M49340	TT25	30/300	0.07/20.90
M49341	TT27	30/300	0.07/20.60
M49342	TT30	30/300	0.07/20.70
M49343	TT40	30/300	0.06/20.10
M49344	TT45	30/300	0.06/20.10
M49345	TT50	30/300	0.07/20.50
M49346	TT55	25/250	0.07/18.10
M49347	TT60	25/250	0.07/18.90

•Bite are made of s2,overall quenched,not easy to break and slip • Length:55mm

1/2"Dr.Hexagon Bit Socket



S2



Item No.	Size		
M49286	H4	30/300	0.07/20.50
M49287	H5	30/300	0.07/20.90
M49288	H6	30/300	0.07/21.00
M49289	H7	30/300	0.06/20.20
M49290	H8	30/300	0.07/21.90
M49291	H10	30/300	0.07/22.60
M49292	H12	20/200	0.08/16.30
M49293	H14	20/200	0.09/19.80
M49294	H17	15/150	0.16/24.40
M49295	H19	15/150	0.16/25.60

•Bite are made of s2,overall quenched,not easy to break and slip • Length:55mm

1/2"Dr. Deep Torx Bit Socket



S2



Item No.	Size		
M49378	T20(3PCS)	18/108	0.08/10.5
M49379	T25(3PCS)	18/108	0.09/10.7
M49380	T27(3PCS)	18/108	0.09/10.7
M49381	T30(3PCS)	18/108	0.09/10.7
M49382	T40(3PCS)	18/108	0.09/10.8
M49383	T45(3PCS)	18/108	0.08/10.6
M49384	T50(3PCS)	18/108	0.08/10.6
M49385	T55(3PCS)	18/108	0.10/12.2
M49386	T60(3PCS)	18/108	0.12/14.0

•Bite are made of s2,overall quenched,not easy to break and slip • Length:100mm

1/2"Dr. Deep Spline Bit Socket



S2



Item No.	Size		
M49416	M5(3PCS)	18/108	0.08/10.3
M49417	M6(3PCS)	18/108	0.09/10.7
M49418	M8(3PCS)	18/108	0.09/10.8
M49419	M10(3PCS)	18/108	0.10/12.7
M49420	M12(3PCS)	18/108	0.11/13.4
M49421	M14(3PCS)	18/108	0.15/17.5
M49422	M16(3PCS)	18/108	0.21/24.7

•Bite are made of s2,overall quenched,not easy to break and slip • Length:100mm

1/2"Dr.Deep Hexagon Bit Socket



S2



Item No.	Size		
M49397	H4(3PCS)	18/108	0.08/10.2
M49398	H5(3PCS)	18/108	0.09/10.7
M49399	H6(3PCS)	18/108	0.09/10.8
M49400	H7(3PCS)	18/108	0.09/10.9
M49401	H8(3PCS)	18/108	0.09/10.7
M49402	H10(3PCS)	18/108	0.11/12.9
M49403	H12(3PCS)	18/108	0.12/14.0
M49404	H14(3PCS)	18/108	0.15/18.2
M49405	H17(3PCS)	18/108	0.22/25.0

•Bite are made of s2,overall quenched,not easy to break and slip • Length:100mm

PneumaticTools

Impact Sockets	74-75
Impact Extension Bar	76
Air Grinding	77
Air Drill	77
Air Impact Wrench	77-78



Impact Socket

CR-MO



Cr-Mo Steel ,drop forged, special heat treatment, with high durability and intensity
VPA-GS approval

1/2"Dr.Impact Sockets

Item No.	Size	Length (mm)	PCS	[PW/GW(kg)]
M51308	8mm	38	12/240	0.062/16.30
M51309	9mm	38	12/240	0.062/16.30
M51310	10mm	38	12/240	0.060/15.60
M51311	11mm	38	12/240	0.064/16.50
M51312	12mm	38	12/240	0.081/20.40
M51313	13mm	38	12/240	0.079/20.30
M51314	14mm	38	12/240	0.078/20.00
M51315	15mm	38	12/240	0.082/20.70
M51316	16mm	38	12/240	0.079/19.90
M51317	17mm	38	12/240	0.093/25.00
M51318	18mm	38	12/240	0.012/28.20
M51319	19mm	38	12/240	0.085/21.66
M51320	20mm	38	12/72	0.127/9.70
M51321	21mm	38	12/72	0.086/6.88
M51322	22mm	38	12/72	0.122/9.18
M51323	23mm	38	12/72	0.161/12.90
M51324	24mm	38	12/72	0.130/9.84
M51325	25mm	42	12/72	0.215/14.80
M51326	26mm	42	12/72	0.216/13.30
M51327	27mm	43	12/72	0.215/16.00
M51328	28mm	44	12/72	0.236/19.80
M51329	29mm	44	12/72	0.238/19.40
M51330	30mm	44	12/72	0.185/12.70
M51332	32mm	44	12/72	0.220/16.60

3/4" Dr.Impact Sockets

Item No.	Size	Length (mm)	PCS	[PW/GW(kg)]
M52317	17mm	50	48	0.220/11.50
M52318	18mm	50	48	0.220/11.60
M52319	19mm	50	48	0.225/11.80
M52320	20mm	50	48	0.300/16.00
M52321	21mm	50	48	0.230/12.10
M52322	22mm	50	48	0.240/12.50
M52323	23mm	50	48	0.250/12.80
M52324	24mm	50	48	0.250/12.70
M52325	25mm	52	48	0.250/13.20
M52326	26mm	52	48	0.250/13.30
M52327	27mm	52	48	0.310/15.80
M52328	28mm	52	32	0.310/10.86
M52329	29mm	52	32	0.290/9.90
M52330	30mm	52	32	0.275/9.86
M52331	31mm	55	32	0.340/12.00
M52332	32mm	55	32	0.342/11.90
M52333	33mm	57	32	0.450/15.20
M52334	34mm	57	32	0.423/14.60
M52335	35mm	57	32	0.456/15.90

(接下列)

3/4" Dr.Impact Sockets

Item No.	Size	Length (mm)	PCS	[PW/GW(kg)]
M52336	36mm	57	32	0.45/16.84
M52338	38mm	57	32	0.55/18.60
M52340	40mm	63	16	0.64/11.20
M52341	41mm	63	16	0.62/10.70
M52343	43mm	63	16	0.67/11.50
M52345	45mm	68	16	0.74/12.70
M52346	46mm	68	16	0.73/13.00
M52348	48mm	68	16	0.79/14.00
M52350	50mm	72	16	1.01/17.20
M52352	52mm	72	10	1.09/11.20
M52354	54mm	75	10	1.07/10.94
M52355	55mm	75	10	1.07/10.90
M52357	57mm	75	10	1.27/13.00
M52358	58mm	77	10	1.48/15.24
M52359	59mm	77	10	1.40/14.40
M52360	60mm	77	10	1.42/14.66
M52363	63mm	80	10	1.27/13.40
M52365	65mm	85	6	1.68/17.30
M52370	70mm	85	6	1.68/10.38
M52375	75mm	85	6	2.13/13.10
M52380	80mm	85	6	2.91/19.00

1"Dr.Impact Sockets

Item No.	Size	Length (mm)	PCS	[PW/GW(kg)]
M53336	36mm	65	30	0.68/22.90
M53338	38mm	65	30	0.74/23.84
M53340	40mm	68	20	0.87/18.60
M53341	41mm	70	20	0.86/18.60
M53343	43mm	70	20	0.92/20.00
M53345	45mm	70	20	0.97/20.70
M53346	46mm	70	20	0.94/20.10
M53348	48mm	70	20	1.03/22.30
M53350	50mm	75	20	1.11/24.00
M53352	52mm	80	20	1.22/26.30
M53354	54mm	80	20	1.28/27.20
M53355	55mm	80	20	1.28/27.70
M53357	57mm	82	12	1.40/29.00
M53358	58mm	82	12	1.55/19.80
M53359	59mm	82	12	1.49/19.30
M53360	60mm	82	12	1.52/20.40
M53363	63mm	87	12	1.88/20.00
M53365	65mm	87	12	1.75/22.80
M53370	70mm	94	8	2.16/18.50
M53375	75mm	100	8	3.43/28.50
M53380	80mm	103	8	2.90/24.60



Deep Impact Socket

CR-MO



Cr-Mo Steel ,drop forged, special heat treatment, with high durability and intensity
VPA-GS approval

1/2" Dr.Deep Impact Sockets

Item No.	Size	Length (mm)	PCS	[PW/GW(kg)]
M51407	8mm	78	16/192	0.13/26.1
M51408	9mm	78	16/192	0.13/26.5
M51409	10mm	78	16/192	0.13/27.3
M51410	11mm	78	16/192	0.14/27.7
M51411	12mm	78	16/192	0.15/29.8
M51412	13mm	78	16/192	0.15/31.6
M51413	14mm	78	16/128	0.16/21.5
M51414	15mm	78	16/128	0.17/22.8
M51415	16mm	78	16/128	0.15/20.8
M51416	17mm	78	16/128	0.18/24.6
M51417	18mm	78	9/108	0.20/23.8
M51418	19mm	78	9/108	0.20/22.3
M51419	20mm	78	9/72	0.21/16.8
M51420	21mm	78	9/72	0.21/16.5
M51421	22mm	78	9/72	0.27/20.0
M51422	23mm	78	8/64	0.30/20.5
M51423	24mm	78	8/64	0.28/19.2
M51424	25mm	78	8/64	0.29/22.0
M51425	26mm	78	8/64	0.35/23.5
M51426	27mm	78	4/48	0.32/17.2
M51427	28mm	78	4/48	0.37/19.5
M51428	29mm	78	4/48	0.37/18.9
M51429	30mm	78	4/48	0.40/20.5
M51431	32mm	78	4/48	0.42/21.5

3/4"Dr.Deep Impact Sockets

Item No.	Size	Length (mm)	PCS	[PW/GW(kg)]
M52416	17mm	90	30	0.46/16.00
M52417	18mm	90	30	0.47/16.00
M52418	19mm	90	30	0.47/16.00
M52420	21mm	90	30	0.50/16.50
M52421	22mm	90	30	0.51/17.00
M52422	23mm	90	30	0.51/17.50
M52423	24mm	90	30	0.52/17.50
M52424	25mm	90	30	0.56/18.00
M52425	26mm	90	30	0.57/20.00
M52426	27mm	90	30	0.68/22.00
M52427	28mm	90	30	0.73/23.00
M52429	30mm	90	30	0.76/24.50
M52431	32mm	90	30	0.80/25.00
M52432	33mm	90	30	0.83/26.00
M52433	34mm	90	30	0.84/26.50
M52435	36mm	90	30	0.88/28.00
M52440	41mm	90	10	1.01/11.00
M52445	46mm	90	10	1.26/13.00
M52449	50mm	90	10	1.30/14.00
M52454	55mm	90	10	1.49/16.00
M52459	60mm	90	8	1.72/15.00
M52464	65mm	90	8	1.81/16.00

1" Dr.Deep Impact Sockets

Item No.	Size	Length (mm)	PCS	[PW/GW(kg)]
M53435	36mm	90	30	0.86/27.00
M53440	41mm	100	30	0.97/30.00
M53445	46mm	100	24	1.33/33.00
M53449	50mm	100	15	1.82/30.00
M53454	55mm	100	12	2.08/26.00
M53459	60mm	120	10	2.41/25.00
M53464	65mm	120	8	3.26/28.00
M53469	70mm	125	8	3.50/29.00
M53474	75mm	125	8	3.66/31.00
M53479	80mm	125	8	3.90/33.00
M53484	85mm	125	8	4.25/35.00






1/2" Dr. 6 Point Impact Hex Socket

CR-MO



Item No.	Size	Length (mm)	PCS	[PW/GW(kg)]
M54104	H4	78	10/100	0.07/8.70
M54105	H5	78	10/100	0.08/9.75
M54106	H6	78	10/100	0.09/9.90
M54107	H7	78	10/100	0.09/9.89
M54108	H8	78	10/100	0.09/10.25
M54109	H9	78	10/100	0.10/11.00
M54110	H10	78	10/100	0.11/11.95
M54111	H11	78	10/100	0.11/12.44
M54112	H12	78	10/100	0.12/13.39
M54113	H13	78	10/100	0.13/14.50
M54114	H14	78	10/100	0.14/15.31
M54115	H15	78	10/100	0.15/15.80
M54116	H16	78	10/100	0.16/17.40
M54117	H17	78	10/100	0.17/18.00
M54118	H18	78	10/100	0.19/20.22
M54119	H19	78	10/100	0.20/21.18
M54120	H20	78	10/100	0.22/22.85
M54121	H21	78	10/100	0.23/24.38
M54122	H22	78	10/100	0.25/25.95






Impact Extension Bar

CR-MO



Item No.	Size	PCS	[PW/GW(kg)]
M54080	10x75mm	12/240	0.076/19.0
M54081	10x150mm	12/120	0.150/18.5
M54083	12.5x125mm	6/48	0.217/11.0
M54085	12.5x250mm	6/48	0.430/21.0
M54088	20x175mm	1/30	0.68/20.4
M54089	20x250mm	1/16	0.90/14.4
M54092	25x200mm	1/12	0.72/20.64

Impact O-Ring



Item No.	(AxB) Size	Item No.	(AxB) Size
M99200	15x3.5mm	M99206	30x5mm
M99201	18x3.5mm	M99207	35x5mm
M99202	19x3.5mm	M99208	45x7mm
M99203	20x4mm	M99209	74x10mm
M99204	22x4mm	M99210	76x7mm
M99205	25x4mm	M99211	84x10mm

- 5pcs/bag
 - Made of nitrile rubber, comply with EU testing standards.
 - Shore Hardness A70 – 75.
 - Strong impact resistance, effectively protects pneumatic components from falling off.
- ⚠ No warranty as consumables


Impact Universal Joint

CR-MO










Item No.	Size	PCS	[PW/GW(kg)]
M54059	10mm	8/192	0.09/18.28
M54060	12.5mm	6/96	0.17/17.32
M54061	20mm	2/32	0.59/19.88
M54062	25mm	1/20	1.05/22.00

Pneumatic Safty Pin



Item No.	(AxB) Size	Item No.	(AxB) Size
M99220	14.8x2.5mm	M99226	31x4mm
M99221	17.8x2.5mm	M99227	35x4mm
M99222	19x2.5mm	M99228	45x5mm
M99223	20X3mm	M99229	75x6mm
M99224	25x3mm	M99230	77x5mm
M99225	22x3mm	M99231	84x6mm

- 5pcs/bag
 - High quality Carbon steel
 - HRC40-48
 - Meeting ISO2725-2 Standard
 - Bearing stronger impact force, can lock Pneumatic components well.
- ⚠ No warranty as consumables



1/4"dr.65mm long air impact double head bits

S2



Item No.	Size	PCS	[PW/GW(kg)]
M50821	PH1×PH1	100/1800	0.014/25.30
M50822	PH1×PH2	100/1800	0.014/25.90
M50823	PH2×PH2	100/1800	0.014/25.90
M50824	PH2×PH3	100/1800	0.014/25.90
M50825	PH3×PH3	100/1800	0.014/25.90
M50831	SL4.5×PH1	100/1800	0.013/25.00
M50832	SL5.5×PH2	100/1800	0.014/26.20
M50833	SL6.5×PH3	100/1800	0.014/26.90

• Made of super alloy steel S2,hardness HRC56-61

Air Impact Wrench



Item No.	M50114	No-load Speed	≥6000r/min
Pc/ Carton	9pcs	Load Air Consumption	12L/S
G.W	24.40kg	Tightening torque	210N.m/2s
Air Pressure psi/bar	0.63MPa	Noise	≤103dB(A)
		Single weight	2.6kg

- Reasonable and advanced structure, large power and long lifetime.
- Mainly used for assembling and disassembling of bolts under M14 in the assembling
- line of automobile, engineering machinery and tractor.

Air Grinding Tool









Item No.	M50159
Pc/ Carton	6pcs
No-load Speed	12000r.p.m
grinding wheel size	125mm
Spindle thread	M14X2.0
Air inter	1/4"
Hose size	3/8"
Consumption CFM	4CFM
Length	239mm
Single weight	2.00kg

Air Impact Wrench



Item No.	M50125
Bolt Capacity	M42
Maximum torque	3200N.m
REV	4800 RPM
Air inter	1/2"
Single weight	9.92kg

- Double-ring structure for an even strike force on drive shaft and less vibration.
- Impact resistant integrated heat-treated end cap.



Air Drill



Item No.	M50135
Pc/Cartron	12pcs
No-load Speed	2000
Chuck Size	3/8"
Air inter	1/4"
Hose size	3/8"
Consumption CFM	4CFM
Length	195mm
Single weight	1kg

Air Impact Wrench



Item No.	M50120
Size	1/2" (13mm)
Pc/Cartron	12pcs
No-load Speed	8000
Anvil Size	1/2"
Maximum torque	678N.m
Working torwue	34~434N.m
Air inter	1/4"
Hose size	3/8"
Consumption CFM	5.8CFM
Length	98mm
Single weight	1.11kg

Air Impact Wrench



Item No.	M50119
Size	1/2" (12.5mm)
Pc/Cartron	6pcs
No-load Speed	7000
Anvil Size	1/2"
loosening torque	1756N.m
Maximum torque	820N.m
Working torwue	50-580N.m
Air inter	1/4"
Hose size	3/8"
Consumption CFM	4CFM
Length	183mm
Single weight	1.9kg

Air Impact Wrench






Item No.	M50121
Size	3/4" (20mm)
Pc/Cartron	4pcs
No-load Speed	5500
Anvil Size	3/4"
Maximum torque	2034N.m
Working torwue	271-1627N.m
Air inter	3/8"
Hose size	1/2"
Consumption CFM	7CFM
Length	215mm
Single weight	3.3kg

Power Tools

Lithium battery brushless impact wrench	80
20v Lithium electric brushless angle grinder	80
20v Lithium brushless dual speed electric drill	81





Lithium battery brushless impact wrench



NEW

Item No.	M64309
Model	MB01-400-40
Rated Voltage	20V
Battery Capacity	4.0Ah×2
Maximum Torque	380N.m
Removal Torque	450N.m
Square Tenon Size	1/2"
Standard Bolt	M8-M20
High-strength Bolt	M8-M16
No-load Speed (rpm)	Low 1700±5% Medium 2200±5% High 2500±5%
Impact Frequency (ipm)	Low 2200±5% Medium 2900±5% High 3500±5%
NW(excluding Battery)	1.10kg

· Scaffdding installation and disassembly,steel structure plant construction, factory assembly,etc.

Lithium battery brushless impact wrench



NEW

Item No.	M64310
Model	MB02-700-40
Rated Voltage	20V
Battery Capacity	4.0Ah×2
Maximum Torque	750N.m
Removal Torque	880N.m
Square Tenon Size	1/2"
Standard Bolt	M12-M24
High-strength Bolt	M10-M18
No-load Speed (rpm)	Low 1700±5% Medium 2100±5% High 2500±5%
Impact Frequency (ipm)	Low 2200±5% Medium 2700±5% High 3000±5%
NW(excluding Battery)	1.70kg

Steel structure,machine repair,auto repair,equipment installation,tower construction,etc.





Lithium battery brushless impact wrench



NEW

Item No.	M64311
Model	MB03-1600-80
Rated Voltage	20V
Battery Capacity	8.0Ah×2
Maximum Torque	1600N.m
Removal Torque	2000N.m
Square Tenon Size	3/4"
Standard Bolt	M14-M33
High-strength Bolt	M12-M24
No-load Speed(rpm)	0-550/1400/1750
Impact Frequency(ipm)	0-950/1750/2100
NW(excluding Battery)	2.98kg

· Railway and other infrastructure,pipe installation,wind tower installation, car maintenance,etc.



20v Lithium electric brushless angle grinder



NEW

Item No.	M64283
Model	MM02-125-40
Rated Voltage	20V
Battery Capacity	4.0Ah×2
Maximum Diameter Of Grinding Wheel	125mm
Grinding Speed	22mm
Rated Speed	8500r/min
Spindel Thread	M14
NW(excluding Battery)	1.51kg

· Strong batterylife,fit the thin soft glue handle of the palm,comfortable to hold and easy.

20v Lithium electric brushless angle grinder



NEW

Item No.	M64282
Model	MM01-100S-40
Rated Voltage	20V
Battery Capacity	4.0Ah×2
Maximum Diameter Of Grinding Wheel	100mm
Grinding Speed	16mm
Rated Speed	10000r/min
Spindel Thread	M10
NW(excluding Battery)	1.30kg

· Push switch,strong battery life,easy to operate.

20v Lithium brushless dual speed electric drill



NEW

Item No.	M64290
Model	MZ01-13T-40
Rated Voltage	20V
Battery Capacity	4.0Ah×2
Diuck Diameter	13mm
NO-load Speed	I=0-500、II=0-2000
Maximum Torque	60N.m
Maximum Drilling Capacity	Steel 10mm、Timber 35mm
NW(excluding Battery)	0.97kg

Strong torque,double speed adjustable,positive and reverse,power display, laser leather soft leather handle design.

VDE Insulated Wrench	83
VDE Insulated Pliers	84
VDE Insulated Socket	85
VDE Insulated Screwdriver	86
VDE Insulated Knife	87
VDE Insulated Cable Cutter	87
Digital Voltage Tester	90
Electrician's Knife	91
Modular Plug Crimping Tool	92-93
Soldering Iron	94

(Details of the Insulation Kit Products refer to P47-53)



VDE Insulated Adjustable Wrench

CrV




Item No.	Size	L (mm)	Opening Capacity (mm)	Box	Weight (kg)
M11523	200mm(8")	200	30	4/60	0.262/17.80
M11524	250mm(10")	250	35	4/48	0.420/21.70
M11525	300mm(12")	300	41	4/36	0.685/18.50

· VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900 standards.
· High voltage resistance, corrosion resistance.
· Made of drop-forged CrV steel, long service life.
△ No warranty as consumables.

VDE Insulated Box Wrench

CrV



Item No.	Size	Length (mm)	B (mm)	D (mm)	Box	Weight (kg)
M71508	8mm	160	18	8	6/240	0.07/17.80
M71510	10mm	175	21	10	12/240	0.1/25.00
M71512	12mm	200	24	10	12/120	0.135/17.20
M71513	13mm	200	27	11	12/120	0.14/17.80
M71514	14mm	210	27	11	12/96	0.16/16.36
M71517	17mm	220	30	13	6/60	0.2/13.00
M71519	19mm	235	34	15	6/60	0.24/15.40
M71522	22mm	255	38	15	6/48	0.315/16.12
M71524	24mm	275	42	17	6/48	0.365/18.52
M71527	27mm	300	45	17	6/24	0.415/10.96
M71530	30mm	325	49	18	6/24	0.535/13.84
M71532	32mm	330	51	18	6/24	0.555/14.32


VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900 standards.
Made of drop-forged CrV steel, with chrome plated surface, beautiful and rust-proof.
△ No warranty as consumables.

VDE Insulated Open Wrench

NEW




Item No.	Size	Length (mm)	Thickness (mm)	Width (mm)	Weight (kg)
M71907	7mm	88	7.5	21.5	0.024
M71908	8mm	97.5	8	24	0.030
M71909	9mm	105.5	8.5	26	0.038
M71910	10mm	110.5	9	28	0.043
M71911	11mm	124	9	30	0.054
M71912	12mm	132.5	9.5	32	0.061
M71913	13mm	141.5	10	34.5	0.074
M71914	14mm	150.5	10	36.5	0.085
M71915	15mm	159	10.5	38.5	0.101
M71916	16mm	164	10.5	40	0.103
M71917	17mm	177	11.5	42.5	0.134
M71918	18mm	184	12	44.5	0.147
M71919	19mm	195	12	47	0.171
M71921	21mm	212	13	51	0.218
M71922	22mm	221	13	53	0.239
M71924	24mm	238	13.5	57	0.285




Item No.	Size	Length (mm)	B (mm)	D (mm)	Box	Weight (kg)
M71608	8mm	100	27	7.9	20/240	0.03/8.20
M71610	10mm	110	28	8.4	20/240	0.04/10.60
M71612	12mm	130	33	8.8	20/120	0.06/8.20
M71613	13mm	136	33.5	9.5	20/120	0.065/8.80
M71614	14mm	147	37	9.7	6/96	0.085/9.16
M71617	17mm	152	43.8	10.5	6/60	0.11/7.60
M71619	19mm	176	47	11	6/60	0.15/10.00
M71622	22mm	194	53.5	12.7	6/48	0.225/11.80
M71624	24mm	228	56	13	6/48	0.275/14.20
M71627	27mm	253	61.5	13.8	6/24	0.365/9.76
M71630	30mm	293	66	14.8	6/24	0.505/13.12
M71632	32mm	312	70	15.5	6/24	0.605/15.52

· VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900 standards.
Made of drop-forged CrV steel, with chrome plated surface, beautiful and rust-proof.
△ No warranty as consumables.



VDE Insulated Combination Pliers

CrV




Item No.	Size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wg)
M28527	160mm(6")	163	35	35	6/48	0.260/13.60
M28528	175mm(7")	188	38	36	6/48	0.313/17.00
M28529	200mm(8")	195	41	36	6/48	0.521/27.00

· VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900 standards.
· Made of drop-forged CrV steel, nickel-plated surface. High cutting hardness, long service life.
· The cutting edge is treated by induction heat treatment, hardness HRC60.
· Eccentric and labor-saving design.
⚠ No warranty as consumables

VDE Insulated Diagonal Pliers

CrV




Item No.	Size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wg)
M28543	160mm(6")	160	19.32	19	6/48	0.281/14.40
M28544	200mm(8")	205	26.15	17	6/48	0.417/22.00

· VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900 standards.
· Made of drop-forged CrV steel, nickel-plated surface. High cutting hardness, long service life.
· The cutting edge is treated by induction heat treatment, hardness HRC60.
· Eccentric and labor-saving design.
⚠ No warranty as consumables

VDE Insulated Long Nose Pliers

CrV



Item No.	Size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wg)
M28563	160mm(6")	160	50	65	6/48	0.177/9.50
M28564	200mm(8")	200	75	90	6/48	0.260/13.90

· VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900 standards.
· Made of drop-forged CrV steel, nickel-plated surface. High cutting hardness, long service life.
· The cutting edge is treated by induction heat treatment, hardness HRC60.
· Eccentric and labor-saving design.
⚠ No warranty as consumables

VDE Insulated Wire Stripping Pliers

CrV



Item No.	Size	PCS	PWG(Wg)
M28578	160mm(6")	6/48	0.240/12.90

· VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900 standards.
· Made of drop-forged CrV steel, nickel-plated surface. High cutting hardness, long service life.
· hardness HRC40.
· Eccentric and labor-saving design.
⚠ No warranty as consumables

VDE Insulated Ratchet



Item No.	Size	PCS	PWG(Wg)
M48344	10mm(3/8")	3/48	0.37/18.76
M48345	12.5mm(1/2")	3/36	0.41/15.76

· VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900 standards.

Insulated Extension Bar



Item No.	Size	PCS	PWG(Wg)
M71206	125mm(5")	6/48	0.140/7.42

Item No.	Size	PCS	PWG(Wg)
M71212	125mm(5")	6/48	0.222/11.36
M71213	250mm(10")	6/48	0.435/21.56

· VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900 standards.

Insulated T-Handle



Item No.	Size	Length mm	Handle Length mm	PWG(Wg)
M71802	3/8"	200	165	0.36

· VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900 standards.

VDE Insulated Socket



Item No.	Size	PCS	PWG(Wg)
M71038	8mm	20/240	0.025/7
M71039	9mm	20/240	0.027/7.4
M71040	10mm	20/240	0.028/7.6
M71041	11mm	20/240	0.029/7.9
M71042	12mm	20/240	0.031/8.4
M71043	13mm	20/240	0.035/9.2
M71044	14mm	20/240	0.033/8.9
M71045	15mm	20/240	0.040/10.5
M71046	16mm	20/240	0.040/10.5
M71047	17mm	20/120	0.044/6.1
M71048	18mm	20/120	0.051/6.9
M71049	19mm	20/120	0.050/6.8
M71050	20mm	20/120	0.058/7.8
M71051	21mm	20/120	0.054/7.3
M71052	22mm	12/96	0.060/6.6

Item No.	Size	PCS	PWG(Wg)
M71068	8mm	20/240	0.053/13.6
M71069	9mm	20/240	0.055/14.1
M71070	10mm	20/240	0.054/13.8
M71071	11mm	20/240	0.058/14.6
M71072	12mm	20/240	0.060/15.1
M71073	13mm	20/240	0.063/15.7
M71074	14mm	20/240	0.064/16
M71075	15mm	20/120	0.066/8.5
M71076	16mm	20/120	0.064/8.3
M71077	17mm	20/120	0.071/9.1
M71078	18mm	20/120	0.080/10.2
M71079	19mm	20/120	0.067/8.7
M71080	20mm	20/120	0.078/10
M71081	21mm	20/120	0.071/9.1
M71082	22mm	6/48	0.083/4.6
M71083	23mm	6/48	0.088/4.8
M71084	24mm	6/48	0.089/4.9
M71087	27mm	6/48	0.125/6.6
M71089	29mm	6/48	0.125/6.6
M71090	30mm	6/48	0.150/7.9
M71092	32mm	6/48	0.160/8.4

· VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900 standards.



VDE Insulated Hexagon Bit Socket

NEW




3/8"Dr.

Item No.	Size	Length(mm)	PWG(Wgt)
M71176	H4	75	0.052
M71177	H5	75	0.052
M71178	H6	75	0.052
M71179	H8	75	0.053

1/2"Dr.

Item No.	Size	Length(mm)	PWG(Wgt)
M71183	H4	120	0.078
M71184	H5	120	0.078
M71185	H6	120	0.080
M71186	H8	120	0.080
M71187	H10	120	0.094

VDE Insulated Screwdriver



VDE Insulated Screwdriver Slotted

Item No.	Size	PCS	PWG(Wgt)
M55630	4x100mm	8/96	0.043/5.12
M55631	5.5x125mm	8/96	0.058/6.57
M55632	6.5x150mm	8/96	0.094/10.02

VDE Insulated Screwdriver Phillips

Item No.	Size	PCS	PWG(Wgt)
M55643	PH1x100mm	8/96	0.050/5.80
M55644	PH2x100mm	8/96	0.077/8.39

- Made of Cr-Mo, heat treatment.
- Handle injected with insulation material, comfortable.
- With VDE approval,each has passed high voltage test.

VDE Insulated Screwdriver



VDE Insulated Screwdriver Slotted

Item No.	Size	PCS	PWG(Wgt)
M55622	3x100mm	12/144	0.024/4.2
M55623	4x100mm	12/144	0.043/7.3
M55624	5.5x125mm	12/144	0.059/9.6
M55625	6.5x150mm	12/144	0.096/15.6
M55626	8.0x175mm	6/72	0.142/11.66

VDE Insulated Screwdriver Phillips

Item No.	Size	PCS	PWG(Wgt)
M55636	PH0 x 75mm	12/144	0.022/4.00
M55637	PH1 x 100mm	12/144	0.049/8.3
M55638	PH2 x 100mm	12/144	0.82/12.8
M55639	PH3 x 150mm	6/72	0.144/11.2

- Made of Cr-Mo, heat treatment.
- Handle injected with insulation material, comfortable.
- With VDE approval,each has passed high voltage test.

VDE Insulated Cable Knife



VDE Insulated Cable Knife - Flat Blade

Item No.	Size	PCS	PWG(Wgt)
M71820	50x180mm	12/96	0.084/9.06



VDE Insulated Cable Knife - Round Blade

Item No.	Size	PCS	PWG(Wgt)
M71815	28x155mm	12/96	0.076/8.30



VDE Insulated Cable Knife - Sickle Blade

Item No.	Size	PCS	PWG(Wgt)
M71810	50x180mm	12/96	0.078/8.50

- VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900
- No warranty as consumables

VDE Insulated Cable Cutter



A款

应用范围：剪切铜线及铝线

Item No.	Size	mm (MAX)	mm ² (MAX)	PCS	PWG(Wgt)
M33888	150mm	5.2	22	6/48	0.26/13.48



B款

Item No.	Size	mm (MAX)	mm ² (MAX)	PCS	PWG(Wgt)
M33890	250mm	10.0	80	6/36	0.61/22.96

- Approved by Germany VDE IEC/EN 60900 high insulation certification and GS quality certification.
- Product meets REACH (SVHC) environmental protection standard.
- Ergonomic bi-color handle, made from high voltage resistant, cold-resistant and flame-resistant material.
- Body made of Cr-Mo alloy steel. The knife edge is specially hardened to cut copper wire and aluminum wire.
- The incision is smooth and free of burrs.
- Black rust resistant surface treatment.

VDE Insulated Snips



Item No.	Size	Length(mm)	Blade Length mm	PWG(Wgt)
M71810	160mm	160	51	0.10

VDE Insulated Cable Cutter



Item No.	Size	mm (MAX)	PCS	PWG(Wgt)
M71830	240mm	32	1/12	0.72/8.74
M71831	380mm	52	1/12	1.11/12.46

VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900.

Product meets REACH (SVHC) environmental protection standard.

Ergonomic bi-color handle, made from high voltage resistant, cold-resistant and flame-resistant material.

Body made of 65Mn alloy steel. The knife edge is specially hardened to cut copper wire and aluminum wire. The incision is smooth and free of burrs.

Labor saving ratchet and safety release button design for easy and safe operation.

VDE Insulated Groove Joint Pliers



CrV

Item No.	Size	Clamping Dia(mm)	PCS	PWG(Wgt)
M29610	250mm	28	4/36	0.45/17.20
M29611	300mm	35	4/24	0.67/17.08

• VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900.

⚠ No warranty as consumables.

VDE Insulated Socket



3/8" Dr. 6pt Socket


Item No.	Size	PCS	PWG(Wgt)
M72008	8mm	6/72	0.034/3.15
M72010	10mm	6/72	0.047/4.08
M72011	11mm	6/72	0.047/4.08
M72012	12mm	6/72	0.047/4.08
M72013	13mm	6/72	0.047/4.08
M72014	14mm	6/72	0.047/4.08
M72016	16mm	6/60	0.055/4.00
M72017	17mm	6/60	0.060/4.30
M72018	18mm	6/60	0.060/4.30
M72019	19mm	6/60	0.065/4.60
M72021	21mm	6/60	0.075/5.20
M72022	22mm	6/60	0.075/5.20

1/2" Dr. 6pt Socket

Item No.	Size	PCS	PWG(Wgt)
M72110	10mm	6/72	0.075/6.10
M72111	11mm	6/72	0.075/6.10
M72112	12mm	6/72	0.075/6.10
M72113	13mm	6/72	0.077/6.24
M72114	14mm	6/72	0.077/6.24
M72116	16mm	6/60	0.090/6.10
M72117	17mm	6/60	0.090/6.10
M72118	18mm	6/60	0.090/6.10
M72119	19mm	6/60	0.105/7.00
M72121	21mm	6/48	0.115/6.22
M72122	22mm	6/48	0.120/6.46
M72124	24mm	6/48	0.155/8.14
M72127	27mm	6/48	0.200/10.30
M72130	30mm	6/48	0.235/11.98
M72132	32mm	6/48	0.275/13.90

• VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900

VDE Insulated Open Wrench



Item No.	Size	PCS	PWG(Wgt)
M72608	8mm	6/60	0.04/3.40
M72610	10mm	6/60	0.05/4.00
M72612	12mm	6/60	0.07/4.90
M72614	14mm	6/60	0.09/6.40
M72617	17mm	6/48	0.10/5.80
M72619	19mm	6/48	0.12/6.76
M72622	22mm	6/48	0.16/8.68
M72624	24mm	6/48	0.18/9.64
M72627	27mm	4/40	0.27/11.80
M72630	30mm	4/40	0.30/13.00
M72632	32mm	4/40	0.38/16.20

VDE certified. Each product has passed 10,000V insulation test, comply with IEC/EN 60900

VDE Insulated Adjustable Wrench



Item No.	Size	L (mm)	Opening Capacity (mm)	PCS	PWG(Wgt)
M11515	150mm(6")	160	19	6/48	0.210/11.50
M11516	200mm(8")	210	24	6/48	0.407/20.74
M11517	250mm(10")	260	29	4/36	0.660/24.70
M11518	300mm(12")	310	36	4/24	0.924/24.20

• Each product has passed 10,000V insulation test, comply with IEC/EN 60900.

• Body drop forged with alloy steel.

• Precision nut, open and close easily.

• With laser metric or SAE scale.

Digital Multimeter



Item No.	PCS	PWG(Wgt)
M64231	1/24	0.18/6.0

Diodes, transistors, and continuity testing, robust, safe, and reliable, with full-range overload protection.
Maximum Display: 1999 counts (3-1/2 digits) with automatic polarity indication
Display Type: Liquid Crystal Display (LCD)
Over-range Indication: Only "OL" is displayed on the LCD screen
Sampling Rate: 2 to 3 times per second (approximate)
Operating Temperature: 0°C to 40°C, Relative Humidity: <75%
Storage Temperature: -10°C to 50°C, Relative Humidity: <85%
Power Supply: 1.5V x 3, AAA batteries
Low Battery Indication: "batt" is displayed on the LCD screen
Dimensions: 158x75x35 mm
Weight: Approximately 200 grams (including batteries)

DC voltage

measuring range	resolution	accuracy
200mV	0.1mV	± (0.8%+5)
2V	0.001V	
20V	0.01V	
200V	0.1V	
600V	1V	± (1%+5)

resistance

measuring range	resolution	accuracy
200Ω	0.1Ω	± (1.2%+5)
2kΩ	0.001kΩ	
20kΩ	0.01kΩ	± (1%+5)
200kΩ	0.1kΩ	
2MΩ	0.001MΩ	± (1.2%+5)
20MΩ	0.01MΩ	

AC current

measuring range	resolution	accuracy
200μA	0.1μA	± (1.5%+5)
2000μA	1μA	
20mA	0.01mA	
200mA	0.1mA	
2A	0.001A	± (3.0%+10)
10A	0.01A	

DC current

measuring range	resolution	accuracy
200μA	0.1μA	± (1.2%+5)
2000μA	1μA	
20mA	0.01mA	
200mA	0.1mA	
2A	0.001A	± (2.0%+10)
10A	0.01A	

AC voltage

measuring range	resolution	accuracy
2V	0.001V	± (1.0%+5)
20V	0.01V	
200V	0.1V	
600V	1V	

battery test

measuring range	resolution	accuracy
1.5V	0.01V	显示电池电压的近似值
3V	0.01V	
9V	0.01V	



Non-Contact Voltage Tester



Item No.	Size	PCS	PWG(Wgt)
M64270	5"(140mm)	12/96	0.03/7.20

Self test:

Turn the tail switch to the "⚡" position, the green light on the head lights up, indicating that the test pen is operating normally (please test near a charged object before use)

Induction measurement:

When an electric field is detected nearby, the green light will turn to red and the buzzer will sound.


Circuit test:

Turn the tail switch to the "⚡" position, the green light on the head lights up, the green light turns to a red light when the electric pen is close to the wire, and a buzzer sounds at the same time, indicating that the power cord is energized, move the electric pen along the energized power line, when the light turns from red to green, then here the broken point.

Auxiliary lighting:

Turn the tail switch to the "💡" position, the green light and the illumination light will be turned on at the same time, which can detect the electric field and illuminate.

Digital Voltage Tester



Item No.	Size	PCS	PWG(Wgt)
M64261	3.5X140mm(5")	12/192	0.043/11.20

• Multi-use digital tester with lamp, the body is made of Cr-V steel, heat-treated for durable use

Voltage Tester



Item No.	Size	PCS	PWG(Wgt)
M64263	3x145mm(5")	30/600	0.020/15.00
M64264	4x190mm(7")	24/480	0.025/16.10

• Insulated ABS plastic handle, test range: 100-500V

⚠ No warranty as consumables

Anti-flare High Voltage Electric Tester




Item No.	Size	PCS	PWG(Wgt)
M64299	3.5X145mm(5")	30/240	0.05/13.70

- Testing Range: AC380-2000V
- Max Voltage: AC2800V
- Anti-breakdown Voltage: AC2500V ≥ 5 seconds.
- High voltage glass glaze resistor.
- Professional explosion-proof, waterproof, mining high voltage test pen.
- The overall shape is beautiful, strong and durable, high factor of safety, professional quality.
- Exquisite plastic box packaging, safe storage easy to carry, beautiful and practical.

Electrician's Knife

CrV



Item No.	L(mm)	PCS	PWG(Wgt)
M64538	115	6/120	0.175/22.80

- CrV blade, sharp and durable, with wood handle.
- ⚠ No warranty as consumables.

Electrician's Knife

CrV



Item No.	L(mm)	PCS	PWG(Wgt)
M64535	115	6/120	0.1/15.5

- CrV blade, sharp and durable, with wood handle.
- ⚠ No warranty as consumables.

Electrician Scissors



Item No.	Size	PCS	PWG(Wgt)
M64546	145mm(5")	6/144	0.104/16.20

- Made of superior stainless steel, heat treated, sharp blades, durable.
- ⚠ No warranty as consumables.

Auto Wire Stripper



φ1,1.6,2.2,6,3.2mm

Item No.	Size		
M64120	7"(175mm)	6/48	0.333/21.30

- Zinc alloy steel body, 65mn blades.
- ⚠ No warranty as consumables.

Wire Stripper



φ0.6,0.8,1,1.3,1.6,2,2.6mm

Item No.	Size		
M64107	7"(175mm)	6/96	0.16/17.00

- With lock ,drop forged with high grade steel,heat treated.
- ⚠ No warranty as consumables.

Self-adjustable Crimping Pliers



Crimping Range:0.25-10mm²

Item No.	Size		
M64155	175mm	10/50	0.44/23.00

- High-precision terminal crimping pliers, moderately press the terminal on the wire without damaging the terminal.
- Ergonomic handle, comfortable and easy to operate.
- Labor-saving ratchet design for easy operation and clear crimping effect.
- Automatically adjust the crimp size to avoid incorrect crimping due to the use of mismatched die, and it will become a quadrilateral column after crimping.
- Small size, simple operation, with pressure adjustment button and ratchet forced release button to ensure product life and effectiveness.

Modular Plug Crimping Tool



Item No.	Size		
M64142	8P	6/48	0.292/15.60

- Made of high grade steel, 65Mn blades.
- Suitable for plugs of computers and telephones.
- To choose correct size 8p-6p-4p, with function of cutter and stripper.
- ⚠ No warranty as consumables

Modular Plug Crimping Tool



Item No.	Size		
M64143	4-6-8P	6/48	0.41/21.2

- Multi-function, for 4p-6p-8p
- ⚠ No warranty as consumables

Modular Plug Crimping Tool



Application Range: Crimping caps, Insulated terminals, Tubular insulated terminals, etc.
Crimping Range: 0.5/1/1.5/2.5/4/6/10mm²

Item No.	Size		
M64163	9"(230mm)	6/36	0.55/22.00



Application Range: Crimping caps, insulated terminals, tubular insulated terminals, etc.
Crimping Range: 0.5/1/1.5/2.5/4/6mm²

Item No.	Size		
M64160	8"(200mm)	6/48	0.39/21.00



Application Range: Suitable for flat terminal connectors, etc.
Crimping Range:0.5-1.5mm² 20-16AWG

Item No.	Size		
M64162	9"(230mm)	6/36	0.55/22.00









Application Range: Suitable for BNC ports in surveillance video systems
Crimping Range: 1.72/2.5/5.4/6.48/8.2mm²

Item No.	Size		
M64161	9"(245mm)	6/36	0.58/23.00



- The die is forged with alloy steel and can be removed and replaced.
- The pressure plate is made of 50# high carbon steel plate, which is firm and durable, and it is not easy to bend and deform.
- Leading ratchet labor saving linkage device, the operation is easy and effortless.
- High-precision terminal crimping hole, precision crimping, crimping one step in place.
- Pressure adjustment knob design, easy to be used for a variety of terminals.
- Ergonomic plastic handle, comfortable grip, non-slip and wear-resistant.



Electrical Tape



Item No.	Size		
M64556	18mmx0.18mmx11mm	10/300	0.057/17.5

No warranty as consumables.

Explosion-proof Magnetic Flashlight

NEW



Item No.	Size		
M64733	φ 35x159mm	1/50	0.18/10.00

Equipped with an inflator and a battery.



- Utilizes high-tech surface treatment technology, providing high reflection efficiency and long lighting range.
 - Equipped with a high-capacity, memory-free battery that has a long lifespan, low self-discharge rate, and is economical and environmentally friendly.
 - Employs PWM (Pulse Width Modulation) technology, allowing for continuous use and serving as emergency lighting during power outages.
 - The imported high-hardness shell can withstand strong impacts and collisions.
 - Waterproof, heat-resistant, and highly resistant to humidity, making it suitable for harsh weather conditions.
- No warranty as consumables.

Soldering Iron



Item No.	Size		
M64441	30W	6/60	0.133/10.7
M64442	40W	6/60	0.138/11.2
M64443	60W	6/60	0.148/11.7
M64444	80W	6/48	0.292/15.3
M64445	100W	6/48	0.293/16.7
M64446	150W	6/48	0.333/17.6
M64447	200W	6/24	0.494/13.68
M64448	300W	6/24	0.65/17.5

- Purple copper core, stainless steel shuck.
- No warranty as consumables.

Complementary parts for use

Tips



Item No.	Size		
M99150	30W	10	0.010
M99151	40W	10	0.010
M99152	60W	10	0.020

Purple Copper Tips



Item No.	Size		
M99163	80W	2	0.030
M99164	100W	2	0.050
M99165	150W	2	0.060
M99166	200W	2	0.190
M99167	300W	2	0.320

Mica Heater








Item No.	Size		
M99178	30W	2	0.01
M99179	40W	2	0.01
M99180	60W	2	0.01
M99181	80W	2	0.03
M99182	100W	2	0.03
M99183	150W	2	0.04
M99184	200W	2	0.07
M99185	300W	2	0.10

Wrench


Torque Wrench	96-98
Wrench	99-103
L Wrench	104
Wrench & Wrench Set	104-109
Slugging Wrench	109
Hex key & Hex key Set	110-115
Double Tail Ratchet Wrench	116





Smart Torque Wrench

NEW



Item No.	Square Drive	N.m	PCS	PW(kg)
M18316	1/4"	3~30	1/12	0.80
M18317	3/8"	13.5~135	1/12	0.96
M18318	1/2"	20~200	1/12	1.27
M18319	1/2"	34~340	1/12	1.43

- Bidirectional ratchet head for easy forward and reverse switching.
- Data can be transmitted to a PC via WIFI (Note: WIFI is an optional feature).
- Capable of storing 999 sets of torque values.
- Accuracy level: CW $\pm 2\%$, CCW $\pm 2\%$.
- Equipped with an LED display, RGB tri-color indicator lights, and a buzzer to prevent torque overload.
- ABS handle designed according to ergonomic principles.
- The handle is made of alloy tubing with overall heat treatment, making it resistant to deformation.

Digital Display Torque Wrench









Item No.	Square Drive	N.m	总长(mm) L	PCS	PW(kg)
a. M18324	3/8"	10~135	394	1	1.05
a. M18327	1/2"	20~200	569	1	1.35
a. M18328	1/2"	34~340	769	1	1.70
b. M18331	3/4"	80~800	1248	1	5.94
b. M18333	1"	150~1500	1248	1	6.00


- Bi-directional ratchet head for convenient forward and reverse bidirectional switching
- Handle made of alloy tube material, overall heat treatment, not easily deformed
- Accuracy level CW $\pm 1.5\%$, CCW $\pm 2\%$
- With LED display, warning light and buzzer, the handle has a vibration alert function to prevent torque overload
- Bi-color TPR handle, in line with engineering mechanics design

Torque Unit Conversion Table

	lbf-in	lbf-ft	Nm	kgf-cm
1lbf-in	1	0.08333	0.11298	1.15212
1lbf-ft	12	1	1.35582	13.8255
1Nm	8.85075	0.73756	1	10.19716
1kgf-cm	0.86796	0.07233	0.09807	1



Preset Torque Wrench



Item No.	Square Drive	N.m	L(mm)	PCS	PW(kg)
M18182	3/8"	12~60	328	1	0.70
M18184	1/2"	40~200	459	1	1.00
M18185	1/2"	60~340	679	1	1.55

- The ratchet head switches up and down, allowing for two-way torque control in both clockwise/counterclockwise directions.
- Accuracy is $\pm 3\%$ of the reading and meets ISO6789-1:2017.
- The meshing angle is within 6° , which is convenient for quick and small space.
- A convenient hook for tool storage that helps unlock and adjust the torque wrench.
- Window-style design, convenient and fast reading.

⚠ No warranty as consumables

Torque Wrench


NEW



Item No.	Square Drive	N.m	L(mm)	PCS	PW(kg)
M18198	1/4"	1~6	208	1/20	0.52/10.90
M18199	1/4"	5~25	245	1/20	0.55/11.50
M18200	3/8"	5~60	315	1/20	0.75/15.50
M18201	3/8"	10~110	470	1/12	1.53/18.86
M18202	1/2"	20~210	490	1/12	1.63/19.40
M18203	1/2"	60~330	552	1/12	1.74/21.40
M18204	1/2"	100~500	682	1/12	2.32/28.20
M18205	3/4"	140~700	1080	1	5.15/6.15
M18206	3/4"	200~1000	1180	1	5.62/6.62

⚠ No warranty as consumables

Preset Torque Wrench




Item No.	Square Drive	N.m	L(mm)	PCS	PW(kg)
★ M18150	1/4"	5~25	225	1	0.76
M18151	3/8"	10~60	423	1	1.08
M18152	1/2"	20~110	482	1	1.10
M18153	1/2"	28~210	503	1	1.56
M18154	1/2"	65~340	570	1	1.96
M18155	3/4"	160~800	1055	1	5.90
M18159	1"	300~1500	1260	1	9.20

- Made of high-quality steel, mirror finish
- Chrome plated with good anti-rust ability, High precision $\text{cw} \pm 3\%$
- Imported product with longer life time, no need to calibrate

⚠ No warranty as consumables





Torque Wrench



Item No.	Square Drive	N.m	L(mm)	PCS	PW(kg)
M18111	1/2"	0-300	485	1/20	0.900/20.70
M18112	3/4"	0-500	545	1/12	1.583/21.30

- Body drop forged with super alloy steel, High quality polished and chromed plated

⚠ No warranty as consumables




Adjustable & Interchangeable Torque Wrench



Item No.	Size (mm)	N.m	L(mm)	PCS	PW(kg)
M18120	9X12	2.0-10	284	1	0.58
M18121	9X12	5.0-30	303	1	0.72
M18122	9X12	20-100	427	1	0.94
M18123	14X18	40-200	460	1	1.06
M18124	14X18	65-335	520	1	1.20

- Overall heat treatment for durable use
- Pull-down collar to adjust torque for efficiency and convenience.



Rectangular Open End Fitting



Item No.	Size	Drive (mm)	A (mm)	H (mm)	D (mm)	PCS	PW(kg)
M18911	7mm	9×12	17.5	5.5	22	1	0.038
M18912	8mm	9×12	17.5	5.5	22	1	0.037
M18913	9mm	9×12	17.5	6	25	1	0.044
M18914	10mm	9×12	17.5	6	25	1	0.043
M18915	11mm	9×12	17.5	6	25	1	0.042
M18916	12mm	9×12	17.5	7	29	1	0.048
M18917	13mm	9×12	17.5	7	29	1	0.047
M18918	14mm	9×12	17.5	8	33	1	0.058
M18919	15mm	9×12	17.5	8	33	1	0.057
M18920	16mm	9×12	17.5	8	38	1	0.056
M18921	17mm	9×12	17.5	8	38	1	0.054
M18922	18mm	9×12	25	8	42.5	1	0.080
M18923	19mm	9×12	25	8	42.5	1	0.075
M18936	17mm	14×18	25	9	38	1	0.127
M18937	18mm	14×18	25	10	42	1	0.138
M18938	19mm	14×18	25	10	42	1	0.137
M18939	21mm	14×18	25	12	48	1	0.158
M18940	22mm	14×18	25	12	48	1	0.155
M18941	24mm	14×18	25	13	52	1	0.159
M18942	27mm	14×18	30	14	57	1	0.230
M18943	30mm	14×18	35	14	65	1	0.255
M18944	32mm	14×18	35	14	65	1	0.255

- High quality
- Ratchet system, small angle drive, long life
- ⚠ No warranty as consumables


Ratchet Head



Item No.	Size	Drive (mm)	A (mm)	H (mm)	D (mm)	PCS	PW(kg)
M18890	1/4"	9×12	17.5	16.2	37	1	0.135
M18891	3/8"	9×12	17.5	21	38	1	0.160
M18892	1/2"	9×12	17.5	21	38	1	0.160
M18901	1/2"	14×18	25	21	40	1	0.265

- High quality
- Ratchet system, small angle drive, long life
- ⚠ No warranty as consumables


Rectangular Ring End Fitting



Item No.	Size	Drive (mm)	A (mm)	H (mm)	D (mm)	PCS	PW(kg)
M18957	7mm	9×12	17.5	8	22	1	0.043
M18958	8mm	9×12	17.5	8	22	1	0.042
M18959	9mm	9×12	17.5	9	22	1	0.045
M18960	10mm	9×12	17.5	9	22	1	0.048
M18961	11mm	9×12	17.5	9	22	1	0.047
M18962	12mm	9×12	17.5	12	22	1	0.054
M18963	13mm	9×12	17.5	12	22	1	0.053
M18964	14mm	9×12	17.5	12	23	1	0.052
M18965	15mm	9×12	17.5	12	25	1	0.054
M18966	16mm	9×12	17.5	13	27.5	1	0.056
M18967	17mm	9×12	17.5	13	27.5	1	0.055
M18968	18mm	9×12	17.5	13	29	1	0.058
M18969	19mm	9×12	17.5	13	31	1	0.057
M18971	21mm	9×12	17.5	13	33.5	1	0.068
M18972	22mm	9×12	17.5	13	35	1	0.073
M18982	17mm	14×18	25	12	32	1	0.127
M18983	18mm	14×18	25	12	32	1	0.133
M18984	19mm	14×18	25	12	32	1	0.138
M18985	21mm	14×18	25	15	33	1	0.148
M18986	22mm	14×18	25	15	35	1	0.154
M18987	24mm	14×18	25	15	38	1	0.160
M18988	27mm	14×18	30	17.5	41.5	1	0.160
M18989	30mm	14×18	30	17.5	45	1	0.165
M18990	32mm	14×18	30	17.5	47.5	1	0.168

- High quality
- Ratchet system, small angle drive, long life
- ⚠ No warranty as consumables


Adjustable Wrench



Item No.	Size	L(mm)	C(mm)	PCS	PW/GW(kg)
M11160	150mm(6")	150	24	6/120	0.160/21.30
M11161	200mm(8")	200	29	6/72	0.300/23.30
M11162	250mm(10")	250	34	6/48	0.460/22.90
M11163	300mm(12")	300	41	6/24	0.720/17.00
M11164	375mm(15")	380	45	4/16	1.220/20.90

- Streamlined humanized design
- Body drop-forged with super alloy steel • Heat Treatment
- Precision nut, open and close easily
- With laser scale


Adjustable Wrench



Item No.	Size	L(mm)	C(mm)	PCS	PW/GW(kg)
M11106	375mm(15")	378	45	1/20	1.29/28.00
M11107	450mm(18")	458	55	1/12	1.92/25.00
M11108	600mm(24")	602	62	1/6	2.90/19.20
M11109	750mm(30")	752	85	1/3	5.90/18.50

- Body drop-forged with super alloy steel • Precision nut, open and close easily
- With laser metric or SAE scale
- Body heat treatment torque can exceed ASME standard 30%
- Narrower end, easy to add pipe to work, but can not be overloaded with work


Heavy Duty Wide Opening Adjustable Wrench



Item No.	Size	L(mm)	C(mm)	PCS	PW/GW(kg)
M11101	100mm(4")	109	13	12/240	0.050/14.50
M11102	150mm(6")	160	24	6/120	0.160/20.00
M11103	200mm(8")	210	30	6/60	0.270/18.00
M11104	250mm(10")	260	35	6/36	0.450/17.30
M11105	300mm(12")	310	41	6/24	0.720/18.60



- Body drop-forged with super alloy steel
- Precision nut, open and close easily • With laser metric or SAE scale
- Body heat treatment torque can exceed ASME standard 30%, wide opening capacity can increase over 20%.

Adjustable Wrench




Item No.	Size	L(mm)	C(mm)	PCS	PW/GW(kg)
M11112	100mm(4")	108	13	12/240	0.046/14.20
M11113	150mm(6")	158	19.3	6/120	0.130/16.00
M11114	200mm(8")	208	24	6/96	0.220/25.00
M11115	250mm(10")	258	29	6/60	0.420/27.00
M11116	300mm(12")	308	34	6/36	0.600/23.80
M11117	375mm(15")	381	45	1/20	1.200/26.00
M11118	450mm(18")	454	55	1/12	1.830/23.00
M11119	600mm(24")	610	62	1/4	2.800/12.70

- Precision nut, open and close easily
- With laser metric or SAE scale



Quick-Adjust Adjustable Wrench

NEW



Item No.	Size	L(mm)	C(mm)	PCS	[PW/GW(kg)]
M11065	200mm(8")	208	34	6/48	0.29/14.92
M11066	250mm(10")	258	38	6/36	0.52/19.72
M11067	300mm(12")	308	44	6/24	0.83/20.92


- The hidden pin shaft, screw wheel, and quick-release jaw allow for fast opening and convenient use.
- Utility Model Patent: ZL201921530335.9



PULL


Locking Adjustable Wrench

CrV



Item No.	Size	L(mm)	C(mm)	PCS	[PW/GW(kg)]
M11681	250mm(10")	250	33	6/36	0.58/23.20

Ratchet Function Adjustable Wrench









Item No.	Size	L(mm)	C(mm)	PCS	[PW/GW(kg)]
M11689	250mm(10")	256	30	6/48	0.36/24.00
M11690	300mm(12")	306	36	6/36	0.60/28.30

- Ratchet adjustable wrench ,with quick withdrawal function,wide opening .




- Non-Slip Design with Teeth
- Locking Mechanism , Allows for gripping on both inch and metric fasteners,including rounded fasteners
- Release Lever,Allows for easy disengagementof locking mechanism



Extendable Adjustable Wrench

NEW




Item No.	Size	L(mm)	C(mm)	PCS	[PW/GW(kg)]
M11086	900mm(36")	730-950	90	1/3	6.04/19.20
M11087	1200mm(48")	895-1207	120	1/2	9.70/20.40
M11088	1500mm(60")	1130-1560	150	1	17.05/18.00

- Features a telescopic handle for added length and effort-saving.

High-Speed Rail Style Wrench



NEW



Item No.	Size	L(mm)	C(mm)	PCS	[PW/GW(kg)]
M11050	6"	155	19	6/120	0.13/16.60
M11051	8"	205	24	6/60	0.21/13.60
M11052	10"	255	29	6/36	0.35/13.62
M11053	12"	305	36	6/24	0.58/14.92

Lightweight Wide-Jaw Adjustable Wrench

NEW




Item No.	Size	L(mm)	C(mm)	PCS	[PW/GW(kg)]
M11075	150mm(6")	153	24	6/120	0.11/14.20
M11076	200mm(8")	203	34	6/60	0.21/13.60
M11077	250mm(10")	253	41	6/48	0.31/15.90
M11078	300mm(12")	303	46	6/36	0.57/21.52

- Long lightweight handle design with an extra-large jaw opening.

Extendable Adjustable Wrench

NEW




Item No.	Size	L(mm)	C(mm)	PCS	[PW/GW(kg)]
M11047	300mm(12")	310-410	36	6/24	1.15/28.60

- Features a telescopic handle for added length and effort-saving.




Compact Wide-Jaw Adjustable Wrench

NEW




Item No.	Size	L(mm)	C(mm)	PCS	[PW/GW(kg)]
M11069	115mm(6")	115	24	6/120	0.09/11.80
M11070	135mm(8")	135	34	6/60	0.17/11.20
M11071	155mm(10")	155	41	6/48	0.24/12.52
M11072	185mm(12")	185	46	6/36	0.42/16.12

- Short lightweight design with an extra-large jaw opening, ideal for tight spaces.




Jaw Adjustable Wrench

NEW



Item No.	Size	L(mm)	C(mm)		
M11156	150mm(6")	158	19	6/120	0.12/15.40
M11157	200mm(8")	208	24	6/60	0.22/14.20
M11158	250mm(10")	258	29	6/48	0.32/16.30
M11159	300mm(12")	308	36	6/36	0.58/21.80


Stubby Adjustable Wrench with Jaws



Item No.	Size	L(mm)	C(mm)		
M11180	120	120	24	6/120	13.70/ 0.085
M11181	140	140	30	6/60	11.50/ 0.150

- Ultra thin processing at the tip of the head for smaller and narrower spaces


Adjustable Wrench



Item No.	Size	L(mm)	C(mm)		
M11366	150mm(6")	160	24	6 / 72	0.155/11.00
M11367	200mm(8")	210	30	6 / 60	0.270/17.80
M11368	250mm(10")	260	35	6 / 48	0.440/22.80
M11369	300mm(12")	310	41	6 / 36	0.720/28.70

- Wide opening adjustable wrench, with double color comfortable grip
- Body drop-forged with alloy steel
- Precision nut open and close easily
- With laserd metric or SAE scale
- Grip with no-toxic material, meet EU standard
- Box end, can replace box end wrench with the same size
- Iron nickel finish

Multi Function Wide Opening Adjustable Wrench




Item No.	Size	L(mm)	C(mm)		
M11421	150mm(6")	160	24	6 / 72	0.170/14.00
M11422	200mm(8")	210	30	6 / 60	0.270/17.70
M11423	250mm(10")	260	35	6 / 48	0.460/23.70
M11424	300mm(12")	310	41	6 / 36	0.740/28.80

- Multi function wide opening adjustable wrench, Head has function of 2 products-adjustable wrench and pipe wrench , with double color comfortable grip
- Body drop-forged with alloy steel
- Precision nut open and close easily With laserd metric or SAE scale
- Grip made of non-toxic material, meet EU standard
- Box end can work as box end wrench Nickel plated finish

Adjustable Wrench

NEW




Item No.	Size	L(mm)	C(mm)		
M11375	150mm(6")	165	34	6 / 120	0.170 /21.00
M11376	200mm(8")	214	39	6 / 60	0.280 /19.00
M11377	250mm(10")	255	50	6 / 36	0.530 /20.00
M11378	300mm(12")	308	60	6 / 24	0.800 /20.20

- Wide opening adjustable wrench
- Thinner and longer jaws for narrow space working.
- Precision nut,open and close easily.

Slim Wide-Jaw Adjustable Wrench


NEW



Item No.	Size	L(mm)	C(mm)		
M11058	150mm(6")	165	34	6/120	0.109/14.08
M11059	200mm(8")	214	39	6/60	0.272/17.32
M11060	250mm(10")	255	50	6/36	0.495/18.82
M11061	300mm(12")	308	60	6/24	0.749/18.97






- Ultra thin processing at the tip of the head for smaller and narrower spaces






Multi Function Wide Opening Adjustable Wrench



Item No.	Size	L(mm)	C(mm)		
M11432	250mm(10")	258	35	6/48	0.54/27.40
M11433	300mm(12")	308	40	6/36	0.83/30.00

- Head has function of 3 products-hammer,adjustable wrench and pipe wrench
- Body drop-forged with alloy steel
- Precision nut,open and close easily
- With laser metric or SAE scale
- Grip with no-toxic material,meet EU standard





Adjustable Auto Wrench



Item No.	Size	L(mm)	C(mm)		
M11778	230mm (9")	230	62	5/30	0.80/24.60
M11779	280mm (11")	280	78	5/30	0.81/25.60
M11780	375mm (15")	375	82	2/12	1.54/19.30

- Heat Treatment, High quality polished and chromed plated
- Super wide opening, suitable to load and unload big screw and also for pipeline installation

L Wrench



Item No.	Size	L (mm)	L1 (mm)	L2 (mm)		
M48806	6mm	102	24.6	24	40 / 240	0.030 / 8.60
M48807	7mm	106	26.3	26	40 / 240	0.040 / 11.50
M48808	8mm	114	29.8	29.5	25 / 150	0.060 / 10.00
M48809	9mm	122	31.4	31	25 / 150	0.070 / 11.20
M48810	10mm	129	34.5	36	25 / 150	0.090 / 14.50
M48811	11mm	136	36.0	37.5	20 / 120	0.110 / 14.20
M48812	12mm	144	42.1	40	20 / 120	0.150 / 19.00
M48813	13mm	152	43.6	42	20 / 120	0.170 / 21.40
M48814	14mm	160	46.4	44.5	18 / 72	0.210 / 15.90
M48815	15mm	169	48.1	47	18 / 72	0.220 / 16.60
M48816	16mm	178	54.7	51	12 / 48	0.290 / 14.80
M48817	17mm	187	56.8	53	12 / 48	0.300 / 15.20
M48818	18mm	195	58.4	54	12 / 48	0.310 / 15.70
M48819	19mm	204	61.0	57	12 / 48	0.420 / 21.20
M48820	20mm	212	62.2	59	12 / 48	0.450 / 23.60
M48821	21mm	221	64.9	62	10 / 40	0.470 / 19.80
M48822	22mm	230	67.2	64	10 / 40	0.540 / 22.60
M48823	23mm	240	77.2	67.5	8 / 32	0.660 / 22.10
M48824	24mm	250	78.7	71	8 / 32	0.680 / 22.50
M48825	25mm	260	81.2	75	6 / 24	0.810 / 20.40
M48826	26mm	270	82.7	77.5	8 / 24	0.860 / 21.70
M48827	27mm	280	85.9	78	8 / 24	1.000 / 25.10
M48828	28mm	290	87.0	80	6 / 18	1.060 / 20.20
M48829	29mm	300	87.0	82	6 / 18	1.070 / 19.40
M48830	30mm	310	95.7	86	6 / 18	1.210 / 22.90
M48831	31mm	320	98.1	92	5 / 15	1.260 / 20.10
M48832	32mm	330	99.0	92	5 / 15	1.420 / 23.50
M48833	33mm	340	105.7	101	2 / 12	1.480 / 19.00
M48834	34mm	350	107.2	102	2 / 12	1.550 / 19.80
M48835	35mm	360	108.3	103	2 / 12	1.560 / 19.90
M48836	36mm	370	110.5	104	2 / 12	1.650 / 21.00
M48838	38mm	390	117.2	110	2 / 12	2.110 / 26.50

- With industry precision and strength, forged with CRV steel, don't influenced by the length of the screw

Long Combination Wrench



Item No.	Size	L (mm)		
M14207	6mm	126	10 / 200	0.022 / 4.50
M14208	7mm	127	10 / 200	0.022 / 5.50
M14209	8mm	140	10 / 200	0.033 / 7.50
M14210	9mm	150	10 / 200	0.043 / 9.50
M14211	10mm	160	10 / 200	0.051 / 11.00
M14212	11mm	166	10 / 200	0.077 / 16.50
M14213	12mm	170	10 / 200	0.078 / 16.50
M14214	13mm	178	10 / 200	0.090 / 17.50
M14215	14mm	190	5 / 160	0.101 / 17.00
M14216	15mm	198	5 / 150	0.113 / 18.00
M14217	16mm	208	5 / 150	0.128 / 20.00
M14218	17mm	224	5 / 150	0.173 / 27.00
M14219	18mm	235	5 / 140	0.183 / 26.00
M14220	19mm	248	5 / 120	0.202 / 25.00
M14221	20mm	250	5 / 100	0.200 / 21.00
M14222	21mm	272	5 / 100	0.235 / 24.00
M14223	22mm	292	5 / 100	0.300 / 31.00
M14224	23mm	295	5 / 80	0.298 / 25.00
M14225	24mm	312	5 / 80	0.303 / 35.00
M14228	27mm	335	5 / 80	0.488 / 35.00
M14231	30mm	354	5 / 30	0.567 / 18.00
M14233	32mm	375	5 / 30	0.687 / 21.50

- High quality polished and chromed plated, antirust good
- Body drop forged with CrV

8pcs/10pcs/14pcs/23pcs Combination Wrench Set



Item No.	Size		
M07217	8-22mmx8PCS (8, 9, 10, 12, 14, 17, 19, 22mm)	1/20	1.00 / 21.50
M07218	8-27mmx10PCS (8, 9, 10, 12, 14, 17, 19, 22, 24, 27mm)	1/10	1.78 / 19.30
M09026	8-24mmx14PCS (8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24mm)	1/10	2.10 / 22.00
M07219	6-32mmx14PCS (6, 8, 10, 11, 12, 13, 14, 17, 19, 21, 24, 27, 30, 32mm)	1/5	3.40 / 18.00
M09027	6-32mmx23PCS (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32mm)	1/5	5.60 / 28.60

- Durable Packaging, Easy to carry
- Body drop forged with CRV, High quality polished and chromed plated

Long Double Box End Wrench



Item No.	Size	L (mm)		
M12202	5.5x7mm	160	10 / 200	0.047 / 10.50
M12204	8x10mm	175	10 / 200	0.066 / 14.00
M12205	9x11mm	191	10 / 200	0.100 / 21.00
M12206	10x12mm	191	10 / 200	0.100 / 21.00
M12208	12x14mm	210	5 / 200	0.130 / 27.00
M12209	13x15mm	232	5 / 200	0.175 / 36.00
M12210	13x16mm	232	5 / 200	0.175 / 36.00
M12211	14x17mm	232	5 / 200	0.175 / 36.00
M12212	16x18mm	232	5 / 200	0.175 / 36.00
M12213	17x19mm	248	5 / 100	0.225 / 23.00
M12214	18x21mm	272	5 / 80	0.278 / 23.00
M12215	19x21mm	278	5 / 80	0.278 / 23.00
M12216	19x22mm	278	5 / 80	0.278 / 23.00
M12218	22x24mm	320	5 / 50	0.380 / 20.00
M12220	24x27mm	370	5 / 50	0.560 / 29.00
M12221	27x30mm	395	5 / 40	0.615 / 25.50
M12222	30x32mm	415	5 / 25	0.660 / 17.50

- High quality polished and chromed plated, antirust good
- Body drop forged with CrV

8pcs/10pcs/11pcs Long Double Box End Wrench Set



Item No.	Size		
M09011	5.5-27mmx8PCS (5.5x7, 8x10, 10x12, 12x14, 14x17, 17x19, 19x22, 24x27mm)	1 / 20	1.65 / 34.00
M09012	5.5-32mmx10PCS (5.5x7, 8x10, 9x11, 10x12, 12x14, 14x17, 17x19, 19x22, 24x27, 30x32mm)	1 / 10	2.60 / 27.50
M09028	8-27mmx11PCS (8x10, 10x12, 11x13, 12x14, 14x17, 17x19, 19x21, 21x23, 22x24, 23x26, 24x27)	1 / 10	2.96 / 30.50

- Durable Packaging, Easy to carry
- Body drop forged with CrV, High quality polished and chromed plated

Long Double Open End Wrench



Item No.	Size	L (mm)		
M13203	6x7mm	126	10/200	0.025 / 6.00
M13204	8x10mm	145	10/200	0.041 / 9.00
M13205	9x11mm	163	10/200	0.053 / 11.00
M13206	10x12mm	163	10/200	0.058 / 12.00
M13208	12x14mm	181	10/200	0.085 / 18.00
M13209	13x15mm	189	10/200	0.110 / 23.00
M13210	13x16mm	189	10/200	0.110 / 23.00
M13211	14x17mm	199	10/200	0.110 / 23.00
M13212	16x18mm	199	10/200	0.125 / 26.00
M13213	17x19mm	221	5/150	0.193 / 30.00
M13214	18x21mm	221	5/120	0.252 / 31.00
M13216	19x22mm	240	5/120	0.252 / 31.00
M13218	22x24mm	260	5/120	0.322 / 39.00
M13220	24x27mm	287	5/80	0.428 / 35.00
M13221	27x30mm	298	5/50	0.490 / 25.00
M13222	30x32mm	311	5/50	0.620 / 32.00

- High quality polished and chromed plated, antirust good
- Body drop forged with CrV


8pcs/10pcs/13pcs Long Double Open End Wrench Set



Item No.	Size		
M09009	6-24mmx8PCS (6x7, 8x10, 10x12, 12x14, 14x17, 17x19, 19x22, 22x24mm)	1 / 25	1.30 / 33.00
M09010	6-32mmx10PCS (6x7, 8x10, 10x12, 12x14, 14x17, 17x19, 19x22, 22x24, 24x27, 30x32mm)	1 / 15	2.10 / 32.00
M09029	6-32mmx13PCS (6x7, 8x10, 10x12, 11x13, 12x14, 14x17, 17x19, 19x21, 21x23, 22x24, 23x26, 24x27, 30x32mm)	1 / 10	2.55 / 27.00

- Durable Packaging, Easy to carry
- Body drop forged with CrV, High quality polished and chromed plated

Ratcheting Combination Wrench



CrV

Item No.	Size	L (mm)	PCS	PW/GW(kg)
M15208	8mm	140	10/120	0.042/8.00
M15209	9mm	150	10/120	0.054/8.00
M15210	10mm	160	10/120	0.067/11.00
M15211	11mm	165	10/120	0.078/11.00
M15212	12mm	170	10/120	0.071/15.00
M15213	13mm	180	10/120	0.100/15.00
M15214	14mm	190	10/120	0.117/14.00
M15215	15mm	200	10/60	0.133/10.00
M15216	16mm	210	10/60	0.167/11.00
M15217	17mm	225	5/60	0.175/13.00
M15218	18mm	235	5/60	0.225/13.00
M15219	19mm	245	5/60	0.250/15.00
M15220	20mm	245	5/60	0.242/16.00
M15221	21mm	290	5/60	0.200/26.00
M15222	22mm	290	5/60	0.333/25.00
M15223	23mm	290	5/45	0.333/16.50
M15224	24mm	332	5/45	0.510/24.40
M15225	25mm	332	5/45	0.500/24.00
M15226	26mm	359	5/30	0.650/20.80
M15227	27mm	359	5/30	0.650/20.70
M15228	28mm	359	5/30	0.633/20.40
M15230	30mm	404	3/24	0.842/21.20
M15232	32mm	424	3/24	0.979/24.50

- Body drop forged with CrV, Heat Treatment
- High quality polished and chromed plated, antirust good
- Precision ratchet, longer effective life
- Ratchet function can improve working efficiency
- △ No warranty as consumables

12PCS Ratcheting Combination Wrench Set




CrV

Item No.	Size	Set	PW/GW(kg)
M07250	8~19mmx12PCS (8,9,10,11,12,13,14,15,16,17,18,19mm)	5 / 10	1.50 / 16.50

- Body drop forged with CrV, Heat Treatment
- High quality polished and chromed plated, antirust good
- Precision ratchet, longer effective life
- Ratchet function can improve working efficiency
- △ No warranty as consumables

Double Box End Wrench



Item No.	Size	L (mm)	PCS	PW/GW(kg)
M12101	5.5x7mm	118	20/200	0.026/ 6.00
M12103	8 x 10mm	138	20/200	0.036/ 8.00
M12104	9 x 11mm	167	20/200	0.060/ 13.00
M12105	10 x12mm	167	20/200	0.058/ 12.50
M12107	12 x 14mm	190	10/200	0.080/ 17.00
M12108	13 x 15mm	212	5/200	0.125/ 25.00
M12109	13 x 16mm	212	5/200	0.120/ 25.00
M12110	14 x 17mm	216	5/200	0.125/ 26.00
M12111	16 x 18mm	219	5/200	0.130/ 27.50
M12112	17 x 19mm	260	5/100	0.175/ 19.00
M12113	18 x 21mm	269	5/80	0.288/ 25.00
M12115	19 x 22mm	275	5/80	0.281/ 23.00
M12117	22 x 24mm	295	5/50	0.280/ 17.00
M12119	24 x 27mm	341	5/50	0.400/ 21.50
M12120	27 x 30mm	395	5/40	0.563/ 24.00
M12121	30 x 32mm	410	5/25	0.640/ 18.00
M12122	30 x 34mm	425	5/25	0.660/ 20.00
M12124	32 x 36mm	445	5/25	0.720/ 20.00
M12125	34 x 36mm	445	5/25	0.760/ 24.00
M12126	36 x 41mm	457	5/20	0.950/ 21.00
M12127	41 x 46mm	472	5/20	1.225/ 29.00
M12128	46 x 50mm	483	5/20	1.375/ 31.00
M12129	50x 55mm	515	2/10	2.250/ 18.00

- High quality polished and chromed plated, antirust good
- Whole body drop forged with high quality steel for durable use
- △ No warranty as consumables

8PCS/10PCS Professional Long Double Box End Wrench Set



Item No.	Size	Set	PW/GW(kg)
M07221	5.5~27mmx8PCS (5.5x7,8x10,10x12,12x14,14x17,17x19,19x22,24x27mm)	1 / 20	1.20/24.50
M07222	5.5~32mmx10PCS (5.5x7,8x10,9x11,10x12,12x14,14x17,17x19,19x22,24x27,30x32mm)	1 / 10	2.40/27.00

- Durable Packaging, Easy to carry
- Drop forged, High quality polished and chromed plated
- △ No warranty as consumables

Combination Wrench



Item No.	Size	L (mm)	PCS	PW/GW(kg)
M14106	6mm	101	20 / 240	0.022/ 5.00
M14108	8mm	120	20 / 240	0.031/ 8.00
M14109	9mm	130	20 / 240	0.035/ 8.00
M14110	10mm	140	20 / 200	0.045/ 9.00
M14111	11mm	151	20 / 200	0.055/ 11.00
M14112	12mm	161	20 / 200	0.060/ 13.00
M14113	13mm	171	10 / 200	0.075/ 16.00
M14114	14mm	182	10 / 160	0.094/ 17.00
M14115	15mm	191	10 / 150	0.107/ 18.00
M14116	16mm	201	10 / 150	0.127/ 20.00
M14117	17mm	210	10 / 150	0.143/ 23.00
M14118	18mm	220	10 / 140	0.168/ 24.00
M14119	19mm	231	10 / 120	0.192/ 24.00
M14120	20mm	241	10/ 100	0.210/ 22.00
M14121	21mm	252	10 / 100	0.235/ 25.00
M14122	22mm	261	10 / 100	0.265/ 28.00
M14123	23mm	274	5 / 80	0.300/ 26.00
M14124	24mm	286	5 / 80	0.331/ 27.00
M14127	27mm	320	5 / 80	0.475/ 30.00
M14130	30mm	336	5 / 30	0.617/ 19.00
M14132	32mm	362	5 / 30	0.717/ 22.00
M14134	34mm	453	5 / 20	0.850/ 16.00
M14136	36mm	453	5 / 20	1.125/ 22.00
M14138	38mm	467	5 / 20	1.075/ 23.00
M14140	40mm	480	5 / 10	1.300/ 14.00
M14141	41mm	480	5 / 10	1.300/ 13.00
M14146	46mm	508	5 / 10	1.500/ 18.00
M14150	50mm	508	5 / 10	2.150/ 23.20
M14155	55mm	665	2 / 10	2.700/ 30.00
M14160	60mm	700	2 / 10	3.800/ 34.00

- High quality polished and chromed plated, antirust good
- Whole body drop forged with high quality steel for durable use
- △ No warranty as consumables

8PCS/10PCS/14PCS Combination Wrench Set



Item No.	Size	Set	PW/GW(kg)
M07211	8~22mmx8PCS (8,9,10,12,14,17,19,22mm)	1/20	1.00/21.70
M07212	8~27mmx10PCS (8,9,10,12,14,17,19,22,24,27mm)	1/15	1.86/29.50
M07213	8~24mmx14PCS (8,9,10,11,12,13,14,15,16,17,18,21,22,24mm)	1/10	2.05/22.00
M07214	6~32mmx14PCS (6,8,10,11,12,13,14,17,19,21,24,27,30,32mm)	1/5	3.30/18.00

- Durable Packaging, Easy to carry
- Drop forged, High quality polished and chromed plated
- △ No warranty as consumables

Double Open End Wrench



Item No.	Size	L (mm)	PCS	PW/GW(kg)
M13102	6 x 7mm	108	20 / 200	0.033/ 6.90
M13103	8 x 10mm	122	20 / 200	0.043/ 8.90
M13104	9 x1 1mm	132	20 / 200	0.525/11.50
M13105	10 x 12mm	136	20 / 200	0.058/12.10
M13107	12 x 14mm	151	20 / 200	0.078/16.40
M13108	13 x15mm	159	20 / 200	0.088/18.30
M13109	13 x16mm	159	20 / 200	0.090/18.70
M13110	14 x17mm	165	20 / 200	0.105/22.50
M13111	16 x 18mm	173	20 / 200	0.120/25.30
M13112	17 x19mm	186	10 / 150	0.140/22.50
M13113	18 x 21mm	202	10 / 120	0.167/21.30
M13115	19 x 22mm	207	10 / 120	0.183/23.40
M13117	22 x 24mm	229	10 / 120	0.242/31.10
M13119	24x 27mm	244	5 / 80	0.325/27.60
M13120	27 x 30mm	268	5 / 50	0.420/22.20
M13121	30 x 32mm	280	5 / 50	0.500/26.50
M13124	32 x 36mm	316	5 / 50	0.525/32.10
M13125	34 x36mm	316	5 / 30	0.200/19.00
M13126	36 x 41mm	336	5 / 30	0.733/24.00
M13127	41x 46mm	371	5 / 20	1.000/21.50
M13128	46 x 50mm	400	2 / 10	1.970/20.40
M13129	50 x 55mm	443	2 / 10	2.000/21.80





- High quality polished and chromed plated, antirust good
- Whole body drop forged with high quality steel for durable use
- △ No warranty as consumables

8PCS 10PCS Double Open End Wrench Set



Item No.	Size	Set	PW/GW(kg)
M 07201	6~24mmx8PCS (6x7,8x10,10x12,12x14,14x17,17x19,19x22,22x24mm)	1/16	3.125/18.10
M 07202	6~32mmx10PCS (6x7,8x10,10x12,12x14,14x17,17x19,19x22,22x24,24x27,30x32mm)	1/8	2.800/16.70

- Durable Packaging, Easy to carry
- Drop forged, High quality polished and chromed plated
- △ No warranty as consumables



Industrial Grade Combination Wrench SAE

CrV



Item No.	Size	L (mm)	PCS	[PW/GW(kg)]
M14050	1/4"	125	10/ 200	0.02/ 4.50
M14051	5/16"	140	10/ 200	0.03/ 7.50
M14052	3/8"	160	10/ 200	0.05/ 11.00
M14053	7/16"	165	10/ 200	0.08/ 16.50
M14054	1/2"	180	10/ 200	0.09/ 17.50
M14055	9/16"	190	5/ 160	0.10/ 17.00
M14056	5/8"	208	5/ 150	0.12/ 20.00
M14057	11/16"	225	5/ 100	0.17/ 18.50
M14058	3/4"	250	5/ 100	0.20/ 21.50
M14059	13/16"	270	5/ 80	0.23/ 19.50
M14060	7/8"	292	5/ 50	0.30/ 16.50
M14061	15/16"	312	5/ 50	0.30/ 16.50
M14062	1"	323	5/ 50	0.41 22.00
M14063	1-1/16"	335	5/ 40	0.46/ 19.50
M14064	1-1/8"	352	5/ 40	0.57/ 24.00
M14065	1-1/4"	375	5/ 30	0.69/ 22.00

- Hight quality polished and chromed plated,antirust good
- Whole body drop forged with CrV
- ⚠ No warranty as consumables

Industrial Grade Double Box-end Wrench SAE

CrV



Item No.	Size	L (mm)	PCS	[PW/GW(kg)]
M12240	1/4"x5/16"	160	10/200	0.04/ 10.00
M12241	3/8"x13/32"	190	10/200	0.10/ 21.00
M12242	7/16"x1/2"	210	10/100	0.13/ 14.00
M12243	9/16"x19/32"	232	5/100	0.17/ 18.00
M12244	5/8"x11/16"	232	5/100	0.17/ 18.50
M12245	3/4"x13/16"	275	5/50	0.28/ 15.00
M12246	13/16"x7/8"	275	5/50	0.28/ 15.00
M12247	7/8"x15/16"	320	5/50	0.38/ 20.50
M12248	15/16"x1"	370	5/30	0.56/ 18.00
M12249	1"x1-1/16"	370	5/30	0.56/ 18.00
M12250	1-1/16"x1-1/8"	395	5/30	0.62/ 20.00
M12251	1-1/8"x1-1/4"	415	5/30	0.66/ 21.00

- Hight quality polished and chromed plated,antirust good
- Whole body drop forged with CrV
- ⚠ No warranty as consumables

Industrial Grade Double Open-end Wrench SAE

CrV



Item No.	Size	L (mm)	PCS	[PW/GW(kg)]
M13237	1/4"x5/16"	125	10 / 200	0.02/ 6.00
M13238	3/8"x13/32"	162	10 / 200	0.05/ 12.00
M13239	7/16"x1/2"	180	10 / 200	0.08/ 18.00
M13240	9/16"x19/32"	197	10 / 160	0.11/ 18.50
M13241	5/8"x11/16"	197	10 / 160	0.12/ 20.50
M13242	3/4"x13/16"	240	5 / 80	0.25/ 21.00
M13243	13/16"x7/8"	240	5 / 80	0.25/ 21.00
M13244	7/8"x15/16"	260	5 / 60	0.32/ 20.50
M13245	15/16"x1"	286	5 / 40	0.42/ 18.50
M13246	1"x1-1/16"	286	5 / 40	0.43/ 18.50
M13247	1-1/16"x1-1/8"	296	5 / 30	0.49/ 16.00
M13248	1-1/8"x1-1/4"	310	5 / 30	0.62/ 20.50

- Hight quality polished and chromed plated,antirust good
- Whole body drop forged with CrV
- ⚠ No warranty as consumables

8 pcs/10pcs Combination Wrench Set, SAE



Item No.	Size	Set	[PW/GW(kg)]
M07216	8PCS (5/16",3/8",7/16",1/2",9/16",5/8",3/4",7/8")	1/ 20	1.00/ 21.50
M07220	10PCS (5/16",3/8",7/16",1/2",9/16",5/8",3/4",7/8",15/16",1")	1/10	1.78/ 19.30

- Durable Packaging, Easy to carry
- Body drop forged with CrV, High quality polished and chromed plated
- ⚠ No warranty as consumables


Quick Ratcheting Double Wrench



Item No.	Size	L (mm)	PCS	[PW/GW(kg)]
M15018	6x6mm	120	10/240	0.04/ 10.12
M15019	6x8mm	120	10/240	0.04/ 10.12
M15020	8x9mm	120	10/240	0.04/ 10.84
M15021	8x10mm	130	10/240	0.05/ 12.28
M15022	10x11mm	150	10/240	0.06/ 16.60
M15023	12x13mm	170	10/150	0.10/ 15.70
M15024	12x14mm	170	10/150	0.10/ 15.40
M15025	14x15mm	190	10/100	0.12/ 13.50
M15026	16x18mm	200	10/100	0.17/ 18.60
M15027	17x19mm	230	10/100	0.21/ 22.00
M15028	18x19mm	230	10/100	0.22/ 23.10

- Made of drop forged chrome vanadium steel, durable and high hardness. Sandblasted matte surface, wear-resistant and rust-proof.
- Double ratchet head design, quick and easy to use.
- ⚠ No warranty as consumables


Slugging Box Wrench



Item No.	Size	L (mm)	D (mm)	PCS	[PW/GW(kg)]
M16017	17mm	145	32	60	0.13/ 9.00
M16019	19mm	145	32	60	0.14/ 9.00
M16022	22mm	165	42	60	0.27/ 17.00
M16024	24mm	165	42	60	0.19/ 12.20
M16027	27mm	175	46	36	0.32/ 12.20
M16030	30mm	185	53	36	0.42/ 16.40
M16032	32mm	185	53	36	0.41/ 16.00
M16034	34mm	200	55	36	0.50/ 16.50
M16036	36mm	205	58	24	0.49/ 13.00
M16038	38mm	215	61	24	0.55/ 14.50
M16041	41mm	225	64	24	0.62/ 16.00
M16046	46mm	235	73	24	0.96/ 24.20
M16050	50mm	250	78	18	1.00/ 19.00
M16055	55mm	265	86	12	1.50/ 19.40
M16060	60mm	274	92	12	1.50/ 19.80
M16065	65mm	298	102	12	2.00/ 25.30
M16070	70mm	320	108	8	2.25/ 19.10
M16075	75mm	326	113	8	2.37/ 20.20
M16080	80mm	350	124	6	3.17/ 20.00
M16085	85mm	355	130	4	4.05/ 17.00
M16090	90mm	390	142	2	5.50/ 12.50
M16095	95mm	390	142	2	6.00/ 13.00
M16105	105mm	420	155	2	7.00/ 15.00
M16115	115mm	450	168	2	5.00/ 12.00
M16125	125mm	480	182	1	5.00/ 6.00
M16130	130mm	520	200	1	5.50/ 6.50
M16135	135mm	520	200	1	5.50/ 6.50
M16140	140mm	520	200	1	6.00/ 7.00

- It is integrally forged with 40CR material and its surface is sprayed with black plastic, thick and durable
- The style is the most popular in Europe • Through DIN standards

Slugging Open-end Wrench



Item No.	Size	L (mm)	D (mm)	PCS	[PW/GW(kg)]
M16223	22mm	135	46	60	0.17/ 10.40
M16225	24mm	150	50	60	0.19/ 12.20
M16228	27mm	175	57	36	0.32/ 12.20
M16231	30mm	190	64	36	0.42/ 16.40
M16233	32mm	190	66	36	0.47/ 18.00
M16235	34mm	200	71	36	0.53/ 20.50
M16237	36mm	210	75	24	0.62/ 16.20
M16239	38mm	220	82	24	0.71/ 18.40
M16242	41mm	230	87	24	0.98/ 24.70
M16247	46mm	250	98	18	1.28/ 24.36
M16251	50mm	275	108	12	1.41/ 18.32
M16256	55mm	305	117	12	1.90/ 24.00
M16261	60mm	315	128	8	2.19/ 18.20
M16266	65mm	335	141	8	3.00/ 25.70
M16271	70mm	370	156	6	3.66/ 23.30
M16276	75mm	375	162	4	4.25/ 18.00
M16281	80mm	400	174	4	5.50/ 23.00
M16286	85mm	400	174	4	5.25/ 22.00

- It is integrally forged with 40CR material and its surface is sprayed with black plastic, thick and durable
- The style is the most popular in Europe • Through DIN standards

Ball Point Hex Key set



9PCS Long Arm Ball Point Hex Key set

Item No.	Size	set	PW/GW(kg)
M 07942	9PCS (1.5,2,2.5,3,4,5,6,8,10mm)	5/50	0.42 / 21.00

9PCS Extra Long Arm Ball Point Hex Key set

Item No.	Size	set	PW/GW(kg)
M 07943	9PCS (1.5,2,2.5,3,4,5,6,8,10mm)	5/40	0.52 / 20.80

- Made of S2 ,Hexagonal ends to fit into nuts.
- Ball end design, easy to be used in narrow area
- Mirror polished with double nickel chrome plated, easy to be taking and using

S2 Ballpoint Brass Hex Key Set

S2



9PCS Long S2 Ballpoint Brass Hex Key Set

Item No.	Size	set	PW/GW(kg)
M07942A	9PCS (1.5,2,2.5,3,4,5,6,8,10mm)	5 / 50	0.38 / 21.00

9PCS Extra Long S2 Ballpoint Brass Hex Key Set

Item No.	Size	set	PW/GW(kg)
M07943A	9PCS (1.5,2,2.5,3,4,5,6,8,10mm)	5 / 40	0.47 / 20.50

- Made of S2 .
- Ball end design, easy to be used in narrow area
- Mirror polished with double nickel chrome plated, easy to be taking and using

Hex Key Set With Ball Point,Satin Finish



9PCS Long Arm Hex Key Set With Ball Point ,Satin Finish

Item No.	Size	set	PW/GW(kg)
M07932	9PCS (1.5,2,2.5,3,4,5,6,8,10mm)	6 / 60	0.36 / 23.60

9PCS Extra Long Arm Hex Key Set With Ball Point ,Satin Finish

Item No.	Size	set	PW/GW(kg)
M07933	9PCS (1.5,2,2.5,3,4,5,6,8,10mm)	6 / 48	0.45 / 23.60

Hex Key Set

CrV



Item No.	Size	set	PW/GW(kg)
M07913	9PCS (3,4,5,6,8,10,12,14,17mm)	10	1.80/18.00
M07914	10PCS (3,4,5,6,8,10,12,14,17,19mm)	8	2.58/21.60

- Fully hardened and tempered, Hexagonal ends to fit into nuts.
- Easy to be taking and using
- ⚠ No warranty as consumables

Ball Point Hex Key set



CrV

9PCS Long Arm Ball Point Hex Key set, Metric

Item No.	Size	set	PW/GW(kg)
M09105	9PCS (1.5,2,2.5,3,4,5,6,8,10mm)	6/60	0.34 / 24.20

9PCS Extra Long Arm Ball Point Hex Key set, Metric

Item No.	Size	set	PW/GW(kg)
M09101	9PCS (1.5,2,2.5,3,4,5,6,8,10mm)	6/48	0.46 / 23.60

- Made of CrV, mirror polished with double nickel chrome plated, easy to be taking and using
- ⚠ No warranty as consumables

Hex Key Set,Metric



CrV

9PCS Long Arm Hex Key Set

Item No.	Size	set	PW/GW(kg)
M09107	9PCS (1.5,2,2.5,3,4,5,6,8,10mm)	6 / 60	0.34 / 24.00

9PCS Extra Long Arm Hex Key Set

Item No.	Size	set	PW/GW(kg)
M09103	9PCS (1.5,2,2.5,3,4,5,6,8,10mm)	6 / 48	0.49 / 23.50

- Made of Cr-V steel, polished, chrome plated and heat-treated.
- Plastic holder for easy portability and use.
- ⚠ No warranty as consumables

Ball Point Hex Key set,SAE



CrV

9PCS Long Arm Ball Point Hex Key set, SAE

Item No.	Size	set	PW/GW(kg)
M07937	9PCS (1/16",5/64",3/32",1/8",5/32",3/16",1/4",5/16",3/8")	10 / 60	0.35 / 22.40

9PCS Extra Long Arm Ball Point Hex Key set, SAE

Item No.	Size	set	PW/GW(kg)
M07938	9PCS (1/16",5/64",3/32",1/8",5/32",3/16",1/4",5/16",3/8")	12 / 48	0.44 / 22.70

- Made of CrV, mirror polished with double nickel chrome plated, easy to be taking and using
- ⚠ No warranty as consumables






12PCS Long Arm Ball Point Plated Hex Key Set, SAE



CrV

货号 Item No.	规格 Size	set	PW/GW(kg)
M09106	12PCS (1/16",5/64",3/32",7/64",1/8",9/64",5/32",3/16",7/32",1/4",5/16",3/8")	6 / 36	0.39 / 16.78

- Made of CrV steel, polished, chrome plated and heat-treated.
- Plastic holder for easy portability and use.
- Ball end for easy offset use.
- ⚠ No warranty as consumables



12PCS Eatra Long Ball Point Hex Key Set, SAE



S2

Item No	Size		
M09108	12PCS (1/16",5/64",3/32",7/64",1/8",9/64",5/32", 3/16",7/32",1/4",5/16",3/8")	6 / 36	0.50 / 19.20

- Matte chrome-plated surface for better appearance and better rust resistance performance.
 - Made of S2 alloy steel with heat treatment.
 - Ball end for easy offset use.
- ⚠ No warranty as consumables

Hex Key Set,SAE

CrV



9PCS Long Arm Hex Key Set

Item No	Size		
M07922	9PCS (1/16",5/64",3/32",1/8",5/32",3/16", 1/4",5/16",3/8")	10 / 60	0.350 / 22.40

9PCS Extra Long Arm Hex Key Set

Item No	Size		
M07923	9PCS (1/16",5/64",3/32",1/8",5/32",3/16", 1/4",5/16",3/8")	12 / 48	0.438 / 22.70

- Made of CrV. mirror polished with double nickel chrome plated, easy to be taking and using
- ⚠ No warranty as consumables

Long Arm Torx Key Set

CrV



Item No	Size		
M07955	9PCS (T10,T15,T20,T25,T27,T30,T40,T45,T50)	6 / 60	0.367 / 23.80

- Made of CrV, mirror polished with double nickel chrome plated, easy to be taking and using.
- ⚠ No warranty as consumables





9PCS Long Arm Tamper Proof Torx Key Set

CrV



Item No	Size		
M09715	9PCS (T10,T15,T20,T25,T27,T30,T40,T45,T50)	6 / 60	0.367 / 23.70

- Made of CrV, mirror polished with double nickel chrome plated, easy to be taking and using.
- ⚠ No warranty as consumables



9pcs Colorful Long Arm Tamper Proof Torx Key Set

S2

NEW



Item No	Size		
M07906	9PCS (T10,T15,T20,T25,T27,T30,T40,T45,T50)	6 / 60	0.367 / 23.80

- Made of S2, easy to be taking and using.
- ⚠ No warranty as consumables

9pcs Colorful Long Arm Ball Point Plated Hex Key Set,Metric

S2

NEW



Item No	Size		
M07905	9PCS (1.5,2,2.5,3,4,5,6,8,10mm)	5 / 50	0.42 / 21.0

- Made of S2, easy to be taking and using.
- ⚠ No warranty as consumables

The hex key features a ball head design, which allows it to move within a 25° space, making it convenient for angled operations in tight spaces.

Movement Space

∠25°


∠25°

- Water spray test
- Resistant to rust
- Overall deburring treatment
- Smooth and flat surface



T-handle Hex Key

CrV



Item No	Size(mm)	L1 (mm)	L2 (mm)	C1 (mm)	PCS	[PW/GW(kg)]
M22401	2	135	73.5	96	20 / 400	0.023/10.00
M22402	2.5	135	73.5	96	20 / 400	0.023/10.50
M22403	3	135	73.5	96	20 / 400	0.025/11.70
M22404	4	135	73.5	96	20 / 400	0.033/14.30
M22405	4.5	135	73.5	96	20 / 400	0.035/15.80
M22406	5	145	90	97	20 / 400	0.060/28.00
M22407	5.5	145	90	97	20 / 400	0.043/28.40
M22408	6	145	90	97	20 / 400	0.071/30.10
M22409	8	145	90	97	20 / 200	0.095/20.80
M22410	10	145	90	97	20 / 200	0.130/27.40

- Made of CrV, mirror polished with double nickel chrome plated.
- With comfortable grip.

⚠ No warranty as consumables

T-handle Ball Point Hex Key

CrV




Item No	Size	PCS	[PW/GW(kg)]
M07947	10PCS (2,2.5,3,4,4.5,5,5.5,6,8,10mm)	1 / 20	0.800 / 18.80

- Made of CrV, mirror polished with double nickel chrome plated, easy to be taking and using

T-handle Hex Key

CrV



Item No	Size(mm)	L1 (mm)	L2 (mm)	C1 (mm)	C2 (mm)	PCS	[PW/GW(kg)]
M22301	2	136.5	52.5	100	15	20 / 400	0.021/9.20
M22302	2.5	136.5	52.5	100	15	20 / 400	0.023/10.30
M22303	3	136.5	52.5	100	15	20 / 400	0.025/11.70
M22304	4	136.5	52.5	100	15	20 / 400	0.033/14.80
M22305	5	196	67.5	150	15	20 / 200	0.070/15.90
M22306	6	196	67.5	150	15	20 / 200	0.090/19.50
M22308	8	260	81	200	15	20 / 100	0.200/21.20
M22310	10	260	81	200	15	20 / 100	0.270/28.70


- Made of CrV, mirror polished with double nickel chrome plated.
- With comfortable grip.

⚠ No warranty as consumables

Extra Long Arm Ball Point Hex Key- Industrial Grade



S2




Item No	Size(mm)	L1 (mm)	L2 (mm)	PCS	[PW/GW(kg)]
M21009	1.5	91.5	15.5	240/960	0.002/1.90
M21010	2.0	102	18	240/960	0.003/2.90
M21011	2.5	114.5	20.5	240/960	0.005/4.80
M21012	3.0	129	23	240/960	0.009/8.60
M21013	4.0	144	29	120/480	0.018/8.60
M21014	5.0	165	33	120/480	0.031/15.90
M21015	6.0	186	38	60/120	0.050/16.60
M21017	8.0	208	44	60/120	0.100/12.00
M21019	10	234	50	60/120	0.180/21.60

- Made of S2
- Fully hardened and tempered. Hexagonal ends to fit into nuts.
- Ball end design, easy to be used in narrow area.

⚠ No warranty as consumables

Long Arm Hex Key, Metric

CrV




Item No	Size(mm)	L1 (mm)	L2 (mm)	PCS	[PW/GW(kg)]
M20100	1.5	63.5	15.5	240/ 960	0.002/ 1.90
M20101	2.0	77	18	240/ 960	0.003/ 2.90
M20102	2.5	87.5	20.5	240/ 960	0.005/ 4.80
M20103	3.0	93	23	240/ 960	0.007/ 6.70
M20104	4.0	104	29	120/ 480	0.016/ 7.50
M20105	5.0	120	33	120/ 480	0.024/ 12.50
M20106	6.0	141	38	60/ 240	0.039/ 10.70
M20107	7.0	147	41	60/ 300	0.057/ 18.00
M20108	8.0	158	44	60/ 240	0.080/ 20.20
M20109	9.0	169	47	40/ 160	0.106/ 18.00
M20110	10	180	50	60/ 240	0.140/ 35.10
M20112	12	202	57	30/ 90	0.230/ 22.00
M20114	14	229	70	8/ 80	0.360/ 29.40
M20116	16	240	76m	6/ 48	0.500/ 25.00
M20117	17	262	80	6/ 48	0.590/ 29.30
M20118	18	262	84	6/ 24	0.708/ 18.00
M20119	19	284	89	6/ 24	0.820/ 20.30
M20122	22	310	102	6/ 18	1.190/ 22.20
M20124	24	356	114	2/ 18	1.690/ 30.40
M20127	27	386	127	2/ 10	2.290/ 23.50
M20128	28	390	130	2/ 8	2.550/ 20.40
M20129	29	423	141	2/ 8	3.000/ 24.00
M20130	30	426	142	2/ 6	3.200/ 19.20
M20132	32	471	157	2/ 6	3.900/ 24.20
M20136	36	528	176	2/ 4	5.600/ 22.80

- Made of CrV. Fully hardened and tempered. Hexagonal ends to fit into nuts.Strong torsion

⚠ This product is a consumable item, excluded from Maxpower's lifetime warranty

Extra Long Arm Hex Key, Metric

CrV




Item No	Size(mm)	L1 (mm)	L2 (mm)	PCS	[PW/GW(kg)]
M20201	1.5	91.5	15.5	240/ 960	0.002/ 1.90
M20202	2.0	102	18	240/ 960	0.003/ 2.90
M20203	2.5	114.5	20.5	240/ 960	0.005/ 4.80
M20204	3.0	129	23	240/ 960	0.009/ 8.60
M20205	4.0	144	29	120/ 480	0.020/ 28.00
M20206	5.0	165	33	120/ 480	0.031/ 25.80
M20207	6.0	186	38	60/ 120	0.049/ 23.50
M20209	8.0	208	44	60/ 120	0.100/ 30.00
M20211	10	234	50	60/ 120	0.160/ 25.60
M20213	12	262	57	30/ 90	0.290/ 26.10
M20215	14	294	70	8/ 80	0.440/ 35.20
M20218	17	337	80	6/ 48	0.760/ 36.50
M20220	19	364	89	6/ 24	1.020/ 24.50
M20223	22	408	102	6/ 18	1.250/ 22.50

- Made of CrV. Fully hardened and tempered. Hexagonal ends to fit into nuts.Strong torsion

⚠ No warranty as consumables

Long Arm Ball Point Hex Key

CrV




Item No	Size(mm)	L1 (mm)	L2 (mm)	PCS	[PW/GW(kg)]
M21100	1.5	63.5	15.5	240/ 960	0.002/ 1.90
M21101	2.0	77	18	240/ 960	0.003/ 2.90
M21102	2.5	87.5	20.5	240/ 960	0.005/ 4.80
M21103	3.0	93	23	240/ 960	0.007/ 7.50
M21104	4.0	104	29	120/ 480	0.014/ 7.50
M21105	5.0	120	33	120/ 480	0.023/ 12.60
M21106	6.0	141	38	60/ 240	0.040/ 10.5
M21108	8.0	158	44	60/ 240	0.080/ 9.60
M21110	10	180	50	60/ 240	0.150/ 24.00
M21112	12	202	57	30/ 90	0.220/ 21.50
M21114	14	229	70	8/ 80	0.350/ 29.00
M21117	17	262	80	6/ 48	0.600/ 28.80
M21119	19	284	89	6/ 24	0.830/ 29.90
M21122	22	310	102	6/ 18	1.170/ 21.80

- Made of CrV.,Torque can exceed ASME standard 30%
- Fully hardened and tempered. Hexagonal ends to fit into nuts.
- Ball end design, easy to be used in narrow area.

⚠ This product is a consumable item, excluded from Maxpower's lifetime warranty.

Extra Long Arm Ball Point Hex Key

CrV



Item No	Size(mm)	L1 (mm)	L2 (mm)	PCS	[PW/GW(kg)]
M21201	1.5	91.5	15.5	240/ 960	0.002/ 1.90
M21202	2.0	102	18	240/ 960	0.003/ 2.90
M21203	2.5	114.5	20.5	240/ 960	0.006/ 5.80
M21204	3.0	129	23	240/ 960	0.009/ 8.60
M21205	4.0	144	29	120/ 480	0.018/ 25.20
M21206	5.0	165	33	120/ 480	0.030/ 15.90
M21207	6.0	186	38	60/ 120	0.050/ 6.00
M21209	8.0	208	44	60/ 120	0.110/ 12.60
M21211	10	234	50	60/ 120	0.180/ 22.00
M21213	12	262	57	30/ 90	0.280/ 27.00
M21215	14	294	70	8/ 80	0.325/ 27.00
M21218	17	337	80	6/ 48	0.313/ 16.00
M21220	19	364	89	6/ 24	1.000/ 25.00
M21223	22	408	102	6/ 18	1.222/ 23.00

- Made of CrV.,Torque can exceed ASME standard 30%
- Fully hardened and tempered. Hexagonal ends to fit into nuts.
- Ball end design, easy to be used in narrow area.

⚠ This product is a consumable item, excluded from Maxpower's lifetime warranty.

Double Tail Ratchet Wrench




DETAILS DISPLAY



The ergonomic design provides a comfortable grip

The pointed end can be used as a lever.



货号 Item No.	规格 Size	总长L (mm)	B (mm)	C (mm)	PCS	[P.W/GW(kg)]
M15504	10-12mm	225	37	31	2/40	0.20/9.0
M15505	12-14mm	225	37	31	2/40	0.20/9.0
M15506	14-17mm	265	45	35	2/40	0.26/11.4
M15507	16-18mm	310	52	42	2/40	0.46/19.4
M15508	17-19mm	310	52	42	2/40	0.46/19.4
M15509	17-21mm	310	52	42	2/40	0.45/19.0
M15511	19-21mm	310	52	42	2/40	0.45/19.0
M15512	19-22mm	310	52	42	2/40	0.45/19.0
M15513	19-24mm	365	55	51	2/32	0.70/23.4
M15514	22-24mm	365	55	51	2/32	0.70/23.4
M15515	24-27mm	365	55	51	2/32	0.70/23.4
M15516	27-30mm	400	62	58	2/20	0.90/19.0
M15517	30-32mm	400	62	58	2/20	0.90/19.0
M15518	32-36mm	445	68	80	2/12	1.80/22.6
M15519	36-41mm	445	68	80	2/12	1.75/22.0
M15520	41-46mm	445	68	80	2/12	1.75/22.0

- Body drop-forged with super alloy steel chrome plated
- Strong torque designed, suitable for heavy work
- ⚠ This product is a consumable item, excluded from Maxpower's lifetime warranty.

Tool Tips

Metric Hex Bolt and Socket Wrench Size Chart

Bolt dimensions	Corresponding wrench or socket size	Bolt dimensions	Corresponding wrench or socket size
M3	5.5mm	M27	41mm
M4	7mm	M30	46mm
M5	8mm	M33	50mm
M6	10mm	M36	55mm
M8	13mm(14mm)	M39	60mm
M10	16mm(17mm)	M42	65mm
M12	18mm(19mm)	M45	70mm
M14	21mm(22mm)	M48	75mm
M16	24mm	M52	80mm
M18	27mm	M56	85mm
M20	30mm	M60	90mm
M22	34mm	M64	95mm
M24	36mm		

Metric Hex Socket Screws and Hex Key Size Chart

Metric Hex Socket Bolt Specifications	Hex Key Corresponding	Metric Hex Socket Bolt Specifications	Hex Key Corresponding
M3	2.5	M14	12
M4	3	M16	14
M5	4	M18	14
M6	5	M20	17
M8	6	M22	17
M10	8	M24	19
M12	10	M27	19

Socket Metric and Imperial Size Conversion Chart

Metric	Imperial Socket
6.3mm	1/4"
10mm	3/8"
12.5mm	1/2"
20mm	3/4"
25mm	1"

Clamping Tools

Pliers 118-119

Snap Ring Pliers.....120-121

Mini Pliers.....122-123

Locking Pliers.....123-130



Slip Joint Pliers.....131

Tower Pliers / Carpenter Pincers131

F-Clamps132


G-Clamps133





Combanition Pliers

CrV




Item No.	size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wkg)
M28111	160mm(6")	165	29	28	10/60	0.22/16.00
M28112	175mm(7")	180	33	34	10/60	0.28/20.00
M28113	200mm(8")	205	36	42	10/60	0.37/26.00

- Made of high-quality 60CrV steel, integral heat treated. With special secondary treatment of the cutting edge for higher hardness and sharper cutting.
- Precision polished and black phosphated body, good looking and better anti-rust performance.
- Patented ergonomic design handle for a comfortable grip.

Power Saving Combination Pliers

CrV




Item No.	size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wkg)
M28456	160mm(6")	165	36	24	10/60	0.20/15.00
M28457	175mm(7")	185	39	27	10/60	0.28/21.00
M28458	200mm(8")	200	42	30	10/60	0.33/23.00

- Made of high-quality 60CrV steel, integral heat treated. With special secondary treatment of the cutting edge for higher hardness and sharper cutting.
- Labor saving eccentric design.
- Precision polished and black phosphated body, good looking and better anti-rust performance.
- Patented ergonomic design handle for a comfortable grip.

Diagonal Cutting Pliers

CrV




Item No.	size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wkg)
M28142	160mm(6")	160	20	19	10/60	0.19/15.00
M28143	200mm(8")	190	26	32	10/60	0.30/22.00

- Made of high-quality 60CrV steel, integral heat treated. With special secondary treatment of the cutting edge for higher hardness and sharper cutting.
- Precision polished and black phosphated body, good looking and better anti-rust performance.
- Patented ergonomic design handle for a comfortable grip.

Power Saving Diagonal Cutting Pliers

CrV




Item No.	size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wkg)
M28466	160mm(6")	165	24	27	10/60	0.21/16.00
M28468	175mm(7")	175	25	28	10/60	0.27/20.00

- Made of high-quality 60CrV steel, integral heat treated. With special secondary treatment of the cutting edge for higher hardness and sharper cutting.
- Labor saving eccentric design.
- Precision polished and black phosphated body, good looking and better anti-rust performance.
- Patented ergonomic design handle for a comfortable grip.

Long Nose Pliers

CrV



Item No.	size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wkg)
M28163	160mm(6")	165	51	48	10/60	0.16/13.00
M28164	200mm(8")	205	67	64	10/60	0.24/18.00

- Made of high-quality 60CrV steel, integral heat treated. With special secondary treatment of the cutting edge for higher hardness and sharper cutting.
- Precision polished and black phosphated body, good looking and better anti-rust performance.
- Patented ergonomic design handle for a comfortable grip.



Power Saving Long Nose Pliers

CrV



Item No.	size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wkg)
M28477	160mm(6")	160	50	45	10/60	0.16/11.00

- Made of high-quality 60CrV steel, integral heat treated. With special secondary treatment of the cutting edge for higher hardness and sharper cutting.
- Labor saving eccentric design.
- Precision polished and black phosphated body, good looking and better anti-rust performance.
- Patented ergonomic design handle for a comfortable grip.



Multifunction Combination Pliers

NEW

CrV



Item No.	size	L (mm)	PCS	PWG(Wkg)
M28270	215mm(8.5")	220	5/50	0.39/20.50

- Eccentric labor-saving design with premiumforged 60CrV steel for strength and durability
- Wire stripping, crimping, cutting.
- Strips 10-18 AWG solid and 12-20 AWG stranded wire, wire terminal crimping from 0.5 to 2.5
- Crosscut teeth help multiple wires stay in position while twisting
- Hardened teeth can also be used as smoothing and shaping files

Multifunction Diagonal Cutting Pliers

NEW

CrV



Item No.	size	L (mm)	PCS	PWG(Wkg)
M28280	200mm(8")	205	5/50	0.34/18.00

- 整体60铬钒钢锻造，工业级省力设计，剪切省力20%
- 刀口二次高频处理，更锋利更耐用
- 带有剥线功能，适用于电路维修，机械修理，五种规格剥线孔，能适用于大部分线径
- 钳体自带压线功能，可以压接多种线径端子
- 钳子两侧带有横齿，可作为简单的锉刀使用
- Eccentric labor-saving design with premiumforged 60CrV steel for strength and durability
- Wire stripping, crimping, cutting.
- Strips 10-18 AWG solid and 12-20 AWG stranded wire, wire terminal crimping from 0.5 to 2.5
- Crosscut teeth help multiple wires stay in position while twisting
- Hardened teeth can also be used as smoothing and shaping files

Multifunction Long Nose Pliers

NEW

CrV




Item No.	size	L (mm)	PCS	PWG(Wkg)
M28275	230mm(9")	238	5/50	0.38/20.00

- Eccentric labor-saving design with premiumforged 60CrV steel for strength and durability
- Wire stripping, crimping, cutting.
- Strips 10-18 AWG solid and 12-20 AWG stranded wire, wire terminal crimping from 0.5 to 2.5
- Crosscut teeth help multiple wires stay in position while twisting
- Hardened teeth can also be used as smoothing and shaping files

Combination Pliers

Industrial grade

CrV



Item No.	size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wkg)
M28449	160mm(6")	165	28	32	5/50	0.27/15.10
M28450	175mm(7")	190	32	37	5/50	0.36/19.50
M28451	200mm(8")	225	36	39	5/50	0.50/26.40

- Body drop-forged with CrV,Heat Treatment
- High quality,hardness of the cutting material up to HRC45
- The function exceed the advanced World level

Diagonal Cutting Pliers

Industrial grade

CrV




Item No.	size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wkg)
M28463	160mm(6")	163	23	31	5/50	0.24/13.00

- Body drop-forged with CrV,Heat Treatment
- High quality,hardness of the cutting material up to HRC45
- The function exceed the advanced World level

Long Nose Pliers





Industrial grade

CrV




Item No.	size	L (mm)	H (mm)	C (mm)	PCS	PWG(Wkg)
M28474	160mm(6")	167	52	51	5/50	0.2/10.50

- Body drop-forged with CrV,Heat Treatment
- High quality,hardness of the cutting material up to HRC45
- The function exceed the advanced World level



Mini Flat Nose Pliers



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity (mm)	PCS	PWG(kg)
M28651	115mm(4.5")	124	27	9	6/60	0.09/6.40

- High quality steel,drop forged,whole body heat treatment,with bi-color dipped handle
- △ No warranty as consumables

Mini Combination Pliers



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity (mm)	PCS	PWG(kg)
M28631	115mm(4.5")	120	21.5	8	6/60	0.08/5.90

- high quality steel,drop forged,whole body heat treatment,with bi-color dipped handle
- △ No warranty as consumables

Mini Diagonal Cutting Pliers



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity (mm)	PCS	PWG(kg)
M28635	115mm(4.5")	110	14	6	6/60	0.10/7.00

- high quality steel,drop forged,whole body heat treatment,with bi-color dipped handle
- △ No warranty as consumables


Mini Long Nose Pliers



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity (mm)	PCS	PWG(kg)
M28639	115mm(4.5")	124	26.5	10	6/60	0.10/6.80

- high quality steel,drop forged,whole body heat treatment,with bi-color dipped handle
- △ No warranty as consumables


Mini Needle Nose Pliers



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity (mm)	PCS	PWG(kg)
M28643	115mm(4.5")	150	54.5	20	6/60	0.09/6.40

- high quality steel,drop forged,whole body heat treatment,with bi-color dipped handle
- △ No warranty as consumables


Mini End Cutting Nippers



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity (mm)	PCS	PWG(kg)
M28655	115mm(4.5")	105	7.5	4	6/60	0.100/7.000




- high quality steel,drop forged,whole body heat treatment,with bi-color dipped handle
- △ No warranty as consumables

Mini Bent Nose Pliers



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity (mm)	PCS	PWG(kg)
M28647	115mm(4.5")	124	29	9	6/60	0.10/6.80

- high quality steel,drop forged,whole body heat treatment,with bi-color dipped handle
- △ No warranty as consumables




4PCS Snap Ring Pliers Set



Item No.	Size	PCS	PWG(kg)
M09251	4PCS	1/60	0.26/9.00

- This circlip pliers can be easily switched between internal and external use.
- Capacity: 10-50mm
- This set includes 4 heads below: 1mm-180°,1.5mm-180°,1.5mm-90°,1.5mm-45°

Snap Ring Pliers



Item No.	Size	L(mm)	Jaw End Diameter Φ(mm)	Snap Ring Range	PCS	PWG(kg)
M28716	150mm(5")	125	1.6	10-22	6/60	0.11/ 7.10
M28717	175mm(7")	170	1.7	19-60	6/60	0.18/12.00
M28718	230mm(9")	220	2.0	40-100	6/60	0.27/17.90

- With special heat treatment on the hand,enhance the strength
- Spring restoration ensure smooth operation
- Anti Slip design on the head
- Do not polish the head of pliers.
- △ No warranty as consumables


Snap Ring Pliers



Item No.	Size	L(mm)	Jaw End Diameter Φ(mm)	Snap Ring Range	PCS	PWG(kg)
M28711	150mm(5")	130	1.6	10-22	6/60	0.11/ 7.10
M28712	175mm(7")	180	1.8	19-60	6/60	0.18/12.00
M28713	230mm(9")	230	2.2	40-100	6/60	0.27/17.90

- With special heat treatment on the hand,enhance the strength
- Spring restoration ensure smooth operation
- Anti Slip design on the head
- Do not polish the head of pliers.
- △ No warranty as consumables


Snap Ring Pliers



Item No.	Size	L(mm)	Jaw End Diameter Φ(mm)	Snap Ring Range	PCS	PWG(kg)
M28721	150mm(5")	130	1.7	10-22	6/60	0.11/ 7.10
M28722	175mm(7")	180	1.7	19-60	6/60	0.18/12.00
M28723	230mm(9")	230	1.9	40-100	6/60	0.27/17.90




- With special heat treatment on the hand,enhance the strength
- Spring restoration ensure smooth operation
- Anti Slip design on the head
- Do not polish the head of pliers.
- △ No warranty as consumables

Snap Ring Pliers



Item No.	Size	L(mm)	Jaw End Diameter Φ(mm)	Snap Ring Range	PCS	PWG(kg)
M28726	150mm(5")	125	1.7	10-22	6/60	0.11/ 7.10
M28727	175mm(7")	170	1.7	19-60	6/60	0.18/12.00
M28728	230mm(9")	215	2.0	40-100	6/60	0.27/17.90

- With special heat treatment on the hand,enhance the strength
- Spring restoration ensure smooth operation
- Anti Slip design on the head
- Do not polish the head of pliers.
- △ No warranty as consumables



Straight Nose Internal Snap Ring Pliers



Item No.	Size	Jaw End Diameter Φ (mm)	Snap Ring Range D	L (mm)	PW(kg)
M28812	0.9x105mm	0.9	8-13	140	0.115
M28813	1.3x105mm	1.3	12-25	140	0.115
M28814	1.8x180mm	1.8	19-60	185	0.215
M28815	2.2x215mm	2.2	40-100	215	0.300
M28816	3.2x310mm	3.2	85-200	310	0.565

- Snap ring range 8-200mm
- Piano wire tips: high distortion resistance.
- Long specially angled tips for optimum circlip holding.
- Identification colour code: saves time.
- Grips in anti-slip granite PVC.

⚠ No warranty as consumables

45° Bent Nose Internal Snap Ring Pliers



Item No.	Size	Jaw End Diameter Φ (mm)	Snap Ring Range D	L (mm)	PW(kg)
M28826	0.9x105mm	0.9	8-13	140	0.115
M28827	1.3x105mm	1.3	12-25	140	0.115
M28828	1.8x180mm	1.8	19-60	180	0.215
M28829	2.2x215mm	2.2	40-100	215	0.312

- Snap ring range 8-100mm
- Piano wire tips: high distortion resistance.
- Long specially angled tips for optimum circlip holding.
- Identification colour code: saves time.
- Grips in anti-slip granite PVC.

⚠ No warranty as consumables

90° Bent Nose Internal Snap Ring Pliers



Item No.	Size	Jaw End Diameter Φ (mm)	Snap Ring Range D	L (mm)	PW(kg)
M28840	0.9x105mm	0.9	8-13	130	0.115
M28841	1.3x105mm	1.3	12-25	130	0.115
M28842	1.8x180mm	1.8	19-60	170	0.215
M28843	2.2x215mm	2.2	40-100	205	0.312
M28844	3.2x310mm	3.2	85-200	290	0.620

- Snap ring range 8-200mm
- Piano wire tips: high distortion resistance.
- Long specially angled tips for optimum circlip holding.
- Identification colour code: saves time.
- Grips in anti-slip granite PVC.

⚠ No warranty as consumables

Straight Nose External Snap Ring Pliers



Item No.	Size	Jaw End Diameter Φ (mm)	Snap Ring Range D	L (mm)	PW(kg)
M28805	0.9x105mm	0.9	3-10	150	0.105
M28806	1.3x105mm	1.3	10-25	150	0.105
M28807	1.8x180mm	1.8	19-60	180	0.175
M28808	2.2x215mm	2.2	40-100	215	0.280
M28809	3.2x310mm	3.2	85-200	310	0.600

- Snap ring range 3-200mm
- Piano wire tips: high distortion resistance.
- Long specially angled tips for optimum circlip holding.
- Identification colour code: saves time.
- Grips in anti-slip granite PVC.

⚠ No warranty as consumables

45° Bent Nose External Snap Ring Pliers



Item No.	Size	Jaw End Diameter Φ (mm)	Snap Ring Range D	L (mm)	PW(kg)
M28819	0.9x105mm	0.9	3-10	145	0.105
M28820	1.3x105mm	1.3	10-25	145	0.105
M28821	1.8x180mm	1.8	19-60	175	0.175
M28822	2.2x215mm	2.2	40-100	215	0.280

- Snap ring range 3-100mm
- Piano wire tips: high distortion resistance.
- Long specially angled tips for optimum circlip holding.
- Identification colour code: saves time.
- Grips in anti-slip granite PVC.

⚠ No warranty as consumables

90° Bent Nose External Snap Ring Pliers



Item No.	Size	Jaw End Diameter Φ (mm)	Snap Ring Range D	L (mm)	PW(kg)
M28833	0.9x105mm	0.9	3-10	140	0.105
M28834	1.3x105mm	1.3	10-25	140	0.105
M28835	1.8x180mm	1.8	19-60	170	0.175
M28836	2.2x215mm	2.2	40-100	200	0.280
M28837	3.2x310mm	3.2	85-200	290	0.600

- Snap ring range 3-100mm
- Piano wire tips: high distortion resistance.
- Long specially angled tips for optimum circlip holding.
- Identification colour code: saves time.
- Grips in anti-slip granite PVC.

⚠ No warranty as consumables

Plastic Nippers



Item No.	size	L (mm)	H (mm)	C (mm)	PCS	PW(kg)
M28188	125mm(5")	127	18	18	5/50	0.12/6.80
M28189	160mm(6")	157	20	21	5/50	0.18/9.60

- Body drop-forged with CrV, Heat Treatment
- High quality, hardness of the cutting material up to HRC45
- The function exceed the advanced World level

Reversible Wire Twist Pliers



Item No.	size	PCS	PW(kg)
M40806	6 "	5/50	0.31/26.60

- Bidirectional safety pliers, suitable for both left and right hands
- Includes spring rebound and control knob for easy operation

Curved Jaw Locking Pliers



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity MAX (mm)	PCS	PW(kg)
M29111	140mm(5")	137	25	28.7	6/48	0.167/9.50
M29112	180mm(7")	185	33	38.1	6/36	0.352/13.60
M29113	220mm(10")	225	40	47.8	6/36	0.556/20.70

- Drop forged CrV steel jaws, good toughness
- Punched steel plate handle, heat treated, jaw hardness HRC45-55
- The product can clamp different sizes through adjusting the screw
- TPR handle makes gripping comfortable
- The clamping performance exceeds ANSI standard. The product can clamp prism objects so it can be called "omnipotent clamp"
- ⚠ The cutting edges are consumption goods, excluded in lifetime warranty

Diagonal Cutting Pliers



Item No.	size	L (mm)	H (mm)	C (mm)	PCS	PW(kg)
M28462	125mm(5")	128	15	7	5/50	0.10/5.60

- Body drop-forged with CrV, Heat Treatment
- High quality, hardness of the cutting material up to HRC45
- The function exceed the advanced World level

Safety Wire Twisting Pliers



Item No.	size	PCS	PW(kg)
M40810	10 "	6/60	0.41/25.60




- Used for twisting and trimming, it can be used for wires of φ0.5-1.6mm
- Angled 45°, slender head
- Cross-clamping lines make it easier to pick up wires
- Clockwise or counterclockwise twisting, can be adjusted by handle




Long Nose Locking Pliers



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity MAX (mm)	PCS	PW(kg)
M29123	165mm(6")	165	52	50	6/48	0.179/9.800
M29124	220mm(9")	216	64	70	6/48	0.394/15.000

- Drop forged CrV steel jaws, good toughness
- Punched steel plate handle, heat treated, jaw hardness HRC45-55
- The product can clamp different sizes through adjusting the screw
- TPR handle makes gripping comfortable
- The clamping performance exceeds ANSI standard. The product can clamp prism objects so it can be called "omnipotent clamp"
- ⚠ The cutting edges are consumption goods, excluded in lifetime warranty






Curved Jaw Locking Pliers



CrV



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity MAX(mm)	PCS	PWG(kg)
M29000	113mm(4")	113	20	20	6/72	0.096/8.600
M29001	140mm(5")	137	25	28.7	6/48	0.152/8.600
M29002	180mm(7")	185	33	38.1	6/48	0.323/17.000
M29003	220mm(10")	225	40	47.8	6/36	0.500/19.200
M29004	255mm(12")	255	45	55	6/24	0.657/17.200

- Drop forged CrV steel jaws, good toughness
- Punched steel plate handle, heat treated, jaw hardness HRC45-55
- The product can clamp different sizes through adjusting the screw
- The clamping performance exceeds ANSI standard. The product can clamp prism objects so it can be called "omnipotent clamp"
- △ The cutting edges are consumption goods, excluded in lifetime warranty

Straight Jaw Locking Pliers



CrV




Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity MAX(mm)	PCS	PWG(kg)
M29025	180mm(7")	185	30	38.1	6/48	0.373/19.000
M29026	220mm(10")	225	31	47.8	6/36	0.527/20.500
M29027	255mm(12")	255	35	55	6/24	0.684/17.430

- Drop forged CrV steel jaws, good toughness
- Punched steel plate handle, heat treated, jaw hardness HRC45-55
- The product can clamp different sizes through adjusting the screw
- The clamping performance exceeds ANSI standard.
- The product can clamp prism objects so it can be called "omnipotent clamp"

Long Nose Locking Pliers




CrV



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity MAX(mm)	PCS	PWG(kg)
M29013	135mm(5")	133	41	32	6/48	0.105/6.200
M29014	165mm(6")	165	52	50	6/36	0.169/7.000
M29015	220mm(9")	216	64	70	6/36	0.361/14.200



- Long nose design suitable for narrow space
- Drop forged CrV steel jaws, good toughness
- Punched steel plate handle, heat treated, jaw hardness HRC45-55
- The clamping performance exceeds ANSI standard. The product can clamp prism objects so it can be called "omnipotent clamp"
- △ The cutting edges are consumption goods, excluded in lifetime warranty

Locking Sheet Metal Clamp



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity MAX(mm)	 PCS	 PWG(kg)
M29251	200mm(8")	197	12.7	3/24		0.486/14.000
M29252	250mm(10")	248	15	2/16		0.669/12.800


- Drop forged CrV steel jaws, good toughness
- Punched steel plate handle, heat treated, jaw hardness HRC35-45
- The product can clamp iron plate and bended plate through adjusting the screw



2 Position Curved Jaw Locking Pliers

NEW

CrV




Item No.	Size	L (mm)	Opening Capacity MAX(mm)	PCS	PWG(kg)
M29179	180mm(7")	185	38.1	6/48	0.340/17.320
M29181	220mm(10")	225	60	6/48	0.504/25.100

- Drop forged CrV , good toughness
- Two-step jaw positions for a wider jaws opening.

Extra Large Crocodile Jaw Locking Plier

CrV




Item No.	Size	L (mm)	Opening Capacity MAX(mm)	PCS	PWG(kg)
M29050	250mm(10")	250	65	6/36	0.525/20.400

- Drop forged CrV steel jaws, good toughness
- Punched steel plate handle, heat treated, jaw hardness HRC45-55
- The product can clamp different sizes through adjusting the screw
- The product can clamp prism objects so it can be called "omnipotent clamp"

4 Position Wide Open Locking Pliers

CrV




Item No.	Size	L (mm)	Opening Capacity MAX(mm)	PCS	PWG(kg)
M29185	250mm(10")	263	100	6/36	0.632/24.000

- Drop forged CrV , good toughness
- Four-step jaw positions for a wider jaws opening.

2 Position Long Nose Locking Pliers

NEW

CrV



Item No.	Size	L (mm)	Opening Capacity MAX(mm)	PCS	PWG(kg)
M29189	220mm(9")	220	80	6/60	0.393/24.600

- Drop forged CrV , good toughness
- Two-step jaw positions for a wider jaws opening.
- Suitable for clamping small parts and working in narrow spaces

Oil Filter Wrench (Clamp-Type)





NEW



Optional protective sleeve available

Item No.	Size	L (mm)	Opening Capacity MAX(mm)	PCS	PWG(kg)
M29050	180mm(7")	240	60-90	6/36	0.435/16.70

- Forged from high-quality steel, fully heat-treated
- High-temperature quenching ensures high hardness and durability
- Adjustable via bolt to fit various sizes
- Universal design grips polygonal objects and more




Sliding Arm Locking C-clamp



Item No.	Size	L (mm)	Opening Capacity MAX(mm)	PCS	(PW/GW/kg)
M29279	305mm(12")	296	305	2/12	1.496/20.500
M29280	458mm(18")	296	458	2/12	1.691/23.000
M29281	610mm(24")	296	610	2/12	1.825/23.800

- Omnipotent locking pliers with the function of F clamp, C clamp and locking C clamp , suitable for fixing, clamping, welding, automobile manufacturing,carpentry, machining, household and industry maintenance
- Powerful functions, without adjustment, quick clamping, large working capacity,good value

Locking C-Clamp



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity MAX(mm)	PCS	(PW/GW/kg)
M29217	150mm(6")	162	30	50	6/72	0.210/17.300
M29218	228mm(9")	245	64	76	6/24	0.525/14.860
M29219	280mm(11")	275	58	90	6/24	0.760/19.500
M29220	350mm(14")	342	120	110	4/24	0.913/22.800
M29221	450mm(18")	460	240	210	4/16	1.384/25.620

- It is suitable for professional carpenter and professional decoration working
- Punched steel plate handle, heat treated, jaw hardness HRC38-48
- The product can clamp different sizes through adjusting the screw
- The clamping performance exceeds ANSI standard

Chain Locking Pliers



Item No.	Size	L (mm)	Clamping Capacity (mm)	PCS	(PW/GW/kg)
M29273	500mm(20")	230	10-145	6/36	0.709/26.500

- Chain length 500mm
- Punched steel plate handle, heat treated, hardness HRC35-45
- The product can clamp different sizes through adjusting the screw
- The product can clamp objects with different shapes,such as cylinder,prism, multilateral body and pipes, etc.

Locking C-Clamp With Swivel Pads



Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity MAX(mm)	PCS	(PW/GW/kg)
M29233	125mm(5")	136	20	38	6/72	0.150/14.210
M29234	150mm(6")	180	38	50	6/48	0.254/14.000
M29235	228mm(9")	250	57	80	6/24	0.581/15.500
M29236	280mm(11")	280	57	90	6/24	0.795/20.300
M29237	350mm(14")	350	125	110	4/16	0.940/16.200
M29238	450mm(18")	460	236	210	4/16	1.384/23.500
M29239	600mm(24")	620	390	340	2/12	1.748/24.000

- It is suitable for professional carpenter and professional decoration working
- Punched steel plate handle, heat treated, jaw hardness HRC38-48
- The product can clamp different sizes through adjusting the screw
- The clamping performance exceeds ANSI standard


Bench Clamp




Item No.	Size	L (mm)	Opening Depth (mm)	Clamping Capacity (mm)	PCS	(PW/GW/kg)
M29266	280mm(11")	283	92	0-100	4/24	0.660/16.500
M29267	350mm(14")	366	155	0-100	6/24	0.710/17.800

- The product can be assembled on the workbench which can realize quick clamping adjusting the end screw
- Punched steel plate handle, heat treated


Multi Function Design On Zhe Jaw



Item No.	Size	Length (mm)	PCS	(PW/GW/kg)
M29196	280mm(11")	280	6/24	0.87/21.88




Locking Welding Clamp



Item No.	Size	L (mm)	Opening Depth (mm)	C MAX(mm)	PCS	(PW/GW/kg)
M29258	230mm(9")	230	60	0-65	3/24	0.549/15.10
M29259	250mm(10")	266	76	0-85	2/16	0.775/14.00

- U shaped can be used for welding riveting
- Punched steel plate handle, heat treated, jaw hardness HRC40-48
- The product can clamp different sizes through adjusting the screw
- The product can clamp two welded pipes and it can automatically realize centering




Swivel Desktop Locking Pliers



Item No.	Size	Clamping Capacity (mm)	L (mm)	PCS	(PW/GW/kg)
M29364	345mm(11")	100	345	4/24	0.691/17.58


- The movable arm of these locking pliers can swivel at multiple angles, providing convenient and flexible clamping.





Flat-Nose Self-Adjusting Locking Pliers

NEW




Item No.	Size	Opening Capacity (mm)	L (mm)	PCS	PW/GW(kg)
M29333	218mm(8")	23	218	6/36	0.49/18.64
M29334	240mm(10")	25	240	6/24	0.65/16.60

• These locking pliers do not have an adjusting bolt, and achieve automatic adjustment through mechanical design, offering convenient and reliable use.

Round-Nose Self-Adjusting Locking Pliers

NEW




Item No.	Size	Opening Capacity (mm)	L (mm)	PCS	PW/GW(kg)
M29328	175mm(6")	20	175	6/60	0.258/16.48
M29329	220mm(8")	23	220	6/36	0.537/20.33
M29330	250mm(10")	25	250	6/24	0.632/16.17

• These locking pliers do not have an adjusting bolt, and achieve automatic adjustment through mechanical design, offering convenient and reliable use.

Needle-Nose Self-Adjusting Locking Pliers

NEW




Item No.	Size	Opening Capacity (mm)	L (mm)	PCS	PW/GW(kg)
M29338	200mm(7")	30	200	6/48	0.277/14.30

• These locking pliers do not have an adjusting bolt, and achieve automatic adjustment through mechanical design, offering convenient and reliable use.

C-Type Self-Adjusting Locking Pliers Without Pressure Pads

NEW




Item No.	Size	Opening Capacity (mm)	L (mm)	PCS	PW/GW(kg)
M29342	220mm(7")	45	220	6/48	0.325/16.60
M29343	280mm(10")	70	280	6/24	0.705/17.92
M29344	308mm(11")	65	308	6/24	0.832/20.96
M29345	500mm(19")	105	500	4/16	1.584/26.34

• These locking pliers do not have an adjusting bolt, and achieve automatic adjustment through mechanical design, offering convenient and reliable use.






Multi-Angle Pressure Pad C-Type Self-Adjusting Locking Pliers

NEW




Item No.	Size	Opening Capacity (mm)	L (mm)	PCS	PW/GW(kg)
M29349	226mm(7")	45	226	6/48	0.353/17.94
M29350	288mm(10")	70	288	6/24	0.681/17.34
M29351	315mm(11")	65	315	6/24	0.896/22.50
M29352	510mm(19")	165	510	4/16	1.322/22.15

• These locking pliers do not have an adjusting bolt, and achieve automatic adjustment through mechanical design, offering convenient and reliable use.



Quick-Release Locking Pliers

NEW




Item No.	Size	Opening Capacity (mm)	L (mm)	PCS	PW/GW(kg)
M29360	140mm(5")	28.7	148	6/48	0.170/9.16
M29361	180mm(7")	38.1	193	6/48	0.356/18.08
M29362	220mm(10")	47.8	238	6/36	0.533/20.18

• Designed without a release tab, these pliers can be quickly opened to improve work efficiency. The flat bolt at the end is comfortable and convenient to use, and the middle round hole can be used with a leverage bar.

Heavy-Duty Locking Pliers

NEW




Item No.	Size	Opening Capacity (mm)	L (mm)	PCS	PW/GW(kg)
29356	220mm(10")	47.8	238	6/36	0.506/19.36

• These locking pliers feature a special gap adjustment mechanism for the movable jaws, ensuring a tight grip on the workpiece, providing stronger clamping force and greater torque. The flat bolt at the end is comfortable and convenient to use, and the middle round hole can be used with a leverage bar.





Telescopic C-Type Locking Pliers

NEW



Item No.	Size	Opening Capacity (mm)	L (mm)	PCS	PW/GW(kg)
M29367	485mm(18")	240	485	4/16	1.51/25.14

• The telescopic arm allows for a greater throat depth and opening size, making it easy to carry.



Side-Lever Quick-Release Round-Nose Locking Pliers

NEW




Item No.	Size	Opening Capacity (mm)	Length (mm)	PCS	(PW/GW/kg)
M29173	140mm(5")	28.7	150	6/60	0.16/10.60
M29171	180mm(7")	38.1	195	6/48	0.33/16.84
M29172	225mm(10")	47.8	240	6/36	0.49/18.64

•Designed with a side-lever quick-release mechanism, allowing the clamp to be quickly opened for convenient, time-saving, and labor-saving use.

Side-Lever Quick-Release Two-Position Locking Pliers

NEW



Item No.	Size	Opening Capacity (mm)	Length (mm)	PCS	(PW/GW/kg)
M29180	225mm(10")	60	240	8/48	0.51/25.48

•Designed with a side-lever quick-release mechanism, allowing the clamp to be quickly opened for convenient, time-saving, and labor-saving use.

Side-Lever Quick-Release Needle-Nose Locking Pliers

NEW



Item No.	Size	Opening Capacity (mm)	Length (mm)	PCS	(PW/GW/kg)
M29175	165mm(6")	50.8	180	6/36	0.175/11.50
M29176	220mm(9")	69.9	230	6/36	0.382/14.75

•Designed with a side-lever quick-release mechanism, allowing the clamp to be quickly opened for convenient, time-saving, and labor-saving use.






Side-Lever Quick-Release Flat-Nose Locking Pliers

NEW




Item No.	Size	Opening Capacity (mm)	Length (mm)	PCS	(PW/GW/kg)
M29029	225mm(10")	44.5	240	6/36	0.543/20.54

•Designed with a side-lever quick-release mechanism, allowing the clamp to be quickly opened for convenient, time-saving, and labor-saving use.



Carpenter Pincers




Item No.	Size	Length (mm)	Opening Capacity (mm)	PCS	(PW/GW/kg)
M29384	200mm(8")	205	21	6/48	0.37/17.76
M39385	225mm(9")	225	24	6/48	0.44/22.50
M29386	250mm(10")	250	28	6/48	0.50/24.00

•High quality carbon steel,drop forged,whole body heat treatment,high frequency heat-treated jaws,hardness of the cutting material up to HRC40

△ No warranty as consumables

Tower Pliers



Item No.	Size	Length (mm)	Opening Capacity (mm)	PCS	(PW/GW/kg)
M29376	225mm(9")	229	23	6/48	0.390/20.500
M29377	250mm(10")	250	23	6/48	0.430/22.400


•Drop forged with high-carbon steel,body heat treatment
•Black phosphated with dipped handle,cutting hardness can be HRC40

△ No warranty as consumables

Slip Joint Pliers



CrV






Item No.	Size	L (mm)	Opening Depth (mm)	Opening Capacity (mm)	PCS	(PW/GW/kg)
M29307	150mm(6")	160	29	25	6/96	0.240/24.860
M29308	200mm(9")	205	33	28	6/60	0.267/18.000
M29309	250mm(10")	245	41	32	6/48	0.440/23.000

• drop froged with CrV steel,hardness of the cutting material up to HRC40

△They're consumption goods,excluded in lifetime warranty





Deep Removable Pressure Pad F Clamp


NEW



Item No	Size (L×H)	Rail(mm)	PCS	PWG(kg)
M30070	300×240mm	29.7×14.3	2/4	3.89/16.56
M30071	400×240mm	29.7×14.3	2/4	4.23/17.92
M30072	600×240mm	29.7×14.3	2/4	4.91/20.64
M30073	800×240mm	29.7×14.3	2/4	5.59/23.36
M30074	1000×240mm	29.7×14.3	1/2	6.27/13.54
M30075	1200×240mm	29.7×14.3	1/2	6.95/14.90

Item No	Size (L×H)	Rail(mm)	PCS	PWG(kg)
M30421	300×300mm	29.7×14.3	2/4	4.34/18.36
M30422	400×300mm	29.7×14.3	2/4	4.60/19.40
M30424	600×300mm	29.7×14.3	2/4	5.32/22.28
M30425	800×300mm	29.7×14.3	2/4	6.04/25.16
M30426	1000×300mm	29.7×14.3	1/3	6.76/14.52
M30427	1200×300mm	29.7×14.3	1/2	7.48/15.96


Ratcheting F Clamp



Item No	Size (L×H)	Rail(mm)	PCS	PWG(kg)
M30453	200×140mm	25×12	2/10	2.300/24.000
M30454	300×140mm	25×12	2/10	2.450/25.800
M30455	400×140mm	25×12	2/8	2.870/24.300
M30456	500×140mm	25×12	2/8	3.100/26.200
M30457	600×140mm	25×12	2/8	3.370/28.700

- Heat-treated, no deformation or pressed mark after repeated use
- Red painted zinc alloy steel handle, light and durable

F Clamp




Item No	Size (L×H)	Rail(mm)	PCS	PWG(kg)
M30332	200×140mm	29.7×14.3	2/8	2.80/23.20
M30333	250×140mm	29.7×14.3	2/8	2.90/24.10
M30334	300×140mm	27.7×14.3	2/8	2.88/25.80
M30335	400×140mm	27.7×14.3	2/6	3.22/21.40
M30336	500×140mm	27.7×14.3	2/6	3.48/24.00
M30337	600×140mm	27.7×14.3	2/6	3.87/25.20
M30338	800×140mm	27.7×14.3	2/4	4.40/20.80
M30339	1000×140mm	27.7×14.3	2/4	5.02/23.00
M30340	1200×140mm	27.7×14.3	2/4	5.60/25.60
M30370	300×180mm	42.1×19.1	2/4	5.80/24.00
M30371	400×180mm	42.1×19.1	2/4	6.40/27.00
M30372	500×180mm	42.1×19.1	2/4	6.85/29.50
M30373	600×180mm	42.1×19.1	2	7.35/16.50

- Heat-treated, no deformation or pressed mark after repeated use
- Widely used Teasile strength 0-1250kg
- No warranty as consumables

Universal F-Clamp for Workbench

NEW




Item No	Size (L×H)	Rail(mm)	PCS	PWG(kg)
M30098	520mm	19.5×9.5	4/16	0.54/9.64
M30099	620mm	19.5×9.5	4/16	0.96/16.36

- Guide Rail: 19.5×9.5. This F-clamp is primarily used for welding workbenches and allows for flexible positioning to clamp workpieces, offering convenient and easy operation.

Ratchet F clamp with T-Track

NEW




Item No	Size (L×H)	Rail(mm)	PCS	PWG(kg)
M30085	100x60mm	13x6.5	4/24	0.49/12.76
M30086	120x60mm	13x6.5	4/24	0.50/12.00
M30087	160x60mm	13x6.5	4/24	0.51/13.24
M30088	200x60mm	13x6.5	4/24	0.53/13.74
M30089	250x60mm	13x6.5	4/24	0.55/14.20
M30090	300x60mm	13x6.5	4/24	0.59/15.16
M30091	400x60mm	13x6.5	4/16	0.64/11.24



- Specifically designed for use on welding workbenches.


G Clamp



Item No	Size	Opening Capacity O(mm)	Throat Depth S(mm)	PCS	PWG(kg)
M30661	40mm(1.5")	40	40	12/96	0.200/19.000
M30662	60mm(2")	60	55	6/48	0.330/22.000
M30663	80mm(3")	80	65	6/24	0.880/22.800
M30664	100mm(4")	100	65	6/24	1.170/28.000
M30665	120mm(5")	120	85	6/18	1.420/25.500
M30666	150mm(6")	150	95	6/12	2.330/28.000
M30667	200mm(8")	200	105	2/8	3.190/25.500
M30668	250mm(10")	250	115	1/6	4.700/28.000
M30669	300mm(12")	300	115	1/4	5.750/23.000


- Drop forged body, alloy steel, heat-treated
- T grip with greater torque and clamping force.
- Using life can be 10 times longer than cast items.
- Knurled jaws for easy clamping.

G Clamp






Item No	Size	Opening Capacity O(mm)	Throat Depth S(mm)	PCS	PWG(kg)
M30650	2"	60	47	2/8	1.74/15.50
M30652	4"	115	74	1/4	4.56/19.50

- Made of #45 carbon steel.
- Full body heat-treated. Black phosphate finished.



木材夹持 金属夹持 石材夹持 塑料夹持




PlumbingTools

Pipe Wrench.....	135-137
Chain Pipe Wrench	138
Swedish Type Pipe Wrench	139
Box Joint Pliers	140-141
Pipe Cutter and replaced blades.....	142



Pipe Welding Clamp



Ltem No.	Size	D (mm)	B (mm)	W (mm)	H (mm)	h (mm)	L (mm)	PCS	PWG(Wgt)
M37921	1-6B	34-170	105	219-335	314-403	255	230	4	5.11
M37920	4-12B	110-320	105	348-525	448-568	322	230	2	7.86

• Suitable for accurate positioning and clamping in pipe welding.

Quick Adjust Pipe Wrench



Ltem No.	Size	Clamping Dia (mm)	L (mm)	PCS	PWG(Wgt)
M37328	250mm(10")	38	250	1/24	0.88/22.80
M37329	350mm(14")	54	350	1/12	1.79/23.00

• Patent products ZL200430089372.3, ZL200420098741.X
• The full length is the length of the tools in Max. working Dia.
• Ductile cast iron handle, strong strength and good toughness.
• Special jaw design allows fast clamping to the pipe.

Heavy Duty Pipe Wrench



Ltem No.	Size	L (mm)	Clamping Dia (mm)	PCS	PWG(Wgt)
M37171	200mm(8")	210	27	1/48	0.35/19.70
M37172	250mm(10")	275	33	1/24	0.73/19.20
M37173	300mm(12")	328	42	1/16	1.18/19.60
M37174	350mm(14")	370	48	1/12	1.65/20.20
M37175	450mm(18")	465	60	1/8	2.53/21.20
M37176	600mm(24")	627	73	1/6	3.97/24.90
M37178	900mm(36")	890	102	1/2	8.89/18.50
M37179	1200mm(48")	1200	141	1/2	16.17/33.00




• Overall length is the length of tools clamp the standard mandrel.
• Ductile cast iron handle, strong strength and good toughness.
• Special heat treatment with the Cr-Mo hook jaw, ensure the strength and improve toughness.
• Torque exceed ANSI standard 50%

Pipe Wrench Type End Adjustable Wrench




Ltem No.	Size	Clamping Dia (mm)	L (mm)	PCS	PWG(Wgt)
M37401	300mm(12")	29-67	278	1/20	0.78/16.60

• The hexagonal jaw design can firmly grasp all the hexagonal nuts, square nuts, unions and multiple surfaces on the valve disc and nut.
• The super wide opening diagonal pipe wrench design is an ideal choice for fixing the upper and lower pipe nuts of sinks and bathtubs.
• The smooth and thin jaw design can slide into a very small and wall-based space, suitable for use in tight spaces.



Heavy Duty Pipe Wrench



Ltem No.	Size	L(mm)	Clamping Dia. (mm)	PCS	PWG(Wgt)
M37110	150mm(6")	150	21	6/72	0.24/17.80
M37111	200mm(8")	200	27	1/48	0.38/19.70
M37112	250mm(10")	260	33	1/36	0.67/25.80
M37113	300mm(12")	300	42	1/24	0.93/23.70
M37114	350mm(14")	350	48	1/12	1.20/15.50
M37115	450mm(18")	450	60	1/12	2.02/25.70
M37116	600mm(24")	600	73	1/6	3.11/19.80
M37118	900mm(36")	900	102	1/4	5.94/25.20
M37119	1200mm(48")	1200	141	1/2	13.98/29.30

- The full length is the length of the tools in Max.working Dia.
- Ductile cast iron handle, strong strength and good toughness.
- Special heat treatment with the Cr-Mo hook jaw, ensure the strength and improve toughness.
- Torque exceed ANSI standard 50%.

Complementary parts for use



Movable Jaw For Heavy Duty Pipe Wrench

Ltem No.	Size	PCS
M98213	300mm(12")	60
M98214	350mm(14")	40
M98215	450mm(18")	30
M98216	600mm(24")	18
M98218	900mm(36")	12
M98219	1200mm(48")	6



Nut for heavy duty pipe wrench


Ltem No.	Size	PCS
M98233	300mm(12")	240
M98234	350mm(14")	200
M98235	450mm(18")	140
M98236	600mm(24")	120
M98238	900mm(36")	72
M98239	1200mm(48")	40




Fixed Jaw for heavy duty pipe wrench

Ltem No.	Size	PCS
M98223	300mm(12")	320
M98224	350mm(14")	280
M98225	450mm(18")	200
M98226	600mm(24")	140
M98228	900mm(36")	80
M98229	1200mm(48")	60

Pipe Wrench With Reinforcing Bar



Telescopic Handle




Ltem No.	Size	Clamping Dia. (MAX)mm	L retract(mm)	L spread(mm)	PCS	PWG(Wgt)
M37373	80D	95	525	680	1/6	2.88/19.00
M37374	108D	110	708	973	1/4	5.44/25.00
M37375	132D	140	846	1230	1/2	6.86/16.00
M37377	195D	195	973	1361	1/2	9.25/21.00

- The jaws made of high quality drop forged Cr-Mo steel, heat-treated.
- The body is made of CrV seamless steel pipe, heat-treated, hardness HRC40-50.
- The extended handle save power and make work easier.

Pipe Wrench With Reinforcing Bar







Telescopic Handle



Ltem No.	Size	Clamping Dia. (MAX)mm	L retract(mm)	L spread(mm)	PCS	PWG(Wgt)
M37388	80D	93	525	680	1/6	2.88/18.00
M37389	108D	120	708	973	1/4	5.00/21.00
M37390	132D	140	846	1230	1/2	6.86/15.00
M37392	195D	195	973	1361	1/2	9.25/22.26


- The body is made of 40Cr material.
- The jaws are specially heat-treated for durability, wear resistance, and high hardness.
- Equipped with an extended lever for easier and quicker operation, offering greater adaptability for on-site use.



Aluminum Handle Bullnose Pipe Wrench



NEW




Ltem No.	Size	Clamping Dia. (mm)	L(mm)	PCS	PWG(Wgt)
M37300	250mm(10")	17-33	250	1/40	0.35/15.00
M37301	300mm(12")	21-42	300	1/30	0.60/19.00
M37302	350mm(14")	21-48	350	1/20	0.94/19.80
M37303	450mm(18")	33-60	450	1/10	1.85/19.50

- The handle is made of aluminum alloy, making it lightweight and flexible, with a firm grip on pipes and easy to operate.
- Torque meets U.S. federal standards.

Aluminum Handle Extended Pipe Wrench



NEW




Ltem No.	Size	Clamping Dia. (mm)	L(mm)	PCS	PWG(Wgt)
M37024	350mm(14")	48	600	1/20	1.13/23.60

- 手柄材质铝合金,总长度达到600mm,使用轻便灵活,能够在狭小空间夹持装卸管件
- 扭力达到美国联邦标准
- The handle is made of aluminum alloy, with a total length of 600mm, making the pipe wrench lightweight and flexible. It can be used to clamp and install/remove pipes in narrow spaces.
- Torque meets U.S. federal standards.

Heavy-Duty Aluminum Handle Pipe Wrench




NEW



Ltem No.	Size	Clamping Dia. (mm)	L(mm)	PCS	PWG(Wgt)
M37000	250mm(10")	33	260	1/36	0.43/16.48
M37001	350mm(14")	48	350	1/24	0.79/19.96
M37002	450mm(18")	60	450	1/12	1.29/16.48





- This type of pipe wrench is lightweight and flexible. The head has a novel eyebrow-line design, and the curved handle provides a comfortable grip with excellent force transmission.
- Torque exceeds U.S. federal standards by 1.3 times.

Heavy Duty Aluminum Pipe Wrench



Ltem No.	Size	L(mm)	Clamping Dia. (mm)	PCS	PWG(Wgt)
M37088	200mm(8")	200	27	1/48	0.22/12.10
M37089	250mm(10")	275	33	1/36	0.45/18.40
M37090	300mm(12")	328	42	1/24	0.65/17.40
M37091	350mm(14")	369	48	1/12	0.84/11.56
M37092	450mm(18")	465	60	1/12	1.49/18.00
M37093	600mm(24")	623	73	1/6	2.46/14.60
M37095	900mm(36")	920	102	1/4	4.50/17.50
M37096	1200mm(48")	1200	141	1/2	8.05/17.00

- The full length is the length of the tools in Max. working Dia.
- Special heat treatment with the Cr-Mo hook jaw, ensure the strength and improve toughness.
- Performance exceed ANSI standard more than 30%



Quick Adjust Pipe Wrench



尾部可以当撬杠使用



Ltem No.	Size	L(mm)	Clamping Dia. (mm)	PCS	PWG(Wg)
M37315	200mm(8")	260	14-27	6/36	0.33/13.40
M37316	350mm(14")	380	27-63	6/24	0.60/23.00

- Whole body 60# drop forged, heat treated, carbon steel teeth high frequency quenched, HRC 55~60.
- New design, simple structure, one hand operation, no need to adjust screw.
- Light type with wider clamping capacity, easy to use, quick adjustment.
- End can be used as crowbar.


Chain Wrench



L



Chain Pipe Wrench






Ltem No.	Size	L(mm)	C(mm)	H(mm)	Chain length(mm)	PCS	PWG(Wg)
M37457	100mm(4")	890	93	80	660	1/3	6.332/20.50
M37458	150mm(6")	1000	93	90	812	1/2	7.510/16.50
M37459	200mm(8")	1200	93	95	965	1/2	9.013/19.00

- The jaws are precisely casted with high quality alloy steel. The whole body is heat-treated and the teeth goes through high frequency heat-treatment. The jaws can resist abrasion and slipping, which makes the product have a long lifetime.
- The product can be used for assembling the pipes and clamping objects with different diameters.




The operating instruction of chain wrench:choose the appropriate chain length according to the diameter of object,bind the chain to the object and then tighten or loosen.


- Drop forged with CRV, special heat treatment with the jaw.
- Can be used in special area and irregular objects.



Swedish Pipe Wrench-45°Type



CrV




Ltem No.	Size	L(mm)	Clamping Dia(mm)	PCS	PWG(Wg)
M37647	0.5"	235	39	1/48	0.400/22.00
M37648	1"	330	58	1/24	0.770/20.00
M37649	1.5"	415	85	1/16	1.360/23.20
M37650	2"	535	95	1/8	2.300/19.60
M37651	3"	652	106	1/6	4.000/26.50

Swedish Pipe Wrench-90°Type



CrV




Ltem No.	Size	L(mm)	Clamping Dia(mm)	PCS	PWG(Wg)
M37631	1"	320	40	1/24	0.700/18.20
M37632	1.5"	425	62	1/16	1.300/22.20
M37633	2"	560	71	1/8	2.200/18.80
M37634	3"	630	103	1/6	3.000/20.50
M37635	4"	735	121	1/3	5.200/17.50

Swedish Pipe Wrench-S Type



CrV




Ltem No.	Size	L(mm)	Clamping Dia(mm)	PCS	PWG(Wg)
M37663	0.5"	235	38	1/48	0.400/20.80
M37664	1"	330	52	1/24	0.800/20.90
M37665	1.5"	420	74	1/16	1.350/23.00
M37666	2"	535	82	1/8	2.400/21.50
M37667	3"	652	128	1/6	4.200/26.20

- Drop forged with CRV, VPA/GS approval
- Special heat treatment with the jaw.
- Swedish pipe wrench easy to be used, and can replace several kinds of pliers.
- The using life can be one time longer than German standard.

Fast Release swedish pipe wrench 45°


NEW



Ltem No.	Size	L(mm)	Clamping Dia(mm)	PCS	PWG(Wg)
M37685	1"	330	52	1/12	0.74/9.88
M37686	1.5"	420	74	1/10	1.30/14.00
M37687	2"	535	82	1/8	2.25/19.00

Fast Release swedish pipe wrench 90°


NEW



Ltem No.	Size	L(mm)	Clamping Dia(mm)	PCS	PWG(Wg)
M37691	1"	330	52	1/12	0.76/10.12
M37692	1.5"	420	74	1/10	1.32/14.20
M37693	2"	535	82	1/8	2.24/18.92


Fast Release swedish pipe wrench S

NEW




Ltem No.	Size	L(mm)	Clamping Dia(mm)	PCS	PWG(Wg)
M37679	1"	330	52	1/12	0.80/10.60
M37680	1.5"	420	74	1/10	1.40/15.00
M37681	2"	535	82	1/8	2.43/20.44

- The opening adjusts quickly, offering convenient use.



Extra-Large Opening Quick-Adjust Water Pump Pliers

NEW




Item No.	Size	Opening Capacity (mm)	L(mm)	PCS	PWG/GW/GI
M29477	175mm(7")	42	182	6/60	0.203/13.18
M29478	250mm(10")	50	248	6/36	0.371/14.36
M29479	300mm(12")	70	302	6/24	0.587/15.08
M29480	400mm(16")	90	410	3/12	1.25/16.00

• The water pump pliers feature an arc-shaped sliding adjustment slot in the middle, with optimized teeth for easier adjustment when clamping workpieces. The extra-large opening allows for a broader range of use.

Large Opening Water Pump Pliers


NEW



Item No.	Size	Opening Capacity (mm)	L(mm)	PCS	PWG/GW/GI
M29472	175mm(7")	35	177	6/60	0.35/22.00
M29473	250mm(10")	46	250	6/36	0.41/15.76
M29474	300mm(12")	60	300	6/24	0.62/15.88

• Large opening capacity with a compact body, allowing it to grip larger workpieces.
• Convenient to carry and more effective in tight spaces.

Groove Joint Pliers With Quick Release




Item No.	Size	L(mm)	Opening Capacity (mm)	PCS	PWG/GW/GI
M29581	175mm(7")	163	25	6/72	0.19/14.68
M29582	250mm(10")	240	30	6/60	0.32/20.20
M29583	300mm(12")	310	40	6/36	0.56/21.16

* Quickly adjust, one hand operate.

Quick-Adjust Water Pump Pliers with Wrench Function

NEW



Item No.	Size	Opening Capacity (mm)	L(mm)	PCS	PWG/GW/GI
M29484	175mm(7")	40	180	6/60	0.240/15.40
M29485	250mm(10")	52	258	6/36	0.472/17.97
M29486	300mm(12")	68	300	6/24	0.657/16.77

• Can replace an adjustable wrench, with an aesthetically pleasing design.

Automatic Box Joint Pliers

CrV




Item No.	Size	L(mm)	Opening Capacity (mm)	PCS	PWG/GW/GI
M29573	175mm(7")	174	25	6/120	0.160/24.46
M29574	250mm(10")	240	35	6/60	0.360/23.20
M29575	300mm(12")	300	40	6/36	0.560/22.86

• Drop forged with CRV, Heat Treatment.
• Quickly adjust, one hand operate.

Box Joint Pliers

CrV




Item No.	Size	L(mm)	Opening Capacity (mm)	PCS	PWG/GW/GI
M29515	175mm(7")	173	24.5	6/60	0.180/11.00
M29516	250mm(10")	240	33	6/48	0.380/19.60
M29517	300mm(12")	300	42	6/36	0.570/21.00

• Drop forged with CrV.
• Special heat treatment with the jaw.
• Using life can be 5 times longer than common products.
• VPA/GS approval.

Straight Jaws Groove Joint Pliers


CrV



Item No.	Size	L(mm)	Opening Capacity (mm)	PCS	PWG/GW/GI
a. M29590	200mm(8")	203	27	6/60	0.33/21.8
b. M29597	250mm(10")	257	50	6/36	0.46/17.8
b. M29598	300mm(12")	303	60	6/36	0.62/24.0
b. M29599	400mm(16")	418	95	4/16	1.22/20.5

• Drop forged with CrV, special heat treatment.
• Special heat treatment with the jaw.
• Using life can be 5 times longer than common products.
• VPA/GS approval.

Groove Joint Pliers With Hammer Function




Item No.	Size	L(mm)	Opening Capacity (mm)	PCS	PWG/GW/GI
M29550	250mm(10")	240	30	6/60	0.38/23.80

• It has hammer function on the head.
• Special heat treatment with the jaw.

Multifunction Water Pump Pliers

CrV



Item No.	Size	L(mm)	Opening Capacity (mm)	PCS	PWG/GW/GI
M29524	250mm(10")	250	38	6/48	0.380/19.50

• With function of slotted screwdriver
• Drop forged with CrV, special heat treatment with body.
• Special heat treatment with the jaw.
• Using life can be 5 times longer than common products.
• VPA/GS approval.



Box Joint Pliers

CrV



Item No.	Size	L(mm)	Opening Capacity (mm)	PCS	PWG/GW/GI
M29553	250mm(10")	240	33	6/48	0.38/20.00
M29554	300mm(12")	300	42	6/36	0.52/20.50

• Drop forged with CrV, special heat treatment with body.
• Special heat treatment with the jaw. • VPA/GS approval.
• Using life can be 5 times longer than common products.
• The dipped plastic handle makes gripping comfortable.



PVC Pipe Cutter



Ltem No.	Size		
M37733	42mm(1-5/8")	6/48	0.313/16.60

* Aluminum body, stainless steel blade, easy to cut, long using life
⚠No warranty as consumables.

Complementary parts for use



PVC Pipe Cutter Replaced Blades

Ltem No.	Size
M99329	42mm(1-5/8")

Automatic PVC Pipe Cutter



a.



b.

Ltem No.	Size		
a. M37738	42mm(1-5/8")	6/48	0.470/23.04
b. M37739	64mm(2.5")	6/24	17.80/0.700

* Aluminum body, stainless steel triangular blade, easy to cut, long using life.
⚠No warranty as consumables.

Complementary parts for use



Automatic PVC Pipe Cutter Replaced Blades

Ltem No.	Size
M99329	42mm(1-5/8")
M99330	64mm(2.5")

Metal Pipe Cutter



Suitable for cutting copper pipes, aluminum pipes, and thin-walled conduits with diameters ranging from 6 to 64 mm.

Ltem No.	Size		
M37755	64mm	3/24	0.640/15.20

Complementary parts for use



Replaced Blades Metal Pipe Cutter


Ltem No.	Size
M99334	30mm
M99335	64mm

* Aluminum body, Gcr15 blade, can open quickly to improve working efficiency.
⚠No warranty as consumables.

Cutting Tools

Bolt cutter and replaced blades	144-145
Snips	145-147
Hacksaw and saw blade	147
Utility knife and replace blades	148
Files	149-151
Screw Tap Set	151





CR-Mo

The screw can be used to finely adjust the blade gap.

Item No.	Size	L(mm)	Cutting Dia. (mm)	PCS	[PW/GW(kg)]
M33320	300mm(12")	328	4	1/24	0.900/24.00
M33321	350mm(14")	366	5	1/24	1.100/29.00
M33322	450mm(18")	464	6	1/12	1.800/23.40
M33323	600mm(24")	626	8	1/8	2.600/22.80
M33324	750mm(30")	758	10	1/6	3.700/24.20
M33325	900mm(36")	907	12	1/4	5.200/22.70
M33326	1050mm(42")	1050	14	1/2	8.030/17.40

- Drop forged joint arms, drop forged CrMo jaws
- Strict control of blades hardness, longer life of using
- Stable performance, life of using can be 5 times longer than common items

No warranty as consumables

CR-Mo

Item No.	Size	PCS	[PW/GW(kg)]
M98105	450mm(18")	1/16	0.520/9.20
M98106	600mm(24")	1/16	0.860/14.80
M98107	750mm(30")	1/16	1.300/21.80
M98108	900mm(36")	1/9	1.910/19.00
M98109	1050mm(42")	1/9	2.600/24.50
M98110	1200mm(48")	1/8	2.660/24.00

- Drop forged CrMo

No warranty as consumables

CR-Mo

Item No.	Size	L(mm)	Cutting Dia. (mm)	PCS	[PW/GW(kg)]
M33410	300mm(12")	320	4	1/24	0.900/19.80
M33411	350mm(14")	390	5	1/24	1.100/27.50
M33412	450mm(18")	490	6	1/12	1.800/21.00
M33413	600mm(24")	650	8	1/8	2.600/22.50
M33414	750mm(30")	780	10	1/6	3.700/25.50
M33415	900mm(36")	935	12	1/4	5.200/25.80

- Patented design, saving more than 25% of labor than traditional bolt cutters.
- The cutter head is made of Cr-Mo for more durability.
- Ergonomic bi-color plastic handle.

No warranty as consumables

NEW

Item No.	Size	Cutting Dia. (mm)	L(mm)	PCS	[PW/GW(kg)]
M33101	300mm(12")	4	305	1/24	0.80/20.20
M33102	350mm(14")	5	360	1/18	1.05/19.90
M33103	450mm(18")	6	460	1/12	1.51/19.12
M33104	600mm(24")	8	615	1/8	2.7/22.60
M33105	750mm(30")	10	765	1/5	3.9/20.50
M33016	900mm(36")	12	915	1/3	5.9/18.70

- The labor-saving bolt cutter reduces effort by 25-30% compared to standard bolt cutters.

Item No.	Size	L(mm)	Cutting Dia. (mm)	PCS	[PW/GW(kg)]
M33011	200mm(8")	214	3	6/36	0.280/11.80

- Alloy steel blades, nickel plated

No warranty as consumables

NEW

Item No.	Size	Cutting Dia. (mm)	L(mm)	PCS	[PW/GW(kg)]
M33096	200mm(8")	3	200	6/48	0.324/16.55

NEW

Item No.	Size	L(mm)	Cutting Dia. (mm)	PCS	[PW/GW(kg)]
M33008	200mm(8")	216	3	6/48	0.35/19.50

- Made of drop forged steel, heat treated.
- Comfortable and anti-sliding rubber handle, easy operation

CR-Mo

Item No.	Size	L(mm)	Cutting Dia. (mm)	PCS	[PW/GW(kg)]
M33654	450mm(18")	450	Φ12	1/12	1.500/19.50
M33655	600mm(24")	600	Φ14	1/8	2.400/21.50
M33657	900mm(36")	900	Φ16	1/4	5.400/23.50
M33658	1050mm(42")	1050	Φ20	1/2	7.500/17.00

- Si2Mn alloy steel blades, black phosphated
- Body heat treatment, induction quenched the blade with high hardness

No warranty as consumables

CR-Mo

Item No.	Size	L(mm)	Cutting Area (mm²)	PCS	[PW/GW(kg)]
M33864	350mm(14")	357	95	1/24	0.600/16.00
M33865	450mm(18")	460	150	1/12	1.000/14.00
M33866	600mm(24")	610	240	1/8	1.800/16.00
M33868	900mm(36")	910	500	1/4	4.200/18.50

- Whole treatment, induction quenched the blade with high hardness
- Drop forged Cr-Mo blades

No warranty as consumables

NEW

Item No.	Size	L(mm)	PCS	[PW/GW(kg)]
M34920	250mm(10")	250	6/36	0.44/18.70

- Double lever labor saving design.
- Wear resistant Cr-Mo steel blades are made to stand up to the tremendous pressures created by the compound lever action.
- High-leverage, compound cutting design for cuts of up to 1.2mm (18 gauge) cold-rolled steel and 0.7mm (22 gauge) stainless steel.

NEW

Item No.	Size	L(mm)	PCS	[PW/GW(kg)]
M34922	250mm(10")	250	6/36	0.44/18.70


- Double lever labor saving design.
- Wear resistant Cr-Mo steel blades are made to stand up to the tremendous pressures created by the compound lever action.
- High-leverage, compound cutting design for cuts of up to 1.2mm (18 gauge) cold-rolled steel and 0.7mm (22 gauge) stainless steel.

NEW


Item No.	Size	L(mm)	PCS	[PW/GW(kg)]
M34921	250mm(10")	250	6/36	0.44/18.70

- Double lever labor saving design.
- Wear resistant Cr-Mo steel blades are made to stand up to the tremendous pressures created by the compound lever action.
- High-leverage, compound cutting design for cuts of up to 1.2mm (18 gauge) cold-rolled steel and 0.7mm (22 gauge) stainless steel.

Time-saving and labor-saving




Aviation Snips-Cut Left



Item No.	Size	L(mm)	PCS	PW/GW(kg)
M34911	250mm(10")	245	6/36	0.45/18.00

- Can cut cold-rolled stell with 1.2mm thickness and stainless steel plate with 0.7mm thickness
- Drop forged alloy steel blades,heat treatment
- ⚠ No warranty as consumables



Aviation Snips-Cut Straight



Item No.	Size	L(mm)	PCS	PW/GW(kg)
M34913	250mm(10")	250	6/36	0.45/18.00

- Can cut cold-rolled stell with 1.2mm thickness and stainless steel plate with 0.7mm thickness
- Drop forged alloy steel blades,heat treatment
- ⚠ No warranty as consumables

Aviation Snips-Cut Right



Item No.	Size	L(mm)	PCS	PW/GW(kg)
M 34912	250mm(10")	245	6/36	0.45/18.00

- Can cut cold-rolled stell with 1.2mm thickness and stainless steel plate with 0.7mm thickness
- Drop forged alloy steel blades,heat treatment
- ⚠ No warranty as consumables

Multifunction Aviation Snips



Item No.	Size	L(mm)	PCS	PW/GW(kg)
M34927	300mm(12")	274	6/36	0.390/17.00

- Drop forged CrMO blades
- Cutting baarbed wire and rubber
- ⚠ No warranty as consumables

Aviation Snips-Cut Snips




Item No.	Size	L(mm)	PCS	PW/GW(kg)
M34926	250mm(10")	228	6/36	0.390/14.40

- Drop forged CrMO blades
- Cutting baarbed wire and rubber
- ⚠ No warranty as consumables


Multifunction Aviation Snips

NEW



Item No.	Size	L(mm)	PCS	PW/GW(kg)
M34951	300mm(12")	297	6/36	0.46/17.56


Tinner Snips



Item No.	Size	L(mm)	PCS	PW/GW(kg)
M34872	175mm(7")	177	6/36	0.360/12.00
M34873	250mm(10")	258	6/36	0.540/21.00
M34874	300mm(12")	307	4/24	0.730/18.50
M34875	350mm(14")	355	4/24	1.000/25.50

- Long life of using,easy to cut thick steel plate
- ⚠ No warranty as consumables



Stainless Steel Scissors



Item No.	Size	L(mm)	PCS	PW/GW(kg)
M34642	200mm(8")	210	6/72	0.081/8.06

- Blade material 3CR13, heat treated, hardness≥HRC50
- ABS+TPR bi-color comfortable grip

Hacksaw



Item No.	Size	L(mm)	W (mm)	PCS	PW/GW(kg)
M34768	300mm(12")	400	143	6/36	0.500/20.5

- Aluminum alloy and steel tube
- Strong lacked set,safety and facility with one cutting blade
- Handle with labor saving design
- ⚠ No warranty as consumables


Saw Blade



Item No.	Size	PCS	PW/GW(kg)
M34774	300mm(12")×18T	100/1000	0.019/20.2
M34775	300mm(12")×24T	100/1000	0.018/19.8

- Saw tool is high-speed steel and body is spring steel,was jointed through electron beam
- It has superior flexible,sharp saw-tooth and fluency cutting
- ⚠ No warranty as consumables

Rebar Cutter And Bender



货号 Item No.	总长 L	剪切直径 Cutting Dia.(mm)	PCS	PW/GW(kg)
M33450	1300mm	≤16	1pc	18.40

- Drop forged CrMo blades ,Suitable to be used ,On construction site,With the function of bent steel

Utility knife



Item No.	Size	PCS	PW/GW(kg)
M34529	125x25mm	24/144	0.12/18.20

⚠ No warranty as consumables

Complementary parts for use



10PCS Replacement Blade

Item No.	Size	SET
M34541	125 x 25mm (6section)	10/120



The minimum sales unit is 1 box/10 pieces.

- Blades are sharp, Using SK2 material
- ⚠ No warranty as consumables

Foldable Aluminum Alloy Utility Knife



Item No.	Size	PCS	PW/GW(kg)
M34526	60x19mm	12/96	0.135/14.00

- Made of superior alloy steel
- ⚠ No warranty as consumables

Utility knife



Item No.	Size	PCS	PW/GW(kg)
M34530	80×9mm	24/288	0.049/15.40
M34531	100×18mm	24/192	0.094/18.50

- Comfortable double color handle
- ⚠ No warranty as consumables

Complementary parts for use



10PCS Replacement Blade

Item No.	Size	SET
M34538	100 x 18mm (8section)	10/240
M34539	100 x 18mm (14section)	10/240



The minimum sales unit is 1 box/10 pieces.

- Blades are sharp, be careful for replacement
- ⚠ No warranty as consumables



The product has three blades inside and comes with a total of four large blades.



Complementary parts for use



10PCS Utility Knife Blade

Item No.	Size	SET
M 34544	60×19mm	20/200



The minimum sales unit is 1 box/10 pieces.

- Made of superior alloy steel
- ⚠ No warranty as consumables

Needle Files




Flat File	Bilateral Round Flat File
Half Circle File	Knife Type File
Square File	Single Sided Triangle File
Triangle File	Oblate File
Circle File	Oval File

Item No.	Size	PCS	PW/GW(kg)
M07783	10PCS(4x160mm)	100	0.16/17.00

⚠ No warranty as consumables

Diamond Plastic File



★售完下架

Item No.	Type	Size	PCS	PW/GW(kg)
M61210	Flat File	3x140mm	50/600	0.015/10.50
M61211	Flat File	4x160mm	50/600	0.025/16.00
M61212	Flat File	5x180mm	50/600	0.035/22.00
M61216	Half Circle File	3x140mm	50/600	0.015/10.00
M61217	Half Circle File	4x160mm	50/600	0.023/15.00
M61218	Half Circle File	5x180mm	50/600	0.033/21.00
M61222	Circle File	3x140mm	50/600	0.015/10.00
M61223	Circle File	4x160mm	50/600	0.023/15.00
M61224	Circle File	5x180mm	50/600	0.033/21.00
M07800	10PCS金刚石特种异形什锦锉	CS(3x140mm)	10/100	0.110/11.80
M07804	10PCS金刚石异形什锦锉	10PCS(3x140mm)	10/100	0.110/11.50
M07795	10PCS金刚石整形锉	10PCS(3x140mm)	10/100	0.110/12.50
M07786	3PCS金刚石整形锉刀	3PCS(3x140mm)	20/200	0.035/7.50
M07796	10PCS金刚石整形锉	10PCS(4x160mm)	10/100	0.180/19.20
M07787	3PCS金刚石整形锉刀	3PCS(4x160mm)	20/200	0.055/12.20
M07797	10PCS金刚石整形锉	10PCS(5x180mm)	10/100	0.280/29.00
M07793	5PCS金刚石整形锉刀	5PCS(5x180mm)	10/100	0.160/17.00
M07788	3PCS金刚石整形锉刀	3PCS(5x180mm)	20/200	0.095/20.30

- Drop forged with 45# carbon steel, plated with synthetic
- Diamond on the surface, durable and high efficiency

Flat File



Coarse Teeth Flat File

Item No.	Size	PCS	PW/GW(kg)
M61102	150mm(6")	10/100	0.140/15.00
M61103	200mm(8")	10/100	0.200/21.50
M61104	250mm(10")	10/60	0.317/20.00
M61105	300mm(12")	10/60	0.300/29.50




Middle Teeth Flat File

Item No.	Size	PCS	PW/GW(kg)
M61108	150mm(6")	10/100	0.140/15.00
M61109	200mm(8")	10/100	0.200/21.50
M61110	250mm(10")	10/60	0.317/20.00
M61111	300mm(12")	10/60	0.300/29.50

Fine Teeth Flat File

Item No.	Size	PCS	PW/GW(kg)
M61114	150mm(6")	10/100	0.140/15.00
M61115	200mm(8")	10/100	0.200/22.00
M61116	250mm(10")	10/60	0.317/22.00
M61117	300mm(12")	10/60	0.300/25.00

- Drop forged with T12, sharp and durable
- Ideal tooth depth and tooth pitch is sure to clean neat
- Comfortable grip
- ⚠ No warranty as consumables



Square File



Coarse Teeth Square File

Item No.	Size	PCS	PW/GW(kg)
M61122	150mm(6")	10/100	0.100/12.00
M61123	200mm(8")	10/100	0.150/16.00
M61124	250mm(10")	10/60	0.200/14.00
M61125	300mm(12")	10/60	0.317/21.00

Middle Teeth Square File

Item No.	Size	PCS	PW/GW(kg)
M61128	150mm(6")	10/100	0.100/12.00
M61129	200mm(8")	10/100	0.150/16.00
M61130	250mm(10")	10/60	0.200/14.00
M61131	300mm(12")	10/60	0.317/21.00

Fine Teeth Square File

Item No.	Size	PCS	PW/GW(kg)
M61134	150mm(6")	10/100	0.100/12.00
M61135	200mm(8")	10/100	0.150/16.00
M61136	250mm(10")	10/60	0.200/14.00
M61137	300mm(12")	10/60	0.317/21.00

- Drop forged with T12, sharp and durable
- Ideal tooth depth and tooth pitch is sure to clean neat
- Comfortable grip
- ⚠ No warranty as consumables

Semi Circle File



Coarse Teeth Half Round

Item No.	Size	PCS	PW/GW(kg)
M61142	150mm(6")	10/100	0.145/15.20
M61143	200mm(8")	10/100	0.200/20.70
M61144	250mm(10")	10/60	0.333/20.68
M61145	300mm(12")	10/60	0.467/28.70

Middle Teeth Half Round

Item No.	Size	PCS	PW/GW(kg)
M61148	150mm(6")	10/100	0.145/15.20
M61149	200mm(8")	10/100	0.200/20.70
M61150	250mm(10")	10/60	0.333/20.68
M61151	300mm(12")	10/60	0.467/28.70

Fine Teeth Half Round

Item No.	Size	PCS	PW/GW(kg)
M61154	150mm(6")	10/100	0.145/15.20
M61155	200mm(8")	10/100	0.200/20.70
M61156	250mm(10")	10/60	0.333/20.68
M61157	300mm(12")	10/60	0.467/28.70

- Drop forged with T12, sharp and durable
- Ideal tooth depth and tooth pitch is sure to clean neat
- Comfortable grip
- ⚠ No warranty as consumables

Middle Teeth Round



Item No.	Size	PCS	PW/GW(kg)
M61168	150mm(6")	10/100	0.100/15.00
M61169	200mm(8")	10/100	0.140/19.00
M61170	250mm(10")	10/60	0.175/20.00
M61171	300mm(12")	10/60	0.283/24.00


- Drop forged with T12, sharp and durable
- Ideal tooth depth and tooth pitch is sure to clean neat
- Comfortable grip
- ⚠ No warranty as consumables

Screw Tap Set



★ This product will be taken off the shelves after it is sold out.

Item No.	Size	PCS	PW/GW(kg)
M07652	40PCS	6/10	1.20/13.00



- Drop forged with Gcr15, sharp and durable
- Ideal tooth depth and tooth pitch is sure to clean neat
- Comfortable grip
- ⚠ No warranty as consumables

Middle Teeth Triangular



Item No.	Size	PCS	PW/GW(kg)
M61188	150mm(6")	10/100	0.130/15.00
M61189	200mm(8")	10/100	0.190/19.00
M61190	250mm(10")	10/60	0.275/20.00
M61191	300mm(12")	10/60	0.400/24.00

- Drop forged with T12, sharp and durable
- Ideal tooth depth and tooth pitch is sure to clean neat
- Comfortable grip
- ⚠ No warranty as consumables

32PCS Screw Tap Set












Item No.	Size	PCS	PW/GW(kg)
M07657	32PCS	10	1.32/12.40



- 21 taps: M3x0.5, M4x0.7, M5x0.8, M6x1.0, M8x1.25, M10x1.5, M12x1.75 taper, plug, bottom
- 7 dies: M3x0.5, M4x0.7, M5x0.8, M6x1.0, M8x1.25, M10x1.5, M12x1.75
- 1 tap wrench: M1-12
- 1 die wrench: 25mm O/D
- 1 screw pitch gauge
- 1 screwdriver

⚠ No warranty as consumables



Screwdriver Series/Measurement Tools/Striking Tools

Screwdriver Series

Screwdriver

Measurement Tools

Tape

Ruler and level

Striking Tools

Hammer

Chisel

Punching Set

153-156

157-158

158-159

160-161

162

163-164




Screwdriver Phillips



Item No.	Size		
M55276	PH0x75	12/144	0.02/3.60
M55277	PH0x100	12/144	0.02/3.80
M55278	PH0x150	12/144	0.02/4.40
M55279	PH0x200	12/144	0.03/4.90
M55280	PH1x75	12/120	0.05/7.80
M55281	PH1x100	12/120	0.06/8.50
M55282	PH1x125	12/120	0.06/8.80
M55283	PH1x150	12/120	0.07/9.20
M55284	PH1x200	12/120	0.07/10.17
M55285	PH1x250	12/120	0.08/11.50
M55286	PH1x300	12/120	0.09/12.40
M55288	PH2x100	12/120	0.09/12.30
M55289	PH2x125	12/120	0.09/13.00
M55290	PH2x150	12/120	0.10/13.60
M55291	PH2x200	12/120	0.11/15.20
M55292	PH2x250	12/120	0.14/17.30
M55293	PH2x300	12/120	0.16/18.60
M55294	PH3x200	12/72	0.19/13.00
M55295	PH3x250	12/72	0.21/15.00
M55296	PH3x300	12/72	0.23/16.50

·The blade is made of high-quality 6150 chromium-vanadium steel with special heat treatment.
·Full body quenched, blackend head. High strength and increased service life.
·Widely used in all kinds of screw fasteners.
·The head of the blade has strong magnetism.
·PP+TPR injection molded handle, beautiful and comfortable.

Screwdriver Slotted



*Specifications with : The blade width, blade shoulder width, and shank diameter are consistent, making it more suitable for working in narrow holes within electrical cabinets or similar confined spaces.

Item No.	Size		
* M55226	3x75mm	12/144	0.02/3.60
* M55227	3x100mm	12/144	0.02/3.80
* M55228	3x150mm	12/144	0.02/4.40
* M55229	3x200mm	12/144	0.03/4.90
* M55230	5x75mm	12/120	0.05/8.40
* M55231	5x100mm	12/120	0.06/8.40
* M55232	5x125mm	12/120	0.06/8.80
* M55233	5x150mm	12/120	0.07/9.20
* M55234	5x200mm	12/120	0.07/10.70
* M55235	5x250mm	12/120	0.08/11.50
* M55236	5x300mm	12/120	0.09/12.70
M55238	6x100mm	12/120	0.09/12.40
M55239	6x125mm	12/120	0.09/13.00
M55240	6x150mm	12/120	0.10/13.70
M55241	6x200mm	12/120	0.11/15.10
M55242	6x250mm	12/120	0.14/16.80
M55243	6x300mm	12/120	0.16/18.60
M55244	8x200mm	12/72	0.19/13.00
M55245	8x250mm	12/72	0.21/15.00
M55246	8x300mm	12/72	0.23/16.10

·The blade is made of high-quality 6150 chromium-vanadium steel with special heat treatment.
·Full body quenched, blackend head. High strength and increased service life.
·Widely used in all kinds of screw fasteners.
·The head of the blade has strong magnetism.
·PP+TPR injection molded handle, beautiful and comfortable.

Screwdriver Phillips



Item No.	Size		
M57362	PH2x100	12/120	0.13/18.10
M57363	PH2x150	12/120	0.15/19.60
M57364	PH2x200	12/120	0.16/21.20
M57365	PH3x150	12/72	0.20/16.00
M57366	PH3x200	12/72	0.22/17.50
M57367	PH3x250	12/72	0.24/19.20
M57368	PH3x300	12/72	0.27/20.70


·The blade is made of high-quality 6150 chromium-vanadium steel with special heat treatment.
·Full body quenched, blackend head. High strength and increased service life.
·Through-type hexagonal rod, suitable for striking and force-adding use.

Screwdriver Slotted



Item No.	Size		
M57312	6x100mm	12/120	0.13/18.10
M57313	6x150mm	12/120	0.15/19.60
M57314	6x200mm	12/120	0.16/21.20
M57315	8x150mm	12/72	0.20/15.80
M57316	8x200mm	12/72	0.22/17.30
M57317	8x250mm	12/72	0.24/19.20
M57318	8x300mm	12/72	0.27/20.70

·The blade is made of high-quality 6150 chromium-vanadium steel with special heat treatment.
·Full body quenched, blackend head. High strength and increased service life.
·Through-type hexagonal rod, suitable for striking and force-adding use.



Screwdriver Phillips



Item No.	Size	PCS	[PW/GW(kg)]
M55251	PH0×75	12/144	0.030/5.60
M55252	PH0×100	12/144	0.031/5.80
M55253	PH0×150	12/144	0.034/6.70
M55254	PH0×200	12/144	0.045/7.40
M55255	PH1×75	12/120	0.055/8.00
M55256	PH1×100	12/120	0.060/9.20
M55258	PH1×150	12/120	0.075/10.10
M55259	PH1×200	12/120	0.075/11.00
M55260	PH1×250	12/120	0.088/12.00
M55261	PH1×300	12/120	0.096/13.50
M55262	PH2×38	12/120	0.040/ 6.20
M55263	PH2×100	12/120	0.085/11.80
M55264	PH2×125	12/120	0.090/13.00
M55265	PH2×150	12/120	0.095/13.50
M55266	PH2×200	12/120	0.117/15.30
M55267	PH2×250	12/120	0.125/17.60
M55268	PH2×300	12/120	0.138/18.20
M55272	PH3×150	6/72	0.180/13.96
M55269	PH3×200	6/72	0.158/13.26
M55270	PH3×250	6/72	0.194/15.40
M55271	PH3×300	6/72	0.215/17.00

·Made of S2,heat treatment
·With magnet on the head,comfortable

Screwdriver Slotted



Item No.	Size	PCS	[PW/GW(kg)]
M55201	3×75mm	12/144	0.030/5.60
M55202	3×100mm	12/144	0.031/6.10
M55203	3×150mm	12/144	0.034/6.70
M55204	3×200mm	12/144	0.045/7.40
M55205	5×75mm	12/120	0.055/8.00
M55206	5×100mm	12/120	0.060/9.00
M55208	5×150mm	12/120	0.075/10.40
M55209	5×200mm	12/120	0.075/11.00
M55210	5×250mm	12/120	0.088/12.00
M55211	5×300mm	12/120	0.096/13.00
M55212	6×38mm	12/120	0.040/6.20
M55213	6×100mm	12/120	0.085/11.80
M55214	6×125mm	12/120	0.090/13.00
M55215	6×150mm	12/120	0.095/13.50
M55216	6×200mm	12/120	0.110/14.50
M55217	6×250mm	12/120	0.125/16.50
M55218	6×300mm	12/120	0.138/17.66
M55222	8×150mm	6/72	0.180/13.96
M55219	8×200mm	6/72	0.158/13.24
M55220	8×250mm	6/72	0.194/15.60
M55221	8×300mm	6/72	0.215/17.00

·Made of S2,heat treatment
·With magnet on the head,comfortable

Screwdriver Set,With Oil Resistant Handle



8PCS

Item No.	Size	SET	[PW/GW(kg)]
M07601	Slotted 5×75mm, 6×38mm, 6×100mm, 6×150mm Phillips PH1×75, PH2×38, PH2×100, PH2×150	6	1.035/7.71



6PCS

Item No.	Size	SET	[PW/GW(kg)]
M07599	Phillips PH0×75, PH1×100, PH2×150 Slotted 3×75mm 5×100mm 6×150mm	24	0.542/14.30

·Durable packaging easy to carry,grip with no-toxic material, meet EU standard
·Made of S2,heat treatment
·With magnet on the head,comfortable

Screwdriver Phillips



Item No.	Size	PCS	[PW/GW(kg)]
M57351	PH2×100	12/120	0.178/22.80
M57352	PH2×150	12/120	0.158/20.60
M57355	PH3×200	6/72	0.270/21.50
M57357	PH3×300	6/72	0.291/23.00

·Made of S2,heat treatment
·With magnet on the head,comfortable

Screwdriver Slotted



Item No.	Size	PCS	[PW/GW(kg)]
M57301	6×100mm	12/120	0.176/22.70
M57302	6×150mm	12/120	0.158/20.60
M57305	6×200mm	6/72	0.270/21.30
M57307	6×300mm	6/72	0.307/25.00

·Made of S2,heat treatment
·With magnet on the head,comfortable

Oil-Resistant Handle + Through-Core Screwdriver

• Multi-Functionality

Reinforced Joint Design:
Supports twisting, hammering,
and prying, meeting the needs
of various special applications.



• Durability

Made of Cr-Mo high-grade alloy steel
hexagonal shaft:High hardness, excellent
toughness, and strong impact resistance.



• Oil Resistance

Handle made of TPR + PP materials,
resistant to 12 types of organic solvents.
Comfortable grip, durable, and resistant
to cracking.



8pcs impact screwdriver set



1 adaptor ; 1 impact handle
6 bits : Phillips PH1x80,PH2x80,PH3x80,PH3x36
Slotted 9mmx80mm,8mmx36mm

Item No.	Size	SET	[PW/GW(kg)]
M07608	8PCS	1/20	0.91/18.70

·Made of super steel,bits with S2,can adjust direction
·With magnet on the head,comfortable
△ No warranty as consumables

8 in1 Screwdriver Set



Phillips:PH2, PH1, PH0
Slotted:6mm, 5mm, 3mm
Needle Screwdriver Bit
Hook Screwdriver Bit



Item No.	Size	SET	[PW/GW(kg)]
M07610	8 in1	6/48	0.29/16.00

Accurate Screwdriver Set



6PCS

Item No.	Size	PCS	[PW/GW(kg)]
M07603	Phillips PH0,PH1 Slotted 1.5,2,2.4,4,3mm	6/72	0.201/16



4PCS

Item No.	Size	PCS	[PW/GW(kg)]
M07605	Phillips PH00,PH0,PH1 Slotted 1.4,2,2.4mm	6/36	0.089/3.70

- Bits made of S2
- With magnet on the head,comfortable grip

6PCS Accurate Screwdriver Set



Item No.	Size	PCS	[PW/GW(kg)]
M07600	Phillips PH0,PH1 Slotted 1.4,2,2.4,4,3mm	48	0.12/6.22

Screwdriver Pozidriv



★This product will be taken off the shelves after it is sold out.

Item No.	Size	PCS	[PW/GW(kg)]
M 57441	PZ0×75	12/144	0.035/5.50
M 57449	PZ1×100	12/144	0.073/11.40
M 57450	PZ1×150	12/144	0.076/12.60
M 57460	PZ2×100	12/120	0.092/12.40
M 57461	PZ2×150	12/120	0.100/13.60
M 57476	PZ3×150	6/96	0.167/17.30

- Made of CrV, heat treatment
- With magnet on the head,comfortable
- △ No warranty as consumables

ABS Body Tape Measure



Item No.	Size	PCS	[PW/GW(kg)]
M26131	2M×16mm	12/120	0.130/17.00
M26132	3M×16mm	12/120	0.140/19.00
M26133	5M×19mm	12/120	0.230/29.30
M26134	7.5M×25mm	6/72	0.420/31.30

- ABS shuck,black rubber cover, feel comfortable,good elasticity&toughness
- △ No warranty as consumables

Magnetic Tape Measure



Item No.	Size	PCS	[PW/GW(kg)]
M26154	3M×16mm	12/120	0.142/18.50
M26155	5M×25mm	6/72	0.300/23.50
M26156	7.5M×25mm	6/48	0.437/22.50

- 25mm×0.12mm tape,extra wide and thick,excellent stiffness,suitable for long distance measuring
- magnetic hook which can attract steel object,ABS shuck,black rubber cover, feel comfortable
- △ No warranty as consumables

Double-sided high-grade Luban steel tape measure

Item No.	Size	PCS	[PW/GW(kg)]
M26010	5.0Mx19mm	6/72	0.19/14.60

- 65Mn steel, good flexibility
- Transparent plastic shell,beautiful and strong
- △ No warranty as consumables



This tape measure can be used as a centimeter ruler, a Lu Ban ruler,a Ding Lan ruler, and a traditional ruler.

Long Measure Tape



Item No.	Size	PCS	[PW/GW(kg)]
M26184	10M x 12.5mm	1/50	0.320/17.00
M26185	20M x 12.5mm	1/50	0.280/15.20


- ABS plastic shuck,good elasticity and toughness
- △ No warranty as consumables

Fiber Glass metric tape



Item No.	Size	PCS	[PW/GW(kg)]
M26352	30M	1/60	0.417/26.60
M26353	50M	1/30	0.633/21.00

- ABS shuck, thicker glass fiber tape, more accurate measurement.
- △ No warranty as consumables



Bi-color plastic shuck Tape



Item No.	Size	PCS	PW/GW(kg)
M26174	30M	1/20	0.92/21.70
M26175	50M	1/20	1.175/31.70
M26176	100M	1/10	2.050/22.10

·High strength ABS plastic shuck,painted belt,not easily rusted,black rubber grip
⚠ No warranty as consumables

Digital Caliper



NEW



Item No.	Size	PCS	PW/GW(kg)
M26629	0-150mm	1/50	0.31/16.10
M26630	0-200mm	1/30	0.41/13.10
M26631	0-300mm	1/20	0.66/14.10


·IP54-rated protection, fully enclosed shell, resistant to dust, water, oil, and stainless steel forging
·Making it rust-resistant and long-lasting.
·LED digital display, linear encoder system for quick measurement and clear readings.
·Roller design, does not damage the ruler body, made of stainless steel.
⚠ No warranty as consumables

Metric Mirror Finish Steel Blade Long Tape



Item No.	Size	PCS	PW/GW(kg)
M26168	30M×13mm	1/20	1.075/23.00
M26169	50M×13mm	1/20	1.450/30.30
M26170	100M×13mm	1/10	2.270/24.00

·Chromed belt,not easy rusted
⚠ No warranty as consumables



Magnetic Level with Adjustable Vial



Item No.	Size	PCS	PW/GW(kg)
M26565	400mm(16")	30	0.25/8.50
M26567	600mm(24")	30	0.40/13.00
M26568	800mm(32")	30	0.50/16.50
M26569	1000mm(40")	30	0.68/20.20

·Aluminum alloy frame with strong magnetism;
·Three-in-one adjustable horizontal and vertical vial, wide application range;
·Fine milled surface for best flatness of the body;
·0~90° adjustable vial, wide measurement range
⚠ No warranty as consumables

Aluminium alloy steel square



Item No.	Size	PCS	PW/GW(kg)
M26471	300mm(12")	6/60	0.217/14.50

·With zinc alloy steel base,adjustable level,it can be silded
⚠ No warranty as consumables

Aluminium level with scale



Item No.	Size	PCS	PW/GW(kg)
M26575	300mm(12")	50	0.170/9.30
M26576	400mm(16")	50	0.200/10.70
M26577	500mm(20")	50	0.250/13.70
M26578	600mm(24")	50	0.280/14.00
M26579	800mm(32")	50	0.330/18.00
M26580	1000mm(40")	50	0.400/20.00
M26581	1200mm(48")	50	0.563/29.00

·Zice alloy steel body, designed with strong magnetism, with sales helpful to measuring length, with 3 bubbles design for different angles measuring
⚠ No warranty as consumables

Metric Steel ruler



Item No.	Size	PCS	PW/GW(kg)
M26425	150mm(6")	10/600	0.022/13.00
M26426	300mm(12")	10/300	0.070/22.30
M26427	500mm(20")	10/120	0.117/15.00
M26428	1000mm(40")	10/60	0.300/19.80

·Made of super stainless steel,with SAE and metric scale,easy to measure
⚠ No warranty as consumables

Metric square



Item No.	Size	PCS	PW/GW(kg)
M26451	300×150mm(6")	10/100	0.130/16.00
M26452	500×250mm(12")	10/100	0.235/26.60

·Metric scale
⚠ No warranty as consumables

Wooden Handle Ball Peen Hammer



Item No.	Size	L (mm)	PCS	[PW/GW(kg)]
M24101	0.5LB	280	6/72	0.31/23.0
M24102	0.75LB	310	6/48	0.42/21.0
M24103	1LB	330	6/48	0.61/30.2
M24104	1.5LB	350	6/36	0.88/32.6
M24105	2LB	370	6/24	1.08/27.0
M24106	2.5LB	400	6/24	1.28/31.7
M24107	3LB	400	6/24	1.39/34.3

· Drop forge with high quality steel, endure being impacted

Wooden Handle Claw Hammer



Item No.	Size	L (mm)	PCS	[PW/GW(kg)]
M24121	8oz	290	6/72	0.390/29.0
M24122	12oz	330	6/36	0.640/25.0
M24123	16oz	335	6/36	0.830/21.0
M24124	20oz	327	6/24	1.125/29.00
M24125	24oz	330	6/24	0.750/29.00

· Drop forge with high quality steel, endure being impacted

Double-Faced Soft Mallet



Wooden Handle Sledge Hammer



Item No.	Size	L (mm)	PCS	[PW/GW(kg)]
M24141	2LB	300	6/24	1.08/27.0
M24142	3LB	360	6/12	1.58/20.0
M24143	4LB	400	6/12	2.00/25.0
M24144	6LB	800	6	3.17/20.0
M24145	8LB	800	6	4.00/25.0
M24146	10LB	900	4	5.00/21.0
M24147	12LB	900	2	7.25/15.0
M24148	14LB	900	2	7.25/15.0
M24149	16LB	900	2	8.25/17.0
M24150	18LB	900	2	9.00/19.0
M24151	20LB	900	2	9.75/20.0

· Drop forge with high quality steel, endure being impacted

Riveting Hammer With Wooden Handle



Item No.	Size	PCS	[PW/GW(kg)]
M24169	0.2kg	6/72	0.25/19.70
M24170	0.3kg	6/72	0.42/31.60
M24171	0.5kg	6/48	0.57/30.00
M24172	0.8kg	6/24	0.88/22.90
M24173	1kg	6/24	1.08/28.00
M24174	1.5kg	6/12	1.50/20.20
M24175	2kg	6/12	1.92/25.10

· Drop forge with high quality steel, endure being impacted

Dead Blow Hammer



★ The product will be upgraded after it is sold out.

Item No.	Size	L (mm)	Diameter of the striking face φ (mm)	PCS	[PW/GW(kg)]
M24328	0.5LB	270	40	6/36	0.500/20.00
M24329	1LB	300	43	6/24	0.643/17.00
M24330	1.5LB	323	50	6/24	0.790/22.00
M24331	2LB	345	53	6/24	0.915/24.00
M24332	2.5LB	350	55	6/24	1.041/27.00

The inside is welded A3 steel and coated with PVC outside. It is knock-resistant, anti-slip and grease proof with comfortable grip which is suitable for fire prevention places. The head contains steel ball inside which makes knocking without elastic rebound. It can be used for heavily knocking and never damage the surface of the work piece and also without tapping sparks.

Rubber Mallet



Item No.	Size	L (mm)	Hammer head size (mm)	Diameter of the striking face φ (mm)	PCS	[PW/GW(kg)]
M24305	8oz	299	79x53	46	6/48	0.27/13.96
M24306	12oz	308	89x59	51	6/36	0.39/15.04
M24307	16oz	345	93x63	55	6/24	0.48/12.52
M24308	24oz	340	115x70	63	6/24	0.66/16.84
M24309	32oz	344	128x76	68	6/24	1.00/25.00

· The hammer head is made of white pure rubber with good flexibility, without any chance to break.

- ✓ Good Elasticity
- ✓ High Toughness
- ✓ Resistance to Shattering.



Sledge Hammer With Fiber Handle



Item No.	Size	L (mm)	PCS	[PW/GW(kg)]
M24258	2LB	335	6/24	1.08/27.00
M24259	3LB	375	6/12	1.64/20.00
M24260	4LB	380	6/12	2.09/25.00
M24261	6LB	875	6	3.68/23.00
M24262	8LB	880	4	4.58/20.00
M24263	10LB	885	4	5.48/21.00
M24264	12LB	890	4	6.38/27.00
M24265	14LB	895	2	7.28/15.00
M24266	16LB	900	4	8.18/33.72
M24267	18LB	905	4	9.08/37.32
M24268	20LB	910	2	9.98/21.00

· Drop forge with high quality steel, impact resistance

Claw Hammer With Fiber Handle



Item No.	Size	L (mm)	PCS	[PW/GW(kg)]
M24233	8oz	280	6/72	0.37/28.00
M24234	12oz	280	6/36	0.70/27.00
M24235	16oz	340	6/24	0.84/21.00
M24236	20oz	327	6/24	1.21/31.00
M24237	24oz	330	6/24	1.00/25.40


· Drop forge with high quality steel, impact resistance · Fiberglass handle

Ball Peen Hammer With Fiber Handle



Item No.	Size	L (mm)	L2 (mm)	W1 (mm)	W2 (mm)	PCS	[PW/GW(kg)]
M24211	0.5LB	280	22	76	31	6/72	0.36/27.00
M24212	0.75LB	285	27	92	42	6/48	0.46/22.00
M24213	1LB	320	30	100	42	6/48	0.65/32.00
M24214	1.5LB	325	31	110	42	6/36	0.88/32.00
M24215	2LB	365	33	122	47	6/24	1.19/29.00
M24216	2.5LB	370	38	129	47	6/12	1.38/17.60

· Drop forge with high quality steel, impact resistance



Electrician's Wall Brick Chisel

CrV



Item No.	Size	PCS	PW(kg)
M24075	100x19x215mm	6/24	0.574/15.00

The product is mainly used for shaping and flattening of groove for line box.
The advantages:
1.anti-shock,with comfortable gripping
2.anti-hurting,avoid from hurting the user
3.the groove size is achieved by one step,no need to measure again

Flat Chisel With Plastic Handle

CrV



Item No.	Size	PCS	PW(kg)
M24053	25x19x300mm	6/24	0.78/20.50

The product is mainly used in fields of mechanical repair,assembling, construction,automobile service,rock and concrete work and used for slotting,engraving,removing welding slag and cleaning key groove,etc.

Cold Chisel



Item No.	Size	Product No.	Length (mm)	PCS	PW(kg)
M24045	160mm(6")	WZ0106	160	6/72	0.19/14.3
M24046	200mm(8")	WZ0108	200	6/60	0.31/19.6
M24047	250mm(10")	WZ0110	250	6/36	0.46/17.3
M24048	300mm(12")	WZ0112	300	6/24	0.57/14.8

·Drop forged,high frequency heat-treated,black phosphated
△ No warranty as consumables

Point Chisel With Plastic Handle

CrV




Item No.	Size	PCS	PW(kg)
M24054	4x19x300mm	6/24	0.744/19.20

The product is mainly used in fields of mechanical repair,assembling, construction,automobile service,rock and concrete work and used for slotting,engraving,removing welding slag and cleaning key groove,etc.



Cape Chisel

CrV



Item No.	Size	L (mm)	a (mm)	b (mm)	PW(kg)
M24627	5x9.5x130mm	130	5	9.5	0.060

Octagonal Steel Cold Chisel

CrV



Item No.	Size	L (mm)	a (mm)	b (mm)	PW(kg)
M24067	12x9.5x130mm	130	12	9.5	0.200
M24068	15x12x150mm	150	15	12	0.125
M24069	18x14x175mm	175	18	14	0.285

Center Punch

CrV



Item No.	Size	L (mm)	a (mm)	b (mm)	PW(kg)
M24614	4x9.5x120mm	120	4	9.5	0.115
M24615	5x12x150mm	150	5	12	0.055

Octagonal Steel Cold Chisel

CrV



Item No.	Size	L (mm)	a (mm)	b (mm)	PW(kg)
M24064	20x16x200mm	200	20	16	0.306
M24065	22x20x250mm	250	22	20	0.590
M24066	25x22x300mm	300	25	22	0.864

3PCS:
20x16x200mm,22x20x250mm,25x22x300mm


Item No.	Size	SET	PW(kg)
M07757	3PCS	1/6	1.750/11.70





Taper Punch

CrV



Item No.	Size	L (mm)	a (mm)	b (mm)	PCS	PW(kg)
M24621	3x9.5x120mm	120	3	9.5	10	0.055





Pin Punch

CrV



Item No.	Size	L (mm)	a (mm)	b (mm)	PW(kg)
M24633	2×9.5×150mm	150	2	9.5	0.055
M24634	3×9.5×150mm	150	3	9.5	0.055
M24635	4×9.5×150mm	150	4	9.5	0.105
M24636	5×9.5×150mm	150	5	9.5	0.095
M24637	6×12×150mm	150	6	12	0.060
M24638	8×12×150mm	150	8	12	0.060

6PCS Octagonal Steel Punch Set

CrV



2×9.5×150mm, 3×9.5×150mm, 4×9.5×150mm
5×9.5×150mm, 6×12×150mm, 8×12×150mm

Item No.	Size	SET	PW/GW(kg)
M07760	6PCS	1/20	0.750/16.50

Octagonal Steel Punch Set

CrV








12×9.5×130mm
4×9.5×150mm
3×9.5×120mm
5×9.5×130mm
4×9.5×120mm

Item No.	Size	SET	PW/GW(kg)
M07759	5PCS	4/40	0.313/14.00

AutomotiveProducts/PullerTools/HydraulicTools

Lubrication Tools	166-167
Wrench	167-169
Spark Plug Socket	169
Puller	170-171
Hydraulic Tools	171
Jack	172
Japanese Type Chain Block	173





High Pressure Grease Gun



Item No.	Size	PCS	[PW/GW(kg)]
M40082	400CC	1/10	1.38/16.30

· Made of seamless steel pipe, high working pressure and efficiency
⚠ No warranty as consumables

Heavy Duty Grease Gun



Item No.	Size	PCS	[PW/GW(kg)]
M40084	800CC	1/8	2.80/23.50

· Made of precision seamless steel tubes, design with precision screw, easy to assemble and disassemble
· Handle designed with leverage, easy to add oil, heat treatment screw, durable

Double Piston Grease Gun



Item No.	Size	PCS	[PW/GW(kg)]
M40083	600CC	1/10	1.76/19.80

· Made of metal valve, more durable in use
⚠ No warranty as consumables

Complementary parts for use

Grease Gun Hose




Item No.	Size(cm)
M99430	30cm
M99431	40cm

Grease Gun Pointy Nozzle

Item No.	Size(cm)
M99428	400CC

Grease Gun Flat Nozzle

Item No.	Size(cm)
M99429	400CC



Plastic Pump Oiler



Item No.	Size	PCS	[PW/GW(kg)]
M40042	280ml	10/120	0.120/13.60

· Made of plastic, not easy to broken
⚠ No warranty as consumables

Metal Pump Oiler




Item No.	Size	PCS	[PW/GW(kg)]
M40048	280ml	10/80	0.150/14.50

· Made of metal valve, more durable in use
⚠ No warranty as consumables

T-Type Wrench

CrV




Item No.	Size	L1 (mm)	L2 (mm)	PCS	[PW/GW(kg)]
M40107	7mm	200	310	20/80	0.270/21.40
M40108	8mm	200	310	20/80	0.270/25.80
M40109	9mm	200	310	20/80	0.260/21.30
M40110	10mm	200	310	20/80	0.280/26.20
M40111	11mm	200	310	20/80	0.280/23.00
M40112	12mm	200	310	20/80	0.290/28.40
M40113	13mm	200	310	20/80	0.290/29.00
M40114	14mm	200	310	20/80	0.340/29.30
M40115	15mm	200	310	20/80	0.360/29.30
M40116	16mm	200	310	20/80	0.360/30.50
M40117	17mm	200	310	20/60	0.380/24.00
M40118	18mm	200	310	20/60	0.420/25.70
M40119	19mm	200	310	20/60	0.410/25.10

· Suit for using in narrow
· Mirror polished with chrome and satin finished, easy to be use


Y-Type Wrench

CrV



Item No.	Size	L1 (mm)	PCS	[PW/GW(kg)]
M40168	8-9-10mm	150	10/60	0.270/17.80
M40169	8-10-12mm	150	10/60	0.290/19.00
M40170	10-11-13mm	150	10/60	0.300/18.50
M40171	10-12-14mm	150	10/60	0.330/22.00
M40172	12-13-14mm	150	10/60	0.350/21.50
M40173	12-14-17mm	150	10/60	0.430/26.30
M40174	14-17-19mm	150	10/60	0.480/29.30

· Mirror polished with chrome and satin finished, easy to be use



Cross Rim Wrench

CrV

Socked sizes:17,19,21,23mm

Item No.	Size	PCS	[PW/GW(kg)]
M40251	350mm	2/16	1.330/23.50
M40252	400mm	2/16	1.360/24.00
M40253	450mm	2/16	1.520/28.00
M40254	500mm	2/12	1.700/22.80

· Drop forged with super CrV steel,chrome plated

· Long using life,strength can exceed standard more than 30%

· With jacket on the cross,safe to be used,knurled handle avoid slipping

Telescopic Lug Wrench

CrV

Item No.	Size	PCS	[PW/GW(kg)]
M40212	17-23mm	4/24	1.170/28.60

· Can stretch,easy to take

· The length can be 540mm

Rapid Cross Wrench

CrV

Suitable for flood response, emergency use, and tire removal.

Item No.	Size	PCS	[PW/GW(kg)]
M40279	17-19-21-23mm	1/12	1.53/23.2

· Easy to carry,save more power when loading and unloading tyres


· Self-rescue star, the necessity in the car for emergency and safety

Strap Wrench

Item No.	Size	Length (mm)	PCS	[PW/GW(kg)]
M40701	300mm	305	6/36	0.430/16.00

· Bele can be adjusted for needs

Can assemble and disassemble different shape of item,easy to be used



Three Jaw Oil Filter Wrench

Item No.	Size	PCS	[PW/GW(kg)]
M40564	54-116mm	1/50	0.35/10.00

· Three claw type filter wrench The 3 claw can rotate smoothly clockwiseand anticlockwise and there is no deformation because of its high strength

· The unique designed gear can firmly graspthe filter, suitable for1/2"Dr.ratchet handle or 13/16"spinner handle

· The product can disassemble the filter withthe diameter less than 102mm

Extra Long Oxygen Sensor Socket

Item No.	Size	PCS	[PW/GW(kg)]
M40589	12.5mm(1/2 ")x22mm	2/60	0.245/15.50

· For the installation and maintenance of vehicle air conditioning systems

2pcs Coil Spring Clamp set

Item No.	Size	SET	[PW/GW(kg)]
M40712	370mm	1/10	1.02/21.50

· 1set=2pcs

· Drop forged with high alloy steel

· Can be used together with tools which 1/2"Dr.drive compressor





· Precision casting hook,heat-treated HRC40~45,satin finish,heat-treated screw HRC35~45,black finish

Spark Plug Socket

CrV

Item No.	Size	Length (mm)	PCS	[PW/GW(kg)]
M47372	10mm(3/8")x16mm	65	12/96	0.094/9.88
M47373	10mm(3/8")x21mm	65	12/96	0.143/14.50
M47377	12.5mm(1/2")x16mm	65	12/96	0.098/11.00
M47378	12.5mm(1/2")x21mm	65	12/96	0.155/16.00

· Drop forged with CrV




Twin Jaw Puller



Item No.	Opening Capacity (mm)	PCS	PW/GW(kg)
M40767	40-220	1/10	2.350/25.50

Two Jaw Puller



Item No.	Size	Opening Capacity(mm)	Scope(mm)	PCS	PW/GW(kg)
M60930	75mm	80	50	1/60	0.36/22.30
M60931	100mm	90	80	1/24	0.69/18.00
M60932	125mm	120	80	1/24	0.75/19.50
M60933	175mm	170	130	1/8	2.04/17.50
M60934	225mm	220	130	1/8	2.25/19.50
M60935	300mm	285	185	1/4	5.37/23.00
M60936	350mm	350	185	1/4	5.83/24.50

- Anti-sliding design
- Drop forged with CrV steel,heat treatment

Universal Wheel Hub Puller




Item No.	Scope(mm)	PCS	PW/GW(kg)
M40741	200	1/6	2.920/16.84

- Drop forged with CRV
- Used for disassembling the automobile wheel rim
- Heat-treated screw and tip HRC35-45,black finish;
- cross arm black finish;
- Heat-treated puller legs HRC38-45,ssatin finish;
- precision casting disc.
- Heat-treated HRC30-40,sarin finish




Two Jaw Puller



Item No.	Size	A Opening Capacity (mm)	A1 Opening Capacity (mm)	L1 Scope(mm)	L2 Scope(mm)	L3 Scope(mm)	L4 Scope(mm)	PCS	PW/GW(kg)
M60900	75mm	80	/	40	44	/	/	1/40	0.420/18.50
M60901	100mm	115	125	40	90	38	60	1/20	0.750/16.00
M60902	150mm	160	155	50	140	50	105	1/12	1.670/21.50
M60903	200mm	200	215	50	245	50	180	1/6	3.860/25.00
M60904	250mm	250	250	80	280	80	215	1/6	4.270/27.00
M60905	300mm	300	300	80	290	80	205	1/2	8.920/19.00




- Puller jaws made of drop forged 40 CrV steel, heat treated
- Puller rod made of precision milled 40 Cr steel, heat treated
- High strength puller rod • High overall strength

Three Jaw Puller



Item No.	Size	A Opening Capacity (mm)	A1 Opening Capacity (mm)	L1 Scope(mm)	L2 Scope(mm)	L3 Scope(mm)	L4 Scope(mm)	PCS	PW/GW(kg)
M60911	75mm	75	/	40	47	/	/	1/20	0.56/12.00
M60912	100mm	120	125	40	87	38	60	1/10	1.09/11.70
M60913	150mm	175	170	50	135	50	95	1/6	2.40/15.20
M60914	200mm	220	225	50	245	50	190	1/3	5.68/17.70
M60915	250mm	250	250	80	280	80	230	1/3	6.14/19.20
M60916	300mm	300	300	80	290	80	215	1/2	12.25/26.00
M60917	350mm	360	/	100	240	/	/	1/2	11.50/24.50
M60918	400mm	400	/	100	275	/	/	1/2	13.46/28.50
M60919	500mm	505	/	100	265	/	/	1/2	18.25/38.00

- Puller jaws made of drop forged 40 CrV steel, heat treated
- Puller rod made of precision milled 40 Cr steel, heat treated
- High strength puller rod • High overall strength



Split type Hydraulic Puller



Item No.	Size	Axis effective working distance (mm)	Max longitudinal stretching distance (mm)	Max lateral stretching distance (mm)	PCS	PW/GW(kg)
M66211	5T	50	140	200	1/1	9.80
M66212	10T	50	160	250	1/1	14.00
M66213	15T	70	180	300	1/1	24.80
M66214	20T	80	200	350	1/1	25.80
M66215	30T	80	250	450	1/1	33.00
M66216	50T	80	350	500	1/1	46.00

- New type hydraulic puller, easy to operate
- The product can be switched between two jaws and three jaws according to actual working requirement.
- The product can rotate freely and it can quickly touch the central point of the target object.
- The customer can freely choose the pump model.
- The three jaws are provided and the height can be adjusted freely.



Unitary Hydraulic Puller



Item No.	Size	Axis effective working distance	Max longitudinal stretching distance	Max lateral stretching distance	PCS	PW/GW(kg)
M66201	5T	50	140	200	1/2	7.20/15.00
M66202	10T	50	160	250	1/2	10.90/22.40
M66203	15T	70	180	300	1/2	15.00/30.60
M66204	20T	75	200	350	1/2	16.00/32.60
M66205	30T	75	250	450	1/1	24.00/24.60
M66206	50T	75	350	550	1/1	32.00/34.70





- The newly designed hydraulic puller is easy to use and labor-saving to operate
- Special heat-treated mandrel for durability
- Three claws and two claws can be dismantled and replaced according to the needs of field work
- The claw can be adjusted to any height, making it more flexible to use

Hydraulic Crimping Pliers



Item No.	Size	Hexagonal module configuration	PCS	PW/GW(kg)
M66101	120A(10-120)	10/16/25/35/50/70/95/120mm²	1/4	4.18/17.40
M66102	240A(16-240)	16/25/35/50/70/95/120/150/185/240mm²	1/4	5.58/23.00
M66103	300A(16-300)	16/25/35/50/70/95/120/150/185/240/300mm²	1/4	5.66/25.60

- Crimping modules made of special steel for durability
- Easy, quick, smooth, and secure crimping
- Widely used in power, communication, petroleum, chemical, mining, metallurgy and shipbuilding industries.



Screw Jack



Item No.	Size	Lifting Height	Minimum Height	PCS	[PW/GW(kg)]
M66321	3.2T	≥110	≤220	6	3.70/23.30
M66322	5T	≥130	≤250	4	4.80/21.00
M66323	8T	≥140	≤255	4	6.00/24.50
M66324	10T	≥150	≤275	4	6.50/26.50
M66325	16T	≥180	≤320	2	10.0/21.00
M66326	20T	≥180	≤325	2	11.0/22.50
M66328	32T	≥200	≤395	1	17.1/20.00
M66329	50T	≥250	≤452	1	30.5/35.00
M66330	100T	≥200	≤452	1	40.00/40.00
M66331	200T	≥200	≤472	1	75.00/75.00

- Precision casted, durable, compact and well sealed
- This product is suitable for railway vehicle maintenance, mining and construction engineering support and other general heavy lifting and lowering works

Vertical Hydraulic Jack







Item No.	Size	Lifting Height	Minimum Height	Adjustment Height	PCS	[PW/GW(kg)]
M66301	2T	≥80	≤148	50	10	2.20/23.60
M66302	3.2T	≥110	≤180	50	5	3.00/15.00
M66303	4T	≥110	≤180	50	5	2.80/15.20
M66304	5T	≥125	≤195	60	5	3.00/16.00
M66305	6T	≥110	≤180	60	5	3.68/19.16
M66306	8T	≥125	≤200	56	4	4.50/19.50
M66307	10T	≥125	≤200	60	4	5.20/21.30
M66308	12.5T	≥135	≤210	60	4	5.80/25.20
M66309	16T	≥140	225	60	2	7.35/14.70
M66310	20T	≥145	≤235	60	2	9.50/19.50
M66311	32T	≥150	≤255	60	2	12.70/26.70
M66312	50T	≥150	≤255	50	1	18.26/20.00
M66313	100T	≥180	≤335	/	1	68.80/68.80
M66314	200T	≥200	≤365	/	1	142.00/142.00

Designed with technology from USA,welded by OTC JAPAN,painted with byford painting equipment from Germany


GOOD PERFORMANCE LONG LIFETIME EASY TO MAINTAIN

- 1.The base is drop forged with high quality steel.The extra big base design increases the strength and safety of the base.
- 2.The intergrated hydraulic fluid channel switch system can increase the lifetime of the body of lifting jack and decrease the maintenance cost.The built-in safety valve can protect the user
- 3.The welding jack uses the brand-new sealing system which can extend the lifetime of the sealing system.
- 4.The main body of lifting jack is connected by welding which can prevent the oil leaking,and the mechanical performance,anti deviated load capability and lifetime of the lifting jack is remarkably promoted.
- 5.The adjustment screw is made of drop forged steel which can increase the strength.The screw head adopts the anti-slip design which can avoid slipping

- Safety valve design. When the load reaches 1.15 times the rated tonnage, the safety valve will automatically open for automatic unloading, and the load will no longer rise, ensuring the safety of use.
- Anti-skid surface design. Special heat treated surface to prevent slippage, bend and break during use.
- The main body is constructed by a fully automatic welding process to avoid oil leakage, and the overall mechanical strength and eccentric load resistance are significantly improved.




Japanese Type Chain Block



Item No.	Size	Rated Load(T)	PCS	[PW/GW(kg)]
M66611	1T×3m	1	1	12.00/12.00
M66614	1T×6m	1	1	17.00/17.00
M66621	2T×3m	2	1	19.00/19.00
M66624	2T×6m	2	1	24.50/24.50
M66631	3T×3m	3	1	23.80/23.80
M66634	3T×6m	3	1	35.30/35.30
M66641	5T×3m	5	1	43.30/43.30
M66644	5T×6m	5	1	56.00/56.00
M66651	10T×3m	10	1	75.00/75.00
M66654	10T×6m	10	1	95.00/95.00

Rated Load(T)	1T	2T	3T	5T
Standard Lifting Height(m)	2.5	3	3	3
Test Load(Kn)	12.5	25	37.5	62.5
Hand Pulling Force When Fully Loaded(N)	309	360	340	410
Number of Rows for Chains Inside	1	1	2	2
Diameter of Lifting Chain(mm)	6	8	8	10
Increased Weight as the Lifting Height is Increased by 1 Meter(kg)	1.7	2.3	3.7	5.6



Precautions

- 1.Forbidden to use when the chain is twisted
- 2.Forbidden to use two or more hoists to lift the heavy object
- 3.When the hand pulling force is larger than the normal force,stop using and check the equipment immediately.Forbidden to twitch or ask more people to pull together
- 4.Forbidden to hang the heavy object on the tip of the hook or hook the lower hook to the lifting chain to lift the heavy object
- 5.Lift or lower the heavy object within the limit of distance of run
- 6.Forbidden to work or walk below whe lifted heavy object

Garden Tools / Welding Tools / Building & Decorating Tools

Garden tools

Professional Secateurs

Welding Tools

Welding Clamp

Building &Decorating Tools

Magnetic Plumb Setter

Suction Plate

Riveters and Replace Jaws

175

175-176

177

177

177



Professional Secateurs



Item No.	Size	PCS	PW/GW(kg)
M60100	200mm(8")	6/60	0.225/14.40

• SK5 blades,sharp and convenient

⚠ No warranty as consumables



Welding Workbench



Item No.	M08230
Size	1200x750x850mm
Flatness	0.3mm/1000mm
Aperture	16mm+0.005/-0.000
Hole distance	50mm±0.025
Plate thickness	16mm±0.1
Coefficient of friction	0.37
Temperature resistance	371°C

- The work surface can be subjected to selective QPQ salt bath composite heat treatment.
- The QPQ process is a heat treatment technique of mechanical polishing followed by salt bath composite oxidation.
- The main advantages include: spatter resistance, high surface hardness, wear resistance
- and high temperature resistance.
- Surface compound layer thickness: 0.01mm~0.02mm

Oxygen Acetylene Tube with Double Pipe



MAXPOWER

High pressure resistant,
extra thick tube wall,

3-layer colloid fused in high temperature,









Common product

High pressure resistant,
extra thick tube wall,

3-layer colloid fused in high temperature,

货号 Item No.	规格 Size	总长 Length(m)	PCS	GW(kg)
M62561	8mm	30	1	7.00

- High pressure resistant, extra thick tube wall, 3-layer colloid fused in high temperature, work pressure up to 30kg/cm² and the explosive force up to 120kg/cm².
- Produced by the most advanced technique and its life time is 5 times than the normal rubber tube
- Produced with the special recipe and material which make this product oil-resistant and 30% Acid-Alkaline resistant
- Work temperature is from -50 to 85 degree and it doesn't break at -50 degree.
- The product has good ability of flame retardance and abrasion resistance.



Welding Hammer



Item No.	Size	PCS	PWG(Wg)
M62064	285mm	6/48	0.50/26.00

- Spring handle design, buffer when tapping, safe and convenient to use

Stainless Steel Cutting Torch



Item No.	Size	PCS	PWG(Wg)
M62152	G01-30	1/15	0.770/12.000
M62153	G01-100	1/15	0.870/13.500

- The torch pipe is made of stainless steel which has high strength and is not easy to deform
- The quality of the cutting torch is good with large flow and the stainless torch pipe wont oxidize so the surface keeps clean
- The welded part is welded with silver welding rod which guarantee the reliability of the welding

Magnetic Plumb Setter



Item No.	Size	PCS	PWG(Wg)
M60330	3mx300g	6/36	0.444/17.30
M60331	6mx400g	6/36	0.625/23.00

- With lock funcgion, strong magnetic, thread can be taken back easily, quick positioning
- The product uses high quality rubidium magneto, the advantage of which is small and light but strong magnetic up to 2000 gauss
- With the function of automatically balancing adjustment, For wood, it can be fixed by inserting, for steel by magnet and for concrete by hook
- The product uses yellow thread, easy to measure and the plummet can stand still quickly

Welding Clamp



Item No.	Size	PCS	PWG(Wg)
a. M62042	300A	1/30	0.533/17.000
a. M62043	500A	1/30	0.600/19.500
b. M62044	800A	1/30	0.725/22.800





- Wiring convenient,suitable for long time continuous work

Welding Clamp



Item No.	Size	PCS	PWG(Wg)
M62035	800A	1/30	0.667/21.300

- ⚠ This product is a consumable item, excluded from Maxpower's lifetime warranty.



Three Claws Glass Sucker



Item No.	Size	PCS	PWG(Wg)
M60245	φ120mm-3	1/10	1.200/12.200

- Aluminum handle,plate made of natural rubber pad,strong suction,each sucker can suck 50kg
- ⚠ No warranty as consumables

Double Claws Glass Sucker



Item No.	Size	PCS	PWG(Wg)
M60242	φ120mm-2	1/20	0.800/17.900

- Aluminum handle,plate made of natural rubber pad,strong suction,each sucker can suck 50kg
- ⚠ No warranty as consumables


Single Claws Glass Sucker



Item No.	Size	PCS	PWG(Wg)
M60239	φ120mm-1	1/20	0.450/9.700

- Aluminum handle,plate made of natural rubber pad,strong suction,each sucker can suck 50kg
- ⚠ No warranty as consumables

Riveter



11" is suitable for aluminum rivets with diameters of 2.4,3.2,4.0,4.8mm

13" is suitable for aluminum rivets with diameters of 3.2,4.0,4.8,6.4,6.0mm

Item No.	Size	The Diameter of The Rivet Φ(mm)	PCS	PWG(Wg)
M60310	11"	4.8	1/20	0.675/14.800
M60311	13"	6.4	1/20	1.063/18.600

- Suitable to be used in narrow place
- Force saving,can save 40% force
- Long using life
- ⚠ No warranty as consumables

Complementary parts for use



Jaws for Riveters

Item No.	PCS	PWG(Wg)
M99551	10/500	0.010/5.000

- ⚠ No warranty as consumables

Non-Sparking Brass Tools

Non - Sparking Brass Wrench 179

Non - Sparking Brass Striking Wrench 180

Non - Sparking Brass Hammer 181



Non-Sparking Brass Double Open End Wrench



Item No.	Size	Length (mm)		
M32247	6x7mm	92	10/400	0.025/11.000
M32248	8x10mm	100	10/400	0.034/14.600
M32249	9x11mm	110	10/200	0.050/11.000
M32250	10x12mm	120	10/200	0.060/13.000
M32251	12x14mm	130	10/200	0.075/16.000
M32252	14x17mm	150	10/100	0.120/13.000
M32253	17x19mm	170	10/100	0.150/16.000
M32254	19x22mm	185	5/50	0.220/12.000
M32255	22x24mm	210	5/50	0.312/16.600
M32256	24x27mm	230	5/50	0.345/18.250
M32257	27x30mm	250	5/30	0.485/15.550
M32258	30x32mm	265	5/30	0.610/19.300
M32259	32x34mm	270	4/24	0.815/20.560
M32260	32x36mm	300	5/20	0.885/18.700
M32261	34x36mm	300	5/20	0.885/18.700
M32262	36x41mm	330	6/12	1.350/17.200
M32263	41x46mm	355	5/10	1.590/16.900
M32264	46x50mm	370	4/8	2.050/17.400
M32265	50x55mm	385	4/8	2.160/18.280

- It is integrally forged with high-quality beryllium bronze material.
- High density, good toughness, long service life and superior antimagnetic performance.
- In a flammable and explosive environment, it can effectively prevent the tool and the work object from colliding and rubbing against each other to generate sparks and avoid flammable explosions.

Non-Sparking Brass Combination Wrench



- It is integrally forged with high-quality beryllium bronze material.
- High density, good toughness, long service life and superior antimagnetic performance.
- In a flammable and explosive environment, it can effectively prevent the tool and the work object from colliding and rubbing against each other to generate sparks and avoid flammable explosions.


Non-Sparking Brass Double Box End Wrench









Item No.	Size	Length (mm)		
M32208	5.5x7mm	115	10/400	0.022/9.800
M32209	8x10mm	130	10/400	0.055/23.000
M32210	9x11mm	140	10/200	0.070/15.000
M32211	10x12mm	140	10/200	0.085/18.000
M32212	12x14mm	160	10/100	0.150/16.000
M32213	14x17mm	220	10/80	0.205/17.400
M32214	17x19mm	250	10/80	0.225/19.000
M32215	19x22mm	280	5/50	0.310/16.500
M32216	22x24mm	310	5/50	0.455/23.750
M32217	24x27mm	340	5/30	0.520/16.600
M32218	27x30mm	360	5/30	0.705/22.150
M32219	30x32mm	380	4/16	0.805/13.880
M32220	32x34mm	400	4/16	1.080/18.280
M32221	32x36mm	405	4/16	1.145/19.320
M32222	34x36mm	420	4/16	1.165/19.640
M32223	36x41mm	445	5/10	1.600/17.000
M32224	41x46mm	470	5/10	1.600/17.000
M32225	46x50mm	490	4/8	2.080/17.640
M32226	50x55mm	510	4/8	2.580/21.640

- It is integrally forged with high-quality beryllium bronze material.
- High density, good toughness, long service life and superior antimagnetic performance.
- In a flammable and explosive environment, it can effectively prevent the tool and the work object from colliding and rubbing against each other to generate sparks and avoid flammable explosions.

Item No.	Size	Length (mm)		
M32286	6mm	105	10/400	0.022/9.800
M32287	7mm	105	10/400	0.022/9.800
M32288	8mm	105	10/400	0.035/15.000
M32289	9mm	130	10/200	0.050/11.000
M32290	10mm	130	10/200	0.055/12.000
M32291	11mm	145	10/200	0.075/16.000
M32292	12mm	145	10/200	0.075/16.000
M32293	13mm	165	10/100	0.120/13.000
M32294	14mm	165	10/100	0.120/13.000
M32295	15mm	185	10/100	0.160/17.000
M32296	17mm	185	10/100	0.140/15.000
M32297	18mm	210	10/100	0.200/21.000
M32298	19mm	210	10/100	0.200/21.000
M32299	21mm	240	5/50	0.230/12.500
M32300	22mm	240	5/50	0.230/12.500
M32301	24mm	260	5/50	0.240/13.000
M32302	27mm	285	5/50	0.410/21.500
M32303	30mm	310	5/20	0.550/12.000
M32304	32mm	320	5/20	0.650/14.000
M32305	34mm	360	5/20	0.850/18.000
M32306	36mm	360	5/20	0.890/18.800
M32307	38mm	430	5/10	1.440/15.400
M32308	41mm	430	5/10	1.440/15.400
M32309	46mm	480	5/10	1.890/19.900





Non-Sparking Brass Box End Striking Wrench



Item No.	Size	Length (mm)	PCS	PWG(kg)
M32108	27mm	175	5/40	0.350/15.000
M32109	30mm	185	5/40	0.475/20.000
M32110	32mm	185	5/40	0.465/19.600
M32111	34mm	200	5/20	0.540/11.800
M32112	36mm	205	5/20	0.580/12.600
M32113	38mm	215	5/20	0.680/14.600
M32114	41mm	225	2/20	0.755/16.100
M32115	46mm	235	2/20	0.990/20.800
M32116	50mm	250	1/10	1.150/12.500
M32117	55mm	265	1/10	1.440/15.400
M32118	60mm	274	1/10	1.620/17.200
M32119	65mm	298	1/10	2.000/21.000
M32120	70mm	320	1/6	2.440/15.640
M32121	75mm	326	1/6	3.010/19.060
M32122	80mm	350	1/6	3.600/22.600

·It is integrally forged with high-quality beryllium bronze material.
·High density, good toughness, long service life and superior antimagnetic performance.
·In a flammable and explosive environment, it can effectively prevent the tool and the work object from colliding and rubbing against each other to generate sparks and avoid flammable explosions.

Non-Sparking Brass Adjustable Wrench



Non-Sparking Brass Open End Striking Wrench








Item No.	Size	Length (mm)	PCS	PWG(kg)
M32143	27mm	180	5/40	0.370/15.800
M32144	30mm	190	5/40	0.435/18.400
M32145	32mm	190	5/20	0.515/11.300
M32146	36mm	210	5/20	0.750/16.000
M32147	38mm	225	5/20	0.870/18.400
M32148	41mm	225	2/20	0.850/18.000
M32149	46mm	245	1/10	1.290/13.900
M32150	50mm	270	1/10	1.530/16.300
M32151	55mm	300	1/10	2.180/22.800
M32152	60mm	310	1/6	2.375/15.250
M32153	65mm	340	1/6	3.580/22.480
M32154	70mm	375	1/4	4.430/18.720
M32155	75mm	375	1/4	4.950/20.800
M32156	80mm	405	1/4	5.800/24.200

·It is integrally forged with high-quality beryllium bronze material.
·High density, good toughness, long service life and superior antimagnetic performance.
·In a flammable and explosive environment, it can effectively prevent the tool and the work object from colliding and rubbing against each other to generate sparks and avoid flammable explosions.

Item No.	Size	Length (mm)	PCS	PWG(kg)
M32010	150mm (6")	150	6/120	0.135/17.200
M32011	200mm (8")	200	6/60	0.281/17.860
M32012	250mm (10")	250	5/40	0.440/18.600
M32013	300mm (12")	300	5/20	0.720/15.400
M32014	375mm (15")	375	2/12	1.410/17.920
M32015	450mm (18")	450	2/6	2.261/14.560
M32016	600mm (24")	600	2/6	4.705/29.230

·It is integrally forged with high-quality beryllium bronze material.
·High density, good toughness, long service life and superior antimagnetic performance.
·In a flammable and explosive environment, it can effectively prevent the tool and the work object from colliding and rubbing against each other to generate sparks and avoid flammable explosions.



Non-Sparking Brass Ball Pein Hammer



Item No.	Size	Length (mm)	PCS	PWG(kg)
M32438	0.5LB(0.22kg)	280	6/24	0.403/10.670
M32439	0.75LB(0.34kg)	280	6/24	0.502/13.050
M32440	1LB(0.45kg)	300	6/12	0.680/9.160
M32441	1.5LB(0.68kg)	300	6/12	0.950/12.400
M32442	2LB(0.91kg)	350	4/8	1.205/10.640
M32443	2.5LB (1.13kg)	370	4/8	1.470/12.760

·It is integrally forged with high-quality beryllium bronze material.
·High density, good toughness, long service life and superior antimagnetic performance.
·In a flammable and explosive environment, it can effectively prevent the tool and the work object from colliding and rubbing against each other to generate sparks and avoid flammable explosions.


Non-Sparking Brass Sledge Hammer



Item No.	Size	Length (mm)	PCS	PWG(kg)
M32408	2LB(0.9kg)	300	6/36	1.06/39.16
M32409	3LB(1.4kg)	320	4/8	1.53/13.24
M32410	4LB(1.8kg)	350	4/8	2.05/17.40
M32411	6LB(2.7kg)	900	4	3.61/15.44
M32412	8LB(3.6kg)	900	4	4.51/19.04
M32413	10LB(4.5kg)	900	4	5.31/22.24
M32414	12LB(5.4kg)	900	2	6.31/13.62
M32415	14LB(6.3kg)	900	2	6.91/14.82
M32416	16LB(7.2kg)	900	2	8.11/17.22
M32417	18LB(8.1kg)	900	2	9.01/19.02

·It is integrally forged with high-quality beryllium bronze material.
·High density, good toughness, long service life and superior antimagnetic performance.
·In a flammable and explosive environment, it can effectively prevent the tool and the work object from colliding and rubbing against each other to generate sparks and avoid flammable explosions.

Non-Sparking Brass Pipe Wrench



Item No.	Size	Length (mm)	Dmax (mm)	PWG(kg)
M3T200	150mm(6")	150	20	0.330
M3T201	200mm(8")	200	25	0.435
M3T202	250mm(10")	250	30	0.790
M3T203	300mm(12")	300	40	1.150
M3T204	350mm(14")	350	50	1.440
M3T205	450mm(18")	450	60	2.335
M3T206	600mm(24")	600	75	3.780
M3T208	900mm(36")	900	85	5.580
M3T209	1200mm(48")	1200	110	12.00

·High density, good toughness, long service life and superior antimagnetic performance.
·In a flammable and explosive environment, it can effectively prevent the tool and the work object from colliding and rubbing against each other to generate sparks and avoid flammable explosions.



Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
M04407	P45	M07599	P156	M09029	P11	M11162	P99	M12247	P108	M14118	P107	M15512	P116	M18317	P97
M07002	P42	M07600	P155	M09094	P12	M11163	P99	M12248	P108	M14119	P107	M15513	P116	M18318	P96
M07006	P39	M07601	P155	M09094A	P12	M11164	P99	M12249	P108	M14120	P107	M15514	P116	M18319	P96
M07011	P43	M07603	P151	M09094B	P9	M11180	P99	M12250	P108	M14121	P107	M15515	P116	M18324	P96
M07012	P44	M07605	P151	M09094C	P13	M11181	P99	M12251	P108	M14122	P107	M15516	P116	M18327	P96
M07013	P44	M07608	P57	M09094D	P14	M11185	P102	M13102	P108	M14123	P107	M15517	P116	M18328	P96
M07014	P46	M07610	P56	M09094E	P14	M11366	P102	M13103	P108	M14124	P107	M15518	P116	M18331	P96
M07023	P46	M07652	P33	M09095	P9	M11367	P99	M13104	P107	M14127	P107	M15519	P116	M18333	P96
M07024	P60	M07657	P56	M09095A	P15	M11368	P102	M13105	P107	M14130	P107	M15520	P116	M18890	P96
M07027	P60	M07700	P163	M09095D	P16	M11369	P102	M13107	P107	M14132	P107	M16017	P116	M18891	P96
M07028	P60	M07740	P164	M09095E	P16	M11375	P102	M13108	P107	M14134	P107	M16019	P116	M18892	P98
M07050	P61	M07748	P164	M09096	P9	M11376	P102	M13109	P107	M14136	P107	M16022	P109	M18901	P98
M07051	P41	M07751	P149	M09096A	P17	M11377	P103	M13110	P107	M14138	P107	M16024	P109	M18911	P98
M07054	P60	M07757	P149	M09096B	P18	M11378	P103	M13111	P107	M14140	P107	M16027	P109	M18912	P98
M07061	P60	M07759	P149	M09096C	P18	M11421	P103	M13112	P107	M14141	P107	M16030	P109	M18913	P98
M07063	P60	M07760	P149	M09097	P19	M11422	P103	M13113	P107	M14146	P107	M16032	P109	M18914	P98
M07073	P61	M07783	P149	M09097A	P9	M11423	P102	M13115	P107	M14150	P107	M16034	P109	M18915	P98
M07099	P61	M07786	P149	M09097B	P20	M11424	P102	M13117	P107	M14155	P107	M16036	P109	M18916	P98
M07100	P61	M07787	P149	M09097C	P19	M11432	P102	M13119	P107	M14160	P107	M16038	P109	M18917	P98
M07101	P42	M07788	P149	M09097D	P11	M11433	P102	M13120	P107	M14207	P107	M16041	P109	M18918	P98
M07115	P43	M07793	P149	M09098	P111	M11450	P103	M13121	P107	M14208	P107	M16046	P109	M18919	P98
M07116	P59	M07795	P149	M09098A	P111	M11515	P103	M13124	P107	M14209	P104	M16050	P109	M18920	P98
M07117	P59	M07796	P113	M09098B	P11	M11516	P103	M13125	P107	M14210	P104	M16055	P109	M18921	P98
M07130	P59	M07797	P113	M09101	P111	M11517	P89	M13126	P107	M14211	P104	M16060	P109	M18922	P98
M07140	P59	M07800	P110	M09103	P112	M11518	P89	M13127	P107	M14212	P104	M16065	P109	M18923	P98
M07144	P61	M07804	P110	M09105	P121	M11523	P89	M13128	P107	M14213	P104	M16070	P109	M18936	P98
M07145	P60	M07905	P112	M09106	P41	M11524	P89	M13129	P107	M14214	P104	M16075	P109	M18937	P98
M07146	P60	M07906	P112	M09107	P112	M11525	P83	M13203	P107	M14215	P104	M16080	P109	M18938	P98
M07147	P60	M07913	P110	M09108	P31	M11681	P83	M13204	P107	M14216	P104	M16085	P109	M18939	P98
M07156	P42	M07914	P110	M09251	P31	M11689	P83	M13205	P105	M14217	P104	M16090	P109	M18940	P98
M07159	P61	M07922	P111	M09516	P31	M11690	P100	M13206	P105	M14218	P104	M16095	P109	M18941	P98
M07160	P107	M07923	P111	M09715	P136	M11741	P100	M13208	P105	M14219	P104	M16105	P109	M18942	P98
M07163	P107	M07932	P110	M09928A	P136	M11778	P100	M13209	P105	M14220	P104	M16115	P109	M18943	P98
M07170	P107	M07933	P110	M09928B	P136	M11779	P65	M13210	P105	M14221	P104	M16125	P109	M18944	P98
M07171	P107	M07937	P110	M09928C	P136	M11780	P104	M13211	P105	M14222	P104	M16130	P109	M18957	P98
M07201	P107	M07938	P110	M11043	P154	M12101	P104	M13212	P105	M14223	P104	M16135	P109	M18958	P98
M07202	P107	M07942	P114	M11047	P86	M12103	P104	M13213	P105	M14224	P104	M16140	P109	M18959	P98
M07211	P108	M07942A	P112	M11050	P103	M12104	P106	M13214	P105	M14225	P104	M16223	P109	M18960	P98
M07212	P104	M07943	P32	M11051	P101	M12105	P106	M13216	P105	M14228	P104	M16225	P109	M18961	P98
M07213	P104	M07943A	P32	M11052	P101	M12107	P106	M13218	P105	M14231	P104	M16228	P109	M18962	P98
M07214	P104	M07947	P34	M11053	P101	M12108	P106	M13220	P105	M14233	P104	M16231	P109	M18963	P98
M07216	P108	M07955	P34	M11058	P101	M12109	P106	M13221	P105	M15018	P104	M16233	P109	M18964	P98
M07217	P106	M08124	P34	M11059	P101	M12110	P106	M13222	P105	M15019	P104	M16235	P109	M18965	P98
M07218	P106	M08125	P34	M11060	P103	M12111	P106	M13237	P105	M15020	P109	M16237	P109	M18966	P98
M07219	P106	M08161	P34	M11061	P103	M12112	P106	M13238	P105	M15021	P109	M16239	P109	M18967	P98
M07220	P55	M08162	P34	M11065	P103	M12113	P106	M13239	P108	M15022	P109	M16242	P109	M18968	P98
M07221	P55	M08163	P34	M11066	P103	M12115	P106	M13240	P108	M15023	P109	M16247	P109	M18969	P98
M07222	P54	M08167	P34	M11067	P100	M12117	P106	M13241	P108	M15024	P109	M16251	P109	M18971	P98
M07250	P54	M08168	P35	M11069	P100	M12119	P106	M13242	P108	M15025	P109	M16256	P109	M18972	P98
M07301	P47	M08169	P35	M11070	P100	M12120	P106	M13243	P108	M15026	P109	M16261	P109	M18982	P98
M07303	P48	M08173	P35	M11071	P101	M12121	P106	M13244	P108	M15027	P109	M16266	P109	M18983	P98
M07305	P47	M08176	P35	M11072	P101	M12122	P106	M13245	P108	M15028	P109	M16271	P109	M18984	P98
M07306	P49	M08181	P35	M11075	P101	M12124	P106	M13246	P108	M15208	P109	M16276	P109	M18985	P98
M07315	P50	M08182	P3	M11076	P101	M12125	P106	M13247	P108	M15209	P109	M16281	P109	M18986	P98
M07317	P48	M08185	P8	M11077	P101	M12126	P106	M13248	P108	M15210	P106	M16286	P109	M18987	P98
M07318	P49	M08189	P7	M11078	P101	M12127	P106	M14050	P108	M15211	P106	M18111	P109	M18988	P98
M07325	P50	M08193	P8	M11086	P101	M12128	P106	M14051	P108	M15212	P106	M18112	P109	M18989	P98
M07347	P51	M08197	P6	M11087	P101	M12129	P106	M14052	P108	M15213	P106	M18120	P97	M18990	P98
M07350	P51	M08202	P23	M11088	P101	M12202	P106	M14053	P108	M15214	P106	M18121	P97	M20100	P98
M07351	P52	M08203	P36	M11101	P101	M12204	P106	M14054	P108	M15215	P106	M18122	P98	M20101	P98
M07353	P37	M08204	P36	M11102	P101	M12205	P105	M14055	P108	M15216	P106	M18123	P98	M20102	P115
M07354	P53	M08206	P36	M11103	P99	M12206	P105	M14056	P108	M15217	P106	M18124	P98	M20103	P115
M07355	P52	M08207	P36	M11104	P99	M12208	P105	M14057	P108	M15218	P106	M18150	P98	M20104	P115
M07356	P52	M08212	P36	M11105	P99	M12209	P105	M14058	P108	M15219	P106	M18151	P98	M20105	P115
M07358	P53	M08213	P175	M11106	P99	M12210	P105	M14059	P108	M15220	P106	M18152	P97	M20106	P115
M07360	P52	M08214	P33	M11107	P99	M12211	P105	M14060	P108	M15221	P106	M18153	P97	M20107	P115
M07361	P53	M08215	P33	M11108	P99	M12212	P105	M14061	P108	M15222	P106	M18154	P97	M20108	P115
M07362	P53	M08218	P4	M11109	P99	M12213	P105	M14062	P108	M15223	P106	M18155	P97	M20109	P115
M07363	P53	M08230	P2	M11112	P99	M12214	P105	M14063	P108	M15224	P106	M18159	P97	M20110	P115
M07364	P45	M08269	P105	M11113	P99	M12215	P105	M14064	P108	M15225	P106	M18182	P97	M20112	P115
M07365	P46	M08274	P105	M11114	P99	M12216	P105	M14065	P108	M15226	P106	M18184	P97	M20114	P115
M07366	P40	M08316	P105	M11115	P99	M12218	P105	M14106	P108	M15227	P106	M18185	P97	M20116	P115
M07367	P40	M08322	P105	M11116	P99	M12220	P105	M14108	P108	M15228	P106	M18198	P97	M20117	P115
M07406	P21	M09009	P39	M11117	P99	M12221	P105	M14109	P107	M15230	P106	M18199	P97	M20118	P115
M07421	P21	M09010	P38	M11118	P99	M12222	P105	M14110	P107	M15232	P106	M18200	P97	M20119	P115
M07560	P22	M09011	P104	M11119	P99	M12240	P105	M14111	P107	M15504	P106	M18201	P97	M20122	P115
M07571	P22	M09012	P104	M11156	P99	M12241	P105	M14112	P107	M15505	P106	M18202	P97	M20124	P115
M07582A	P22	M09013	P105	M11157	P99	M12242	P108	M14113	P107	M15506	P116	M18203	P97	M20127	P115
M07582B	P154	M09014	P105	M11158	P102	M12243	P108	M14114	P107	M15507	P116	M18204	P97	M20128	P115
M07582C	P156	M09026	P9	M11159	P102	M12244	P108	M14115	P107	M15508	P116	M18205	P97	M20129	P115
M07582D	P154	M09027	P10	M11160	P102	M12245	P108	M14116	P107	M15509	P116	M18206	P97	M20130	P115
M07582E	P156	M09028	P10	M11161	P102	M12246	P108	M14117	P107	M15511	P116	M18316	P97	M20132	P115



Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
M20136	P115	M24075	P163	M26156	P157	M28728	P121	M29308	P126	M30372	P132	M32250	P179	M33658	P145
M20201	P115	M24101	P163	M26168	P157	M28805	P121	M29309	P131	M30373	P132	M32251	P179	M33864	P145
M20202	P115	M24102	P162	M26169	P157	M28806	P121	M29328	P131	M30421	P132	M32252	P179	M33865	P145
M20203	P115	M24103	P160	M26170	P158	M28807	P122	M29329	P131	M30422	P132	M32253	P179	M33866	P145
M20204	P115	M24104	P160	M26174	P158	M28808	P122	M29330	P128	M30424	P132	M32254	P179	M33868	P145
M20205	P115	M24105	P160	M26175	P158	M28809	P122	M29333	P128	M30425	P132	M32255	P179	M33888	P145
M20206	P115	M24106	P160	M26176	P158	M28812	P122	M29334	P128	M30426	P132	M32256	P179	M33890	P145
M20207	P115	M24107	P160	M26184	P158	M28813	P122	M29338	P128	M30427	P132	M32257	P179	M34526	P87
M20209	P115	M24121	P160	M26185	P158	M28814	P122	M29342	P128	M30453	P132	M32258	P179	M34529	P87
M20211	P115	M24122	P160	M26352	P157	M28815	P122	M29343	P128	M30454	P132	M32259	P179	M34530	P148
M20213	P115	M24123	P160	M26353	P157	M28816	P122	M29344	P128	M30455	P132	M32260	P179	M34531	P148
M20215	P115	M24124	P160	M26425	P157	M28819	P122	M29345	P128	M30456	P132	M32261	P179	M34538	P148
M20218	P115	M24125	P160	M26426	P157	M28820	P122	M29349	P128	M30457	P132	M32262	P179	M34539	P148
M20220	P115	M24141	P160	M26427	P159	M28821	P122	M29350	P128	M30650	P132	M32263	P179	M34541	P148
M20223	P115	M24142	P160	M26428	P159	M28822	P122	M29351	P128	M30652	P132	M32264	P179	M34544	P148
M21009	P115	M24143	P160	M26451	P159	M28826	P122	M29352	P128	M30661	P133	M32265	P179	M34642	P148
M21010	P115	M24144	P160	M26452	P159	M28827	P122	M29356	P128	M30662	P133	M32286	P179	M34768	P148
M21011	P114	M24145	P160	M26471	P159	M28828	P122	M29360	P128	M30663	P133	M32287	P179	M34774	P147
M21012	P114	M24146	P160	M26565	P159	M28829	P122	M29361	P129	M30664	P133	M32288	P179	M34775	P147
M21013	P114	M24147	P160	M26567	P159	M28833	P122	M29362	P129	M30665	P133	M32289	P179	M34872	P147
M21014	P114	M24148	P160	M26568	P159	M28834	P122	M29364	P129	M30666	P133	M32290	P179	M34873	P147
M21015	P114	M24149	P160	M26569	P159	M28835	P122	M29367	P129	M30667	P133	M32291	P179	M34874	P147
M21017	P114	M24150	P160	M26575	P159	M28836	P122	M29376	P127	M30668	P133	M32292	P179	M34875	P147
M21019	P114	M24151	P160	M26576	P159	M28837	P122	M29377	P129	M30669	P133	M32293	P179	M34911	P147
M21100	P114	M24169	P160	M26577	P159	M28840	P122	M29384	P131	M32010	P133	M32294	P179	M34912	P147
M21101	P114	M24170	P160	M26578	P159	M28841	P122	M29385	P131	M32011	P133	M32295	P179	M34913	P146
M21102	P115	M24171	P160	M26579	P159	M28842	P122	M29386	P131	M32012	P180	M32296	P179	M34920	P146
M21103	P115	M24172	P160	M26580	P159	M28843	P122	M29472	P131	M32013	P180	M32297	P179	M34921	P146
M21104	P115	M24173	P160	M26581	P159	M28844	P122	M29473	P131	M32014	P180	M32298	P179	M34922	P145
M21105	P115	M24174	P160	M26629	P159	M29000	P122	M29474	P140	M32015	P180	M32299	P179	M34926	P145
M21106	P115	M24175	P160	M26630	P159	M29001	P122	M29477	P140	M32016	P180	M32300	P179	M34927	P145
M21108	P115	M24211	P160	M26631	P158	M29002	P124	M29478	P140	M32108	P180	M32301	P179	M34951	P146
M21110	P115	M24212	P160	M28111	P158	M29003	P124	M29479	P140	M32109	P180	M32302	P179	M37000	P146
M21112	P115	M24213	P161	M28112	P158	M29004	P124	M29480	P140	M32110	P180	M32303	P179	M37001	P146
M21114	P115	M24214	P161	M28113	P118	M29013	P124	M29484	P140	M32111	P180	M32304	P179	M37002	P137
M21117	P115	M24215	P161	M28142	P118	M29014	P124	M29485	P140	M32112	P180	M32305	P179	M37024	P137
M21119	P115	M24216	P161	M28143	P118	M29015	P124	M29486	P140	M32113	P180	M32306	P179	M37088	P137
M21122	P115	M24233	P161	M28163	P118	M29025	P124	M29515	P140	M32114	P180	M32307	P179	M37089	P137
M21201	P115	M24234	P161	M28164	P118	M29026	P124	M29516	P140	M32115	P180	M32308	P179	M37090	P137
M21202	P115	M24235	P161	M28188	P118	M29027	P124	M29517	P141	M32116	P180	M32309	P179	M37091	P137
M21203	P115	M24236	P161	M28189	P118	M29029	P124	M29524	P141	M32117	P180	M32408	P179	M37092	P137
M21204	P115	M24237	P161	M28270	P123	M29050	P124	M29550	P141	M32118	P180	M32409	P179	M37093	P137
M21205	P115	M24258	P161	M28275	P123	M29050	P130	M29553	P141	M32119	P180	M32410	P181	M37095	P137
M21206	P115	M24259	P161	M28280	P119	M29111	P125	M29554	P141	M32120	P180	M32411	P181	M37096	P137
M21207	P115	M24260	P161	M28449	P119	M29112	P125	M29573	P141	M32121	P180	M32412	P181	M37110	P137
M21209	P115	M24261	P161	M28450	P119	M29113	P123	M29574	P141	M32122	P180	M32413	P181	M37111	P137
M21211	P115	M24262	P161	M28451	P119	M29123	P123	M29575	P140	M32143	P180	M32414	P181	M37112	P136
M21213	P115	M24263	P161	M28456	P119	M29124	P123	M29581	P140	M32144	P180	M32415	P181	M37113	P136
M21215	P115	M24264	P161	M28457	P119	M29171	P123	M29582	P140	M32145	P180	M32416	P181	M37114	P136
M21218	P115	M24265	P161	M28458	P118	M29172	P123	M29583	P140	M32146	P180	M32417	P181	M37115	P136
M21220	P115	M24266	P161	M28462	P118	M29173	P130	M29590	P140	M32147	P180	M32438	P181	M37116	P136
M21223	P115	M24267	P161	M28463	P118	M29175	P130	M29597	P140	M32148	P180	M32439	P181	M37118	P136
M22301	P115	M24268	P161	M28466	P123	M29176	P130	M29598	P141	M32149	P180	M32440	P181	M37119	P136
M22302	P115	M24281	P161	M28468	P119	M29179	P130	M29599	P141	M32150	P180	M32441	P181	M37171	P136
M22303	P114	M24282	P161	M28474	P118	M29180	P130	M29610	P141	M32151	P180	M32442	P181	M37172	P136
M22304	P114	M24305	P160	M28477	P118	M29181	P125	M29611	P141	M32152	P180	M32443	P181	M37173	P135
M22305	P114	M24306	P160	M28527	P119	M29185	P130	M30070	P88	M32153	P180	M33008	P181	M37174	P135
M22306	P114	M24307	P161	M28528	P118	M29189	P125	M30071	P88	M32154	P180	M33011	P181	M37175	P135
M22308	P114	M24308	P161	M28529	P84	M29196	P125	M30072	P132	M32155	P180	M33016	P145	M37176	P135
M22310	P114	M24309	P161	M28543	P84	M29217	P125	M30073	P132	M32156	P180	M33096	P144	M37178	P135
M22401	P114	M24328	P161	M28544	P84	M29218	P127	M30074	P132	M32208	P180	M33101	P144	M37179	P135
M22402	P114	M24329	P161	M28563	P84	M29219	P126	M30075	P132	M32209	P180	M33102	P144	M37200	P135
M22403	P114	M24330	P161	M28564	P84	M29220	P126	M30085	P132	M32210	P179	M33103	P144	M37201	P135
M22404	P114	M24331	P161	M28578	P84	M29221	P126	M30086	P132	M32211	P179	M33104	P144	M37202	P181
M22405	P114	M24332	P161	M28631	P84	M29233	P126	M30087	P133	M32212	P179	M33105	P144	M37203	P181
M22406	P114	M24614	P161	M28635	P84	M29234	P126	M30088	P133	M32213	P179	M33320	P144	M37204	P181
M22407	P114	M24615	P161	M28639	P120	M29235	P126	M30089	P133	M32214	P179	M33321	P144	M37205	P181
M22408	P114	M24621	P163	M28643	P120	M29236	P126	M30090	P133	M32215	P179	M33322	P144	M37206	P181
M22409	P114	M24627	P163	M28647	P120	M29237	P126	M30091	P133	M32216	P179	M33323	P144	M37208	P181
M22410	P114	M24633	P163	M28651	P120	M29238	P126	M30098	P133	M32217	P179	M33324	P144	M37209	P181
M24045	P114	M24634	P163	M28655	P120	M29239	P126	M30099	P133	M32218	P179	M33325	P144	M37300	P181
M24046	P114	M24635	P164	M28711	P120	M29251	P126	M30332	P132	M32219	P179	M33326	P144	M37301	P181
M24047	P162	M24636	P164	M28712	P120	M29252	P126	M30333	P132	M32220	P179	M33410	P144	M37302	P137
M24048	P162	M24637	P164	M28713	P121	M29258	P124	M30334	P132	M32221	P179	M33411	P144	M37303	P137
M24053	P162	M24638	P164	M28716	P121	M29259	P124	M30335	P132	M32222	P179	M33412	P144	M37315	P137
M24054	P162	M26010	P164	M28717	P121	M29266	P127	M30336	P132	M32223	P179	M33413	P144	M37316	P137
M24064	P162	M26131	P164	M28718	P121	M29267	P127	M30337	P132	M32224	P179	M33414	P144	M37328	P138
M24065	P162	M26132	P157	M28721	P121	M29273	P127	M30338	P132	M32225	P179	M33415	P144	M37329	P138
M24066	P163	M26133	P157	M28722	P121	M29279	P127	M30339	P132	M32226	P179	M33450	P144	M37373	P135
M24067	P163	M26134	P157	M28723	P121	M29280	P126	M30340	P132	M32247	P179	M33654	P144	M37374	P135
M24068	P163	M26154	P157	M28726	P121	M29281	P126	M30370	P132	M32248	P179	M33655	P147	M37375	P136
M24069	P163	M26155	P157	M28727	P121	M29307	P126	M30371	P132	M32249	P179	M33657	P145	M37377	P136

 After-sales Service Terms

► Range of Replacing or Repairing

- 1. "Lifetime warranty" products are only limited to the products marked with "Lifetime warranty" .
If the products are functionally damaged in normal use, they can be repaired for free. If they couldn't be repaired, they will be replaced by new products.
- 2. This promise is without time limit.

► Non Replacing or Repairing Range

- 1. The products without  MAXPOWER® logo
- 2. Rusting, plating peeling or falling, scratches, or damaged plastic grips
- 3. The damage because of using the reinforcing bar or using the products without hammering function as hammer.
- 4. The air tools, the ratchet wrenches or the products with the cutting edges (such as bolt cutters, locking pliers with cutting edges, aviation snips, carpenter pincers, tower pincers and chisels, etc)
- 5. Packaging materials (inner boxes, hanging cards, blister cards)

► How to Replace or Repair

The customer can go to any designated distributor of  MAXPOWER® products, fill in the warranty card and then the products will be repaired for free, or replaced.

The products will be repaired first. If they couldn't be fixed, then they will be replaced.

If the distributor doesn't have the spare parts or the same products, Wendeng Maxpower will send them to the distributor by courier.

If the products belong to "Non Replacing or Repairing Range" , the distributor will charge the customer the repairing cost.

► Service

If the customers don't understand these terms or the customers are not satisfied with the service from the distributors, please call Maxpower's service centre number: 400 811 7600.

Blank area for memorandum content, featuring a repeating MAXPOWER logo watermark.



Brand Introduction



MAXPOWER Tool Promotion Vehicle



MAXPOWER Tool Specialty Store



MAXPOWER Tools Hardware Product Cultural Experience Center



Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
M37388	P136	M42203	P64	M43705	P64	M44619	P62	M46660	P63	M48472	P104	M49176	P71
M37389	P136	M42204	P64	M43706	P64	M44620	P62	M46663	P63	M48806	P104	M49177	P71
M37390	P135	M42205	P64	M43708	P64	M44621	P62	M46665	P63	M48807	P104	M49178	P70
M37392	P138	M42206	P64	M43709	P64	M44622	P62	M46667	P63	M48808	P104	M49179	P70
M37401	P138	M42207	P64	M43710	P64	M44623	P62	M46670	P63	M48809	P104	M49190	P70
M37438	P138	M42208	P64	M43712	P64	M44624	P62	M46671	P63	M48810	P104	M49191	P70
M37439	P138	M42210	P62	M43714	P64	M44625	P62	M46675	P63	M48811	P104	M49192	P71
M37440	P138	M42212	P62	M43716	P64	M44626	P62	M46677	P69	M48812	P104	M49193	P71
M37457	P138	M42302	P62	M43718	P64	M44627	P62	M46680	P69	M48813	P104	M49204	P71
M37458	P139	M42303	P62	M44206	P64	M44628	P62	M47025	P69	M48814	P104	M49205	P71
M37459	P139	M42304	P62	M44208	P64	M44629	P62	M47026	P69	M48815	P104	M49206	P71
M37631	P139	M42305	P62	M44209	P64	M44630	P62	M47038	P69	M48816	P104	M49207	P71
M37632	P139	M42306	P62	M44211	P64	M44631	P63	M47039	P69	M48817	P104	M49208	P71
M37633	P139	M42307	P62	M44212	P64	M44633	P63	M47040	P69	M48818	P104	M49209	P71
M37634	P139	M42308	P62	M44214	P64	M44661	P63	M47041	P69	M48819	P104	M49210	P71
M37635	P139	M42309	P62	M44215	P64	M44662	P63	M47042	P69	M48820	P104	M49211	P71
M37647	P139	M42310	P62	M44217	P64	M44663	P63	M47043	P69	M48821	P104	M49212	P71
M37648	P139	M42311	P62	M44219	P64	M44664	P63	M47059	P69	M48822	P104	M49213	P72
M37649	P139	M42312	P62	M44220	P64	M44665	P63	M47060	P69	M48823	P104	M49214	P72
M37650	P139	M42313	P63	M44222	P64	M44666	P63	M47061	P69	M48824	P104	M49267	P72
M37651	P139	M42314	P63	M44224	P64	M44667	P63	M47076	P69	M48825	P104	M49268	P72
M37663	P139	M42401	P63	M44225	P64	M44668	P63	M47077	P68	M48826	P104	M49269	P72
M37664	P139	M42402	P63	M44227	P62	M44669	P63	M47078	P68	M48827	P104	M49270	P72
M37665	P139	M42403	P63	M44229	P62	M44670	P63	M47113	P68	M48828	P104	M49271	P72
M37666	P139	M42404	P63	M44308	P62	M44671	P63	M47114	P68	M48829	P104	M49272	P72
M37667	P139	M42405	P63	M44309	P62	M44672	P63	M47115	P68	M48830	P104	M49273	P72
M37679	P139	M42406	P63	M44310	P62	M44673	P63	M47116	P67	M48831	P104	M49274	P72
M37680	P139	M42407	P63	M44311	P62	M44674	P63	M47117	P68	M48832	P104	M49275	P72
M37681	P139	M42408	P63	M44312	P62	M44675	P63	M47129	P68	M48833	P104	M49286	P72
M37685	P139	M42409	P63	M44313	P62	M44678	P63	M47132	P68	M48834	P104	M49287	P72
M37686	P139	M42410	P63	M44314	P62	M44681	P64	M47133	P68	M48835	P104	M49288	P72
M37687	P139	M42411	P63	M44315	P62	M44683	P64	M47134	P68	M48836	P70	M49289	P72
M37691	P139	M42412	P64	M44316	P62	M44711	P64	M47135	P68	M48838	P70	M49290	P72
M37692	P142	M42413	P64	M44317	P62	M44713	P64	M47140	P68	M49005	P70	M49291	P72
M37693	P142	M43204	P64	M44318	P62	M44714	P64	M47141	P68	M49006	P70	M49292	P72
M37733	P142	M43206	P64	M44319	P62	M44715	P64	M47142	P68	M49007	P70	M49293	P72
M37738	P142	M43208	P64	M44320	P62	M44717	P64	M47146	P68	M49008	P70	M49294	P71
M37739	P135	M43210	P64	M44321	P62	M44719	P64	M47147	P68	M49009	P70	M49295	P71
M37755	P135	M43212	P64	M44322	P62	M44721	P64	M47148	P68	M49010	P70	M49306	P71
M37920	P167	M43214	P64	M44323	P62	M44723	P64	M47149	P68	M49011	P70	M49307	P71
M37921	P167	M43216	P64	M44324	P62	M44725	P62	M47153	P68	M49012	P70	M49308	P71
M40042	P166	M43217	P64	M44325	P62	M44727	P62	M47154	P68	M49023	P70	M49309	P71
M40048	P166	M43220	P64	M44326	P62	M45618	P62	M47155	P68	M49024	P70	M49320	P71
M40082	P166	M43223	P62	M44327	P62	M45620	P62	M47160	P68	M49025	P70	M49321	P71
M40083	P167	M43224	P62	M44328	P62	M45622	P62	M47161	P68	M49026	P70	M49322	P71
M40084	P167	M43306	P62	M44329	P62	M45623	P62	M47173	P68	M49027	P70	M49323	P71
M40107	P167	M43307	P62	M44330	P63	M45624	P62	M47174	P69	M49028	P70	M49324	P71
M40108	P167	M43308	P62	M44332	P63	M45625	P62	M47175	P67	M49039	P70	M49325	P72
M40109	P167	M43309	P62	M44407	P63	M45626	P62	M47185	P67	M49040	P70	M49326	P72
M40110	P167	M43310	P62	M44408	P63	M45627	P62	M47222	P67	M49041	P70	M49337	P72
M40111	P167	M43311	P62	M44409	P63	M45628	P62	M47226	P67	M49052	P70	M49338	P72
M40112	P167	M43312	P62	M44410	P63	M45629	P62	M47232	P67	M49053	P70	M49339	P72
M40113	P167	M43313	P62	M44411	P63	M45630	P62	M47233	P67	M49054	P70	M49340	P72
M40114	P167	M43314	P62	M44412	P63	M45631	P62	M47234	P67	M49065	P70	M49341	P72
M40115	P167	M43315	P62	M44413	P63	M45632	P62	M47235	P67	M49066	P70	M49342	P72
M40116	P167	M43316	P62	M44414	P63	M45633	P62	M47247	P169	M49067	P70	M49343	P72
M40117	P167	M43317	P62	M44415	P63	M45634	P62	M47313	P169	M49120	P70	M49344	P72
M40118	P167	M43318	P62	M44416	P63	M45635	P62	M47372	P169	M49121	P70	M49345	P72
M40119	P167	M43319	P62	M44417	P63	M45637	P62	M47373	P169	M49122	P70	M49346	P72
M40168	P167	M43320	P62	M44418	P63	M45639	P62	M47377	P67	M49123	P70	M49347	P72
M40169	P167	M43321	P62	M44419	P63	M45641	P62	M47378	P67	M49124	P70	M49378	P72
M40170	P167	M43322	P63	M44420	P63	M45642	P62	M48167	P66	M49125	P70	M49379	P72
M40171	P167	M43324	P63	M44421	P63	M45643	P62	M48168	P66	M49126	P70	M49380	P72
M40172	P167	M43405	P63	M44422	P63	M45644	P62	M48172	P66	M49127	P70	M49381	P72
M40173	P168	M43406	P63	M44423	P63	M45647	P62	M48176	P69	M49128	P70	M49382	P72
M40174	P168	M43407	P63	M44424	P63	M45649	P62	M48184	P66	M49129	P71	M49383	P72
M40212	P168	M43408	P63	M44425	P63	M45651	P62	M48191	P65	M49130	P71	M49384	P72
M40251	P168	M43409	P63	M44426	P63	M45653	P62	M48219	P65	M49141	P71	M49385	P72
M40252	P168	M43410	P63	M44427	P63	M45656	P62	M48251	P65	M49142	P71	M49386	P72
M40253	P168	M43411	P63	M44428	P63	M45657	P62	M48252	P66	M49143	P71	M49397	P72
M40254	P169	M43412	P63	M44429	P62	M45659	P62	M48253	P66	M49144	P71	M49398	P72
M40279	P169	M43413	P63	M44431	P62	M45661	P62	M48266	P66	M49145	P71	M49399	P72
M40564	P168	M43414	P63	M44609	P62	M45666	P63	M48267	P65	M49146	P71	M49400	P72
M40589	P169	M43415	P63	M44610	P62	M45671	P63	M48268	P65	M49147	P71	M49401	P72
M40701	P170	M43416	P63	M44611	P62	M46636	P63	M48272	P65	M49158	P71	M49402	P72
M40712	P170	M43417	P63	M44612	P62	M46638	P63	M48273	P66	M49159	P71	M49403	P72
M40741	P123	M43418	P63	M44613	P62	M46641	P63	M48274	P85	M49160	P71	M49404	P72
M40767	P123	M43419	P63	M44614	P62	M46646	P63	M48327	P85	M49161	P71	M49405	P72
M40806	P64	M43420	P63	M44615	P62	M46650	P63	M48344	P67	M49162	P71	M49416	P72
M40810	P64	M43421	P64	M44616	P62	M46654	P63	M48345	P67	M49163	P71	M49417	P72
M42200	P64	M43423	P64	M44617	P62	M46655	P63	M48470	P67	M49164	P71	M49418	P72
M42202	P64	M43704	P64	M44618	P62	M46658	P63	M48471	P104	M49165	P71	M49419	P72



Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
M52333	P74	M54080	P76	M55267	P154	M60911	P170	M64160	P90	M71042	P85	M71914	P83	M95217	P144
M52334	P74	M54081	P76	M55268	P154	M60912	P170	M64161	P90	M71043	P85	M71915	P83	M95218	P144
M52335	P74	M54083	P76	M55269	P154	M60913	P170	M64162	P91	M71044	P85	M71916	P83	M98105	P144
M52336	P74	M54085	P76	M55270	P153	M60914	P170	M64163	P91	M71045	P85	M71917	P83	M98106	P144
M52338	P74	M54088	P76	M55271	P153	M60915	P170	M64231	P90	M71046	P85	M71918	P83	M98107	P136
M52340	P74	M54089	P75	M55272	P153	M60916	P170	M64261	P81	M71047	P85	M71919	P88	M98108	P136
M52341	P74	M54092	P75	M55276	P153	M60917	P170	M64263	P81	M71048	P85	M71921	P88	M98109	P136
M52343	P74	M54104	P75	M55277	P153	M60918	P170	M64264	P81	M71049	P85	M71922	P88	M98110	P136
M52345	P74	M54105	P75	M55278	P153	M60919	P170	M64270	P91	M71050	P85	M71924	P88	M98213	P136
M52346	P74	M54106	P75	M55279	P153	M60930	P170	M64282	P80	M71051	P85	M72008	P88	M98214	P136
M52348	P74	M54107	P75	M55280	P153	M60931	P170	M64283	P80	M71052	P85	M72010	P88	M98215	P136
M52350	P74	M54108	P75	M55281	P153	M60932	P170	M64290	P80	M71068	P85	M72011	P88	M98216	P136
M52352	P74	M54109	P75	M55282	P153	M60933	P149	M64299	P94	M71069	P85	M72012	P88	M98218	P136
M52354	P74	M54110	P75	M55283	P153	M60934	P149	M64309	P94	M71070	P85	M72013	P88	M98219	P136
M52355	P74	M54111	P75	M55284	P153	M60935	P149	M64310	P94	M71071	P85	M72014	P88	M98223	P136
M52357	P74	M54112	P75	M55285	P153	M60936	P149	M64311	P94	M71072	P85	M72016	P88	M98224	P136
M52358	P74	M54113	P75	M55286	P153	M61102	P149	M64441	P94	M71073	P85	M72017	P88	M98225	P136
M52359	P74	M54114	P75	M55288	P153	M61103	P149	M64442	P94	M71074	P85	M72018	P88	M98226	P136
M52360	P74	M54115	P75	M55289	P153	M61104	P149	M64443	P94	M71075	P85	M72019	P88	M98228	P136
M52363	P74	M54116	P75	M55290	P153	M61105	P149	M64444	P94	M71076	P85	M72021	P88	M98229	P136
M52365	P74	M54117	P75	M55291	P153	M61108	P149	M64445	P91	M71077	P85	M72022	P88	M98233	P136
M52370	P74	M54118	P75	M55292	P153	M61109	P149	M64446	P91	M71078	P85	M72110	P88	M98234	P136
M52375	P75	M54119	P75	M55293	P153	M61110	P149	M64447	P91	M71079	P85	M72111	P88	M98235	P94
M52380	P75	M54120	P75	M55294	P86	M61111	P149	M64448	P94	M71080	P85	M72112	P88	M98236	P94
M52416	P75	M54121	P154	M55295	P86	M61114	P150	M64535	P94	M71081	P85	M72113	P88	M98238	P94
M52417	P75	M54122	P154	M55296	P86	M61115	P150	M64538	P171	M71082	P85	M72114	P88	M98239	P94
M52418	P75	M55201	P154	M55622	P86	M61116	P150	M64546	P171	M71083	P85	M72116	P88	M99150	P94
M52420	P75	M55202	P154	M55623	P86	M61117	P150	M64556	P171	M71084	P85	M72117	P88	M99151	P94
M52421	P75	M55203	P154	M55624	P86	M61122	P150	M64733	P171	M71087	P86	M72118	P88	M99152	P94
M52422	P75	M55204	P154	M55625	P86	M61123	P150	M66101	P171	M71089	P86	M72119	P88	M99163	P94
M52423	P75	M55205	P154	M55626	P86	M61124	P150	M66102	P171	M71090	P86	M72121	P88	M99164	P94
M52424	P75	M55206	P154	M55630	P86	M61125	P150	M66103	P171	M71092	P86	M72122	P88	M99165	P94
M52425	P75	M55208	P154	M55631	P86	M61128	P150	M66201	P171	M71176	P86	M72124	P89	M99166	P94
M52426	P75	M55209	P154	M55632	P86	M61129	P150	M66202	P171	M71177	P86	M72127	P89	M99167	P94
M52427	P75	M55210	P154	M55636	P86	M61130	P150	M66203	P171	M71178	P86	M72130	P89	M99178	P94
M52429	P75	M55211	P154	M55637	P86	M61131	P150	M66204	P171	M71179	P86	M72132	P89	M99179	P94
M52431	P75	M55212	P154	M55638	P155	M61134	P150	M66205	P171	M71183	P86	M72508	P89	M99180	P94
M52432	P75	M55213	P154	M55639	P155	M61135	P150	M66206	P171	M71184	P85	M72510	P89	M99181	P94
M52433	P75	M55214	P154	M55643	P155	M61136	P150	M66211	P171	M71185	P85	M72512	P89	M99182	P76
M52435	P75	M55215	P154	M55644	P155	M61137	P150	M66212	P171	M71186	P85	M72514	P89	M99183	P76
M52440	P75	M55216	P154	M57301	P153	M61142	P150	M66213	P172	M71187	P83	M72517	P89	M99184	P76
M52445	P75	M55217	P154	M57302	P153	M61143	P150	M66214	P172	M71206	P83	M72519	P89	M99185	P76
M52449	P75	M55218	P154	M57305	P153	M61144	P150	M66215	P172	M71212	P83	M72522	P89	M99200	P76
M52454	P75	M55219	P154	M57307	P153	M61145	P150	M66216	P172	M71213	P83	M72524	P89	M99201	P76
M52459	P74	M55220	P153	M57312	P153	M61148	P150	M66301	P172	M71508	P83	M72527	P89	M99202	P76
M52464	P74	M55221	P153	M57313	P153	M61149	P150	M66302	P172	M71510	P83	M72530	P89	M99203	P76
M53336	P74	M55222	P153	M57314	P153	M61150	P150	M66303	P172	M71512	P83	M72532	P89	M99204	P76
M53338	P74	M55226	P153	M57315	P155	M61151	P150	M66304	P172	M71513	P83	M72608	P89	M99205	P76
M53340	P74	M55227	P153	M57316	P155	M61154	P151	M66305	P172	M71514	P83	M72610	P89	M99220	P76
M53341	P74	M55228	P153	M57317	P155	M61155	P151	M66306	P172	M71517	P83	M72612	P89	M99221	P76
M53343	P74	M55229	P153	M57318	P155	M61156	P151	M66307	P172	M71519	P83	M72614	P89	M99222	P142
M53345	P74	M55230	P153	M57351	P153	M61157	P151	M66308	P172	M71522	P83	M72617	P89	M99223	P142
M53346	P74	M55231	P153	M57352	P153	M61168	P151	M66309	P172	M71524	P83	M72619	P89	M99224	P142
M53348	P74	M55232	P153	M57355	P153	M61169	P151	M66310	P172	M71527	P83	M72622	P89	M99225	P142
M53350	P74	M55233	P153	M57357	P153	M61170	P151	M66311	P172	M71530	P83	M72624	P23	M99329	P142
M53352	P74	M55234	P153	M57362	P153	M61171	P151	M66312	P172	M71532	P83	M72627	P25	M99329	P166
M53354	P74	M55235	P153	M57363	P153	M61188	P149	M66313	P172	M71608	P83	M72630	P25	M99330	P166
M53355	P74	M55236	P153	M57364	P153	M61189	P149	M66314	P172	M71610	P83	M72632	P26	M99334	P166
M53357	P74	M55238	P153	M57365	P156	M61190	P149	M66321	P172	M71612	P83	M95057	P25	M99335	P166
M53358	P74	M55239	P153	M57366	P156	M61191	P149	M66322	P172	M71613	P83	M95058	P26	M99428	P177
M53359	P74	M55240	P153	M57367	P156	M61210	P149	M66323	P172	M71614	P83	M95059	P23	M99429	P57
M53360	P74	M55241	P153	M57368	P156	M61211	P149	M66324	P172	M71617	P83	M95060	P26	M99430	P43
M53363	P74	M55242	P153	M57441	P156	M61212	P149	M66325	P172	M71619	P83	M95061	P27	M99431	P45
M53365	P74	M55243	P153	M57449	P156	M61216	P149	M66326	P172	M71622	P83	M95062	P27	M99551	P44
M53370	P74	M55244	P154	M57450	P175	M61217	P149	M66328	P173	M71624	P85	M95066	P27		
M53375	P75	M55245	P154	M57460	P177	M61218	P176	M66329	P173	M71627	P87	M95067	P26		
M53380	P75	M55246	P154	M57461	P177	M61222	P176	M66330	P173	M71630	P87	M95068	P23		
M53435	P75	M55251	P154	M57476	P177	M61223	P176	M66331	P173	M71632	P87	M95069	P24		
M53440	P75	M55252	P154	M60100	P177	M61224	P176	M66611	P173	M71802	P87	M95070	P24		
M53445	P75	M55253	P154	M60239	P177	M62035	P176	M66614	P173	M71810	P88	M95071	P24		
M53449	P75	M55254	P154	M60242	P176	M62042	P176	M66621	P173	M71810	P88	M95075	P24		
M53454	P75	M55255	P154	M60245	P176	M62043	P176	M66624	P173	M71815	P83	M95076	P25		
M53459	P75	M55256	P154	M60310	P170	M62044	P175	M66631	P173	M71820	P83	M95077	P28		
M53464	P75	M55258	P154	M60311	P170	M62064	P92	M66634	P173	M71830	P83	M95078	P28		
M53469	P75	M55259	P154	M60330	P170	M62152	P92	M66641	P85	M71831	P83	M95079	P29		
M53474	P75	M55260	P154	M60331	P170	M62153	P92	M66644	P85	M71907	P83	M95080	P29		
M53479	P76	M55261	P154	M60900	P170	M62561	P92	M66651	P85	M71908	P83	M95211	P29		
M54084	P76	M55262	P154	M60901	P170	M64107	P92	M66654	P85	M71909	P83	M95212	P30		
M54059	P76	M55263	P154	M60902	P170	M64120	P93	M71038	P85	M71910	P83	M95213	P30		
M54060	P76	M55264	P154	M60903	P170	M64142	P93	M71039	P85	M71911	P83	M95214	P30		
M54061	P76	M55265	P154	M60904	P170	M64143	P93	M71040	P85	M71912	P83	M95215	P144		
M54062	P76	M55266	P154	M60905	P170	M64155	P93	M71041	P85	M71913	P83	M95216	P144		